<u>NOTICE</u> SPECIAL MEETING OF COUNCIL

Clerk's Office, Brook Park, Ohio

April 25, 2022

TO: <u>COUNCILMEMBERS TROYER, MENCINI, ROBERTS, SCOTT, COYNE, POINDEXTER, SALVATORE, COUNCIL PRESIDENT VECCHIO, AND MAYOR ORCUTT, LAW DIRECTOR HORVATH, AND FINANCE DIRECTOR CINGLE</u>

	J ARE HEREBY NOTIFIED THAT A SPE BEEN CALLED FOR THE PURPOSE O		COUNCIL	٠
	COUNCIL MEETING	XXX	_ CAUCUS I	MEETING
	EXECUTIVE SESSION	(OTHER (Spe	ecify)
APF	h special meeting will accordingly be RIL, 2022 at 7:00 P.M., the place of Council, No. 4, if applicable.)			
I.	ROLL CALL OF MEMBERS:			
II.	PLEDGE OF ALLEGIANCE:			
Note	e: Please see attached sheet for leg	islation titles:		
III.	DISCUSSION:		8	
IV.	RECREATION COMMITTEE - CH.	AIRMAN, MENCI	NI:	
V.	SERVICE COMMITTEE - CHAIRM	AAN, POINDEXTE	<u>:R:</u>	
VI.	ADJOURNMENT			
<u> </u>	MAYOR MAYOR	a a		
MSST.	Clerk of Council (PAPT TIME)			

DISCUSSION:

1. ORDINANCE NO. 11250-2022, AMENDING ORDINANCE NO. 11143-2020, AUTHORIZING THE IMPLEMENTATION OF THE BROOK PARK HOME MAINTENANCE ASSISTANCE GRANT PROGRAM (HMAP) AND DECLARING AN EMERGENCY. Introduced by Mayor Orcutt.

RECREATION COMMITTEE - CHAIRMAN, MENCINI:

1. AN ORDINANCE AUTHORIZING THE PURCHASE AND INSTALLATION OF A PRECAST CONCRETE RESTROOM BUILDING FROM CXT, INC., FOR THE BROOK PARK CENTRAL PARK AND DECLARING AN EMERGENCY. Introduced by Mayor Orcutt.

SERVICE COMMITTEE - CHAIRMAN, POINDEXTER:

- 1. AN ORDINANCE AUTHORIZING THE MAYOR TO ADVERTISE FOR BIDS FOR TREE INVENTORY SERVICES AND TO AUTHORIZE THE MAYOR TO ENTER INTO A CONTRACT WITH THE LOWEST AND/OR BEST BIDDER TO PROVIDE THE TREE INVENTORY SERVICES AND DECLARING AN EMERGENCY. Introduced by Mayor Orcutt.
- 2. AN ORDINANCE AUTHORIZING THE MAYOR TO TRADE-IN THE CITY'S 2013 HUSTLER HYPERDRIVE 72-INCH MOWER AND PURCHASE A NEW 72-INCH HUSTLER SUPER Z MOWER AND FLEX FORKS AND DECLARING AN EMERGENCY. Introduced by Mayor Orcutt.
- 3. AN ORDINANCE AUTHORIZING THE MAYOR TO ENTER INTO A CONTRACT WITH STOOPS WESTERN STAR OF OHIO (ODOT CO-OP PURCHASING 023-22) FOR THE PURCHASE OF A WESTERN STAR TRUCK CHASSIS TO BE PACKAGED WITH A HENDERSON DUMP BODY AND DECLARING AN EMERGENCY. Introduced by Mayor Orcutt.
- 4. AN ORDINANCE AUTHORIZIGN THE MAYOR TO ENTIER INTO A CONTRACT WITH HENDERSON PRODUCTS (SOURCEWELL CONTRACT #080818-HPI)/SOURCEWELL #39065) FOR THE PURCHASE OF A 2022 SINGLE AXLE SNOW AND ICE CONTROL TRUCK EQUIPMENT PACKAGE AND DECLARING AN EMERGENCY. Introduced by Mayor Orcutt.
- 5. AN ORDINANCE AUTHORIZING THE MAYOR TO ENTER INTO A CONTRACT WITH BUCKEYE PUMPS, INC., TO PURCHASE FOUR LIFT STATION PUMPS TWO CONTROL PANELS AND TWO PRIMEX PRESSURE TRANSDUCERS AND DECLARING AN EMERGENCY. Introduced by Mayor Orcutt.

- -104	1-19-	72	1.2.	Ra		
CA 4	-12	-22	reg	1'a	W	J. P.
1stR	:-19.	-77)			
2nd R	, ,,,,	- Contraction of the last of t	7	-		
$\operatorname{Prd} R^{-}$				- January .	-	
50		-		and the same of th		
SPOR	C U	-26	-2	\supset		

CITY OF BROOK PARK, OHIO

ORDINANCE NO: 11250-2023

INTRODUCED BY: MAYOR ORCUTT

AN ORDINANCE AMENDING ORDINANCE NO. 11143-2020, AUTHORIZING THE IMPLEMENTATION OF THE BROOK PARK HOME MAINTENANCE ASSISTANCE GRANT PROGRAM (HMAP), AND DECLARING AN EMERGENCY

WHEREAS, City Council appropriated \$50,000, from the Economic Development fund #243 in the 2022-2023 municipal budget to provide home maintenance assistance to Brook Park residents;

WHEREAS, in order to implement the Home Maintenance Assistance Program (HMAP), the Council authorizes the Mayor to approve and the Finance Director to issue grants in order to implement the HMAP within the City;

WHEREAS, this Council desires to implement rules and regulations to facilitate the prompt and effective management of the HMAP program within the city;

WHEREAS, the City of Brook Park encourages the development and maintenance of real property located within the City, and specifically within the City's LMI (low/moderate-income) and Target Improvement Area zones; and

WHEREAS, financial assistance from the City of Brook Park is necessary to permit residents to effectuate the remediation and repairs to their residential properties and to protect the community from blight and deterioration; and

WHEREAS, the City of Brook Park, having the appropriate authority for the stated type of project, is desirous of providing its residents with assistance and incentives to protect their properties and to prevent the deterioration and decay of its residential neighborhoods consistent with the purposes of Section 13 of Article VIII of the Ohio Constitution to eradicate and mitigate blight within the City, and to improve the economic welfare of the people of the State; and

WHEREAS, the Council of the City of Brook Park has investigated the request of the Mayor for authority to implement a HMAP program and concurs that the requested administrative authority will greatly assist homeowners and city officials to

remediate housing stock within the City, improve the living conditions of city residents and improve the economic climate of the City of Brook Park;

NOW THEREFORE, BE IT ORDAINED, by the Council of the City of Brook Park, State of Ohio, that:

SECTION 1: Not withstanding any other codified ordinances the Mayor is authorized to approve, and the Finance Director is authorized to issue, Home Maintenance Assistance Program grants to residents of Brook Park in owner-occupied dwellings upon the following terms and conditions:

The City shall maintain complete records of all grants 1.

issued under the HMAP program;

All existing building code violations for the property in 2. question shall be corrected as part of and as a condition precedent to the issuance of funds by the City under the HMAP program;

The City shall conduct due diligence of all HMAP grant 3. applications to determine whether the applicant falls

within the federal income assistance guidelines;

Brook Park residents in owner-occupied residential housing 4. with documented income below federal income assistance guidelines shall be eligible for grant assistance up to \$5,000 in matching funds for documented repairs and exterior owner-occupied residential improvements to structures.

The use of funds shall be limited to exterior structural 5. home and capital repairs limited to gutters, paint exteriors, roofs, windows, furnaces, driveways, and not for

landscaping, or sidewalks of a premise.

improvements and completion of the desired A. Upon approval and certification the inspection, improvements by the Commissioner of Building and Housing, the Director of Finance shall issue payment to the registered contractor performing the work.

B. The proposed project must meet all applicable codes and be approved in advance by the Building Commissioner.

- C. Applications will be taken on a first come first serve basis until annually appropriated funds are exhausted.
- D. During the term of the grant, applicants must occupy said premises.

SECTION 2: The money needed for the aforesaid grants shall be paid by the City from funds appropriated for the Home Maintenance Assistance Program upon the completion of the aforesaid remediation and repair activities and said funds shall be exclusively applied to the costs, expenses and fees arising from and/or incurred by the homeowner in furtherance of the aforesaid home maintenance and improvements.

SECTION 3: It is found and determined that all formal actions of this Council concerning and relating to the adoption of this Ordinance were adopted in an open meeting of this Council, and that all deliberations of this Council and of any of its committees that resulted in such formal action were in meetings open to the public in compliance with all legal requirements, including Sections 121.22 of the Ohio Revised Code.

SECTION 4: This Ordinance is hereby declared to be an emergency measure immediately necessary for the preservation of the public peace, health, safety and welfare of said City, and for the further reason implement the HMAP for 2022-2023; provided this Ordinance receives the affirmative vote of at least five (5) members elected to Council, it shall take effect and be in force immediately upon its passage and approval by the Mayor; otherwise, from and after the earliest period allowed by law.

PASSED:		PRESI	DENT OF COUNCIL
ATTEST:_	Clerk of Council	APPROVED:	MAYOR
		-	DATE

I HEREBY APPROVE THE WITHIN INSTRUMENT AS TO LEGAL FORM AND CORRECTNESS

DIRECTOR OF LAW

RECEIVED

APR 07 2022

BROOK PARK CITY COUNCIL

\$	17 4-19-22 KECKEATK
7	

CITY OF BROOK PARK, OHIO

A ORDINANCE	NO:	
-------------	-----	--

INTRODUCED BY: MAYOR ORCUTT

AN ORDINANCE

AUTHORIZING THE PURCHASE AND INSTALLATION OF A PRECAST CONCRETE RESTROOM BUILDING FROM CXT, INC., FOR THE BROOK PARK CENTRAL PARK, AND DECLARING AN EMERGENCY

WHEREAS, the Brook Park Central Park is being designed and the installation of a restroom is included in the improvements as approved in the conceptual plan for this project, and

WHEREAS, the City's purchasing guidelines allow competitive prices to be determined when another public agency or public service purchasing agency has administered a competitive bidding process within the last two years for similar products or services, and Sourcewell maintains a list of current pricing for typical products and services through their competitively Awarded Contract program; and

WHEREAS, CXT, Inc. participates and offers pricing under the Sourcewell contract program and submitted a quote to supply the precast concrete "Cortez" model restroom building for \$78,955.00.

NOW, THEREFORE, BE IT ORDAINED, by the Council of the City of Brook Park, State of Ohio, that:

SECTION 1: The Mayor is hereby authorized to enter into a contract for the purchase of a "Cortez" restroom building with specified options from CXT, Inc., in the amount of \$78,955.00.

SECTION 2: The cost for the project is \$90,000.00 which includes \$11,045.00 for the Brook Park Service Department for utility and sidewalk installation (Exhibit "A").

SECTION 3: The money needed for the aforesaid transaction shall be paid from Fund No. 342; theretofore appropriated or to be appropriated for said purpose.

APR 1 4 2022

BROOK PARK CITY COUNCIL

SECTION 4: It is found and determined that all formal actions of this Council concerning and relating to the adoption of this Ordinance were adopted in an open meeting of this Council, and that all deliberations of this Council and of any of its committees that resulted in such formal action were in meetings open to the public in compliance with all legal requirements, including Section 121.22 of the Ohio Revised Code.

SECTION 5: This Ordinance is hereby declared to be an emergency measure immediately necessary for the preservation of the public peace, health, safety and welfare of said City, and for the further reason to allow the City to purchase and install a precast concrete restroom building; therefore provided this ordinance receives the affirmative vote of at least five (5) members elected to Council, it shall take effect and be in force immediately upon its passage and approval by the Mayor; otherwise, from and after the earliest period allowed by law.

PASSED:		PRESI	DENT OF COUNCIL	
ATTEST:_	Clerk of Council	APPROVED:	MAYOR	
			DATE	

I HERITBY APPLIOVE THE WITHIN INSTRUMENT AS TO LEGAL FORM AND CORRECTNESS

DIRECTOR OF LAV



City of Brook Park

Recreation Department

CITY OF BROOK PARK 2022 PRECAST CONCRETE RESTROOM BUILDING (COST ESTIMATE)



CXT INC. Pre-Cast Restroom

\$78,955.00

Brook Park Service Department Costs

Utility Costs

\$2,200.00


- Stone & Concrete

\$8,845.00

Estimated Total

\$90,000.00







Codet



CXT° Precast Concrete Products manufactures restroom, shower and concession buildings in multiple designs, textures and colors. The roof and walls are fabricated with high strength precast concrete to meet all local building codes and textured to match local architectural details. All CXT buildings are designed to meet A.D.A. and to withstand heavy snow, high wind and category E seismic loads. All concrete construction also makes the buildings easy to maintain and withstand the rigors of vandalism. The buildings are prefabricated and delivered complete and ready-to- use, including plumbing and electrical where applicable. With thousands of satisfied customers nationwide, CXT is the leader in prefabricated concrete restrooms.

- ORDERING ADDRESS(ES): CXT Precast Concrete Products, 606 N. Pines Road, Suite 202, Spokane Valley, WA 99206
- 2. ORDERING PROCEDURES: Fax 509-928-8270
- 3. PAYMENT ADDRESS(ES):
 Remitting by check:
 CXT, Inc., PO Box 643343, Pittsburgh, PA 15264-3343

Remitting by ACH or wire transfer: Beneficiary: CXT, Inc. Beneficiary Bank: PNC Bank, Pittsburgh, PA Account: 1019282233 ABA/Routing: 043000096 Emall remittance details to AR@lbfoster.com

4. WARRANTY PROVISIONS: CXT provides a one (1) year warranty. The warranty is valid only when concrete is used within the specified loadings. Furthermore, said warranty includes only the related material necessary for the construction and fabrication of said concrete components. All other non-concrete components will carry a one (1) year warranty. CXT warrants that all goods sold pursuant hereto will, when delivered, conform to specifications set forth above. Goods shall be deemed accepted and meeting specifications unless notice identifying the nature of any non-conformity is provided to CXT in writing within the specified warranty. CXT, at its option, will repair or replace the goods or issue credit for the customer provided CXT is first given the opportunity to inspect such goods. It is specifically understood that CXT's obligation hereunder is for credit, repair or replacement only, F.O.B. CXT's manufacturing plants, and does not include shipping, handling, installation or other incidental or consequential costs unless otherwise agreed to in writing by CXT.

This warranty shall not apply to:

- Any goods which have been repaired or altered without CXT's express written consent, in such a way as in the reasonable judgment of CXT, to adversely affect the stability or reliability thereof;
- 2. To any goods which have been subject to misuse, negligence, acts of God or accidents; or
- To any goods which have not been installed to manufacturer's specifications and guidelines, improperly maintained, or used outside of the specifications for which such goods were designed.
- TERMS AND CONDITIONS OF INSTALLATION (IF APPLICABLE): All prices subject to the "Conditions of Sale" listed on the CXT quotation form.

Customers are responsible for marking exact location building is to be set; providing clear and level site, free of overhead and/or underground obstructions; and providing site accessible to normal highway trucks and sufficient area for the crane to install and other equipment to perform the contract requirements. Customer shall provide notice in writing of low bridges, roadway width or grade, unimproved roads or any other possible obstacles to access, CXT reserves the right to charge the customer for additional costs incurred for special equipment required to perform

delivery and installation, Customers will negotiate installation on a projectby-project basis, which shall be priced as separate line items. For more information regarding installation and truck turning radius guidelines please see our website at http://www.cxtinc.com.

In the event delivery of the building/s ordered is/are not completed within 30 days of the agreed to schedule through no fault of CXT, an invoice for the full contract value (excluding shipping and installation costs) will be submitted for payment. Delivery and installation charges will be invoiced at the time of delivery and installation.

Should the delivery and installation costs increase due to changes in the delivery period, this increase will be added to the price originally quoted, and will be subject to the contract payment terms.

In the event that the delivery is delayed more than 90 days after the agreed to schedule and through no fault of CXT, then in addition to the remedies above, a storage fee of 1-½% of contract price per month or any part of any month will be charged.


**Customer is responsible for all local permits and fees.

- 6. DELIVERY CHARGE: All prices F.O.B. origin prepaid and added to invoice. CXT operates three (3) manufacturing plants in the United States and will deliver from the closest location on our carriers.
- 7. PAYMENT TERMS: Payment to CXT by the purchaser shall be made net 30 days after submission of the invoice to the purchaser on approved credit. Interest at a rate equal to the lower of (i) the highest rate permitted by law; or (ii) 1.5% per month will be charged monthly on all unpaid invoices beginning with the 35th day (includes five (5) day grace period) from the date of the invoice. Under no circumstance can retention be taken. If CXT initiates legal proceeding to collect any unpaid amount, purchaser shall be liable for all of CXT's costs, expenses and attorneys' fees and costs of any appeal.
- 8. LIMITATION OF REMEDIES: In the event of any breach of any obligations hereunder; breach of any warranty regarding the goods, or any negligent act or omission of any party, the parties agree to submit all claims to binding arbitration. Any settlement reached shall include all reasonable costs including attorney fees. In no event shall CXT be subject to or liable for any incidental or consequential damages. Without limitation on the foregoing, in no event shall CXT be liable for damages in excess of the purchase price of the goods herein offered.
- 9. DELIVERY INFORMATION: All prices F.O.B. origin prepaid and added to invoice. CXT operates three (3) manufacturing plants in the United States and will deliver from the closest location on our carriers. Use the information below to determine the origin:
- F.O.B. 6701 E. Flamingo Avenue, Building 300, Nampa, ID 83687 applies to: AK, CA, HI, ID, MT, ND, NV, OR, SD, UT, WA, WY.
- F.O.B. 901 North Highway 77, Hillsboro, TX 76645 applies to AR, AZ, CO, IA, KS, LA, MN, MO, MS, NE, NM, OK, TX.
- F.O.B. 362 Waverly Road, Williamstown, WV 26183 applies to AL, CT, DE, FL, GA, IL, IN, KY, MA, MD, ME, MI, NC, NH, NJ, NY, OH, PA, PR, RI, SC, TN, VA, VT, WI, WV.
- Prices exclude all federal/state/local taxes. Tax will be charged where applicable if customer is unable to provide proof of exemption.

Cortez

Date





Cortez with chase restroom building. Standard features include simulated barnwood texture walls, simulated cedar shake textured roof, vitreous china fixtures, interior and exterior lights, off loaded and set up at site.

Cortez 10' 3" x 17'		Control of the Contro		A CONTRACTOR OF THE PARTY OF TH	*Base	Price	\$ 53,955.00
Optional Sections:						in the	· 高麗 500-2
Restroom* \$53,955 Qty: = \$0.00		Shower* \$65,	250 C	ity: = \$0.	.00		
Family Assist Shower/Restroom Combo* \$62,955 Qty: = \$0.00		Storage \$49,9	950 C	ity: = \$0.	00		
Concession* \$62,550 Qty: = \$0.00			grages				
*Includes 4-gallon water heater.			-	Total Option	nal Sec	tions	0.00
Adulad Cost Options:	N. 1			HALES			
Final Connection to Utilities			\$	3,500.00	TI	≥d., =2h.	0.00
and the same of th	k Trowel (\$4,000	0) O Stone (\$5		Reset Wall Te	xture		4,000.00
Ontional Roof Texture charges Delta Rib			\$	4,000.00			0.00
Insulation / Heaters	- Transport Co- President		\$	19,500.00	Πİ	- Andrewson - State of	0.00
Stainless Steel Water Closet (each)	Qty:		\$	1,500.00	F		0.00
Stainless Steel Lavatory (each)	Qty:		\$	1,100.00	FI		0.00
Electric Hand Dryer (each)	Qty: 2		\$	700.00	7		1,400.00
Electronic Flush Valves (each)	Qty:		\$	750.00	Fil		0.00
Electronic Lavatory Faucets (each)	Qty:		\$	750.00	司		0.00
Exterior Mounted ADA Drinking Fountain (each)	Qty:		\$	4,500.00	首		0.00
Optional Door Closure (each)	Qty:		\$	450.00	司		0.00
Skylight in Restroom (each)	Qty:		\$	950.00			0.00
Marine Grade Skylight in Restroom (each)	Qty:		\$	2,450.00	青†		0.00
Marine Package for Extra Corrosion Resistance (per section)	159	<u>l</u>	\$	2,450.00	Ħ		0.00
Fiberglass Entry and Chase Doors and Frames	Qty:	1	\$	1,000.00	青忙		0.00
Tile Floor in Restroom (per section)	149.		\$	4,500.00	青巾		0.00
2K Anti-Graffiti Coating (per section)			\$	3,500.00	7		3,500.00
Timed Electric Lock System (2 doors - does not include chase door)	Qty: 1		\$	600.00	V		600.00
Exterior Frostproof Hose Bib with Box (each)	Qty: 2		\$	500.00	V	LANDEL AVER F	1,000.00
Paper Towel Dispenser (each)	Qty:		\$	200.00			0.00
Toilet Seat Cover Dispenser (each)	Qty:		\$	100.00			0.00
Sanitary Napkin Disposal (each)	Qty:		\$	75.00			0.00
Baby Changing Station (each)	Qty:		Ş	675.00			0.00
CXT Wastebasket (each)	Qty:		\$	150.00			0.00
		d Accessories fro	m Acc	essories Price I	List:	\$	10,500.00
Custom Options: 2022 Fuel Surcharge					<u> </u>	\$	2,100.00
Costoni Options: 2022 doi Outolargo		Eng	ineerir	ng and State Fo		\$	3,500.00
	Estimated One	-Way Transportati				\$	8,900.00
and the second s				Estimated -		\$	
		Total Cost per	Unit f	Placed at Job S		\$	78,955.00
Estimated monthly payment on 5 year lease \$1,587.00							are compatible
This price quote is good for 60 days from date below, and is accurate		accept this quot	e. Plea	se process thi	s order.		
and complete.		· · · · · · · · · · · · · · · · · · ·				C	ompany Name
Gregg Digitally signed by	Г						
Zentarsk Gregg Zentarsky Date: 2022.04.11 CXT Sales Representative	Sieuceivolle ³⁷						Custome

4-19-22 SEAVICE	,
SPCA 4-36-22	
id R	
, 17	

CITY OF BROOK PARK, OHIO

ORDINANCE	NO:	
-----------	-----	--

INTRODUCED BY: MAYOR ORCUTT

AN ORDINANCE

AUTHORIZING THE MAYOR TO ADVERTISE FOR BIDS FOR TREE INVENTORY SERVICES, AND TO AUTHORIZE THE MAYOR TO ENTER INTO A CONTRACT WITH THE LOWEST AND/OR BEST BIDDER TO PROVIDE THE TREE INVENTORY SERVICES, AND DECLARING AN EMERGENCY

WHEREAS, the City of Brook Park applied for a grant with the County of Cuyahoga for a Healthy Urban Tree Canopy Program and was awarded a grant in the amount of \$46,085.29, which is attached hereto and incorporated herein as Exhibit "A"; and

WHEREAS, said grant has been approved for improving Brook Park's Tree Canopy; and

NOW, THEREFORE, BE IT ORDAINED, by the Council of the City of Brook Park, State of Ohio, that:

SECTION 1: The Mayor is hereby authorized by the City of Brook Park to advertise for bids for tree inventory services, and the Mayor is further authorized to enter into a contract with the lowest and/or best bidder for tree inventory services, not to exceed \$30,000.00.

SECTION 2: The money needed for the aforesaid transaction shall be paid from Fund No. 100; appropriated or to be appropriated for said purpose.

SECTION 3: It is found and determined that all formal actions of this Council concerning and relating to the adoption of this Ordinance were adopted in an open meeting of this Council, and that all deliberations of this Council and of any of its committees that resulted in such formal action were in meetings open to the public in compliance with all legal requirements, including Section 121.22 of the Ohio Revised Code.

SECTION 4: This Ordinance is hereby declared to be an emergency measure immediately necessary for the preservation of the public peace, health, safety and welfare of said City, and for the further reason to authorize the Mayor to advertise for bids for

RECEIVED

APR 1 4 2022

tree inventory services, and to enter into a contract with the lowest and/or best bidder; therefore provided this ordinance receives the affirmative vote of at least five (5) members elected to Council, it shall take effect and be in force immediately upon its passage and approval by the Mayor; otherwise, from and after the earliest period allowed by law.

PASSED:		PRESI	IDENT OF COUNCIL	
ATTEST:	Clerk of Council	APPROVED:	MAYOR	
			DATE	

APR 1 4 2022

BROOK PARK CITY COUNCIL

I HEREBY APPROVE THE WITHIN INSTRUMENT AS TO LEGAL FORM AND CORRECTNESS

DIRECTL ST



CUYAHOGA COUNTY
PLANNING COMMISSION



216.443.3700 COUNTYPLANNING.US

04.04.22

Mr. Paul Marnecheck Brook Park City Hall 6161 Engle Road Brook Park, Ohio 44142

RE: Improving Brook Park's Tree Canopy, BRK-22-01

Dear Mr. Marnecheck,

On behalf of the Cuyahoga County Healthy Urban Tree Canopy Program, it is my pleasure to inform you that a grant to the City of Brook Park in the amount of \$46,085.29 has been approved for Program Year 2022, project # BRK-22-01, Improving Brook Park's Tree Canopy.

The offer of this grant is subject to attendance to the mandatory Awards Reimbursement Policy Webinar on Monday, April 11th, at 9:00am to 11:00 am, and completion of the Project Agreement along with supporting documentation. Award Packets that include your Project Agreement will be sent as confirmation of your registration for the webinar.

Please acknowledge your receipt of this document and register for the PY 2022 Awards Reimbursement Policy webinar at https://us06web.zoom.us/webinar/register/WN_MsM8e5u2SlqJunW20UWAdw.

Thank you for your good work!

Sincerely,

Mary Cierebiel, AICF Executive Director

Cuyahoga County Planning Commission

City of Brook Park Council Agenda Request Form

From: Mayor's Office

Date: Thursday, April 14, 2022

Requestors Name(s): Mayor Orcutt

Title of Legislation or Purpose of Request:

AN ORDINANCE AUTHORIZING THE MAYOR TO ADVERTISE FOR BIDS FOR TREE INVENTORY SERVICES, AND TO AUTHORIZE THE MAYOR TO ENTER INTO A CONTRACT WITH THE LOWEST AND/OR BEST BIDDER TO PROVIDE THE TREE INVENTORY SERVICES, AND DECLARING AN EMERGENCY

Meeting Agenda Placement: Introduction at the Council meeting on Tuesday, April 19

Date Request Received by Council Office: Click to enter a date.

	PIC 4-19-22 SEEVE	SN.
50	CA 4-21-22	0
	10t R	
	9rd R	,
	E/C	34

CITY OF BROOK PARK, OHIO

ORDINANCE	NO:		
TNTPODICED	BY	MAYOR	ORCUTT

AN ORDINANCE

AUTHORIZING THE MAYOR TO TRADE-IN THE CITY'S 2013 HUSTLER HYPERDRIVE 72 INCH MOWER, AND PURCHASE A NEW 72 INCH HUSTLER SUPER Z MOWER AND FLEX FORKS AND DECLARING AN EMERGENCY

NOW THEREFORE, BE IT ORDAINED, by the Council of the City of Brook Park, State of Ohio, that:

- **SECTION 1:** The Mayor is hereby authorized to trade-in a 2013 Hustler Hyperdrive 72 inch mower.
- **SECTION 2:** The trade-in value of the mower is \$1,600.00 and the quote for the trade in allowance is attached hereto and incorporated herein as Exhibit "A".
- SECTION 3: The Mayor is hereby authorized to enter into a contract with Baker Vehicle Systems, through Sourcewell contract #031121-HTE for a new Hustler Super Z HyperDrive mower for a price not to exceed \$13,166.00, and flex forks for \$296.00 as further illustrated in Exhibit "A".
- SECTION 4: The money needed for the aforesaid transaction shall be paid from fund 401-342 (Capital), and shall not exceed \$11,862.00 (\$13,462.00 less \$1,600.00 trade-in).
- SECTION 5: It is found and determined that all formal actions of this Council concerning and relating to the adoption of this Ordinance were adopted in an open meeting of this Council, and that all deliberations of this Council and of any of its committees that resulted in such formal action were in meetings open to the public in compliance with all legal requirements, including Section 121.22 of the Ohio Revised Code.
- SECTION 6: This Ordinance is hereby declared to be an emergency measure immediately necessary for the preservation of the public peace, health, safety and welfare of said City, and authorizing the

Mayor to trade in a mower, purchase a new mower and flex forks, therefore, provided this ordinance receives the affirmative vote of at least five (5) members elected to Council, it shall take effect and be in force immediately upon its passage and approval by the Mayor; otherwise, from and after the earliest period allowed by law.

PASSED:		PRESIDENT OF COUNCIL
ATTEST:_	CLERK OF COUNCIL	APPROVED: MAYOR
		DATE '

RECEIVED

APR 1 4 2022

BROOM BARK CITY COUNCIL

DIRECTO LOF LAW

I HEREBY APPLOVE THE WITHIN INSTRUMENT AS TO LEGAL FORM AND CORRECTNESS

Brain if Central.

		Brain if Ca	ntral!
	1 1 1 1	Ovans of or	
DAT	=4-4-22	PRICE QUOTE BY:	
දරාග	IPANY: Baker	DATE:	~
	1) 0 . 0	ORDERED BY:	ansis
AUU	PRESS: Ushuckes	P.O.#	
PHO	ONE MO.	AREA WHERE PRODUCT U	SED:
· ·	NDOR 2:	401-342	- lepital
vei	NDOR3: : :	+ A+C2110	LHTF
AMO	DESCRIPTION	travet # 03/12	DEPT. PRICE EA. TOTAL
		SHP Lyper Z. Morrer	13/660
	1. Think S	1 - Morres	12,00
	· Histle &	yes E-111000	29600-
_	Took kil		
	10000		1 1277
. =		1 2. 14:4:0	Tank - 1600 %
1/1-	to: Have San.	Rept. man	2,23 /10000
ii ii		1 1 201 - 111	11,862
	11. 17 / / /		
·	Model and se	tachment	RECENT
	are en a	,	RECEIVED APR 7 2022
			CITY OF DO
-			FINANCE DEPT

QUOTATION



9035 Freeway Drive • Macedonia, OH 44056 Phone: 330-467-2250 • Fax: 330-467-8308 Serving Golf, Turf & Industry since 1940

TO:

City of Brookpark

eccept this quotation, sign here and return:_

6161 Engle Road Brookpark, Ohio 44142 DATE:

Date:_

4/1/2022

Prices quoted are those in effect at the time of quotation. This quotation is subject to acceptance within 15 days.

LESPERSON	148	F.O.B.	Delivery	PAYMENT TERMS		RMS
uke Morgan	De	elivered	6-9 weeks		Net 30	
5147						
YTITMAUG	ITEM		DESCRIPTION		PRICE	Extended
1	941328	Kawasaki FX1000	r Z HyperDrive: 72 inch deck, engine, 5 year / 3000 hour wa I pumps and wheel motors.	, 35 HP arranty	\$13,166.00	\$13,166.
1	606696		ırcewell Contract # 031121-H well Customer ID # 39065	ITE	\$296.00	\$296.
e Allowance:	2013 Hustler H 2013 Hustler H	yperdrive 72 inch - yperdrive 72 inch -	2500 Hours - \$1800 2800 Hours - \$1600		SUBTOTAL	\$13,462.
	Model	93215	7		TOTAL	\$13,462.
	Denatt	130523	3/3 by:	:	Luke Morç	jan

	4-19-225	ERVICE
9	OA 4-24-22	and the same of th
91	1stR	
	2nd R	
	and R	

CITY OF BROOK PARK, OHIO

ORDINANCE I	.OI:		
INTRODUCED	BY:	MAYOR	ORCUTT

AN ORDINANCE

AUTHORIZING THE MAYOR TO ENTER INTO A CONTRACT WITH STOOPS WESTERN STAR OF OHIO (ODOT CO-OP PURCHASING 023-22) FOR THE PURCHASE OF A WESTERN STAR TRUCK CHASSIS TO BE PACKAGED WITH A HENDERSON DUMP BODY, AND DECLARING AN EMERGENCY

NOW THEREFORE, BE IT ORDAINED, by the Council of the City of Brook Park, State of Ohio, that:

SECTION 1: The Mayor is hereby authorized to enter into a contract with Stoops Western Star of Ohio, through ODOT Co-Op Purchasing 023-22, a copy of said contract is attached hereto and incorporated herein as Exhibit "A".

SECTION 2: The money needed for the aforesaid transaction shall be paid from 401-432 Capital Funds, and shall not exceed \$108,577.00.

SECTION 3: It is found and determined that all formal actions of this Council concerning and relating to the adoption of this Ordinance were adopted in an open meeting of this Council, and that all deliberations of this Council and of any of its committees that resulted in such formal action were in meetings open to the public in compliance with all legal requirements, including Section 121.22 of the Ohio Revised Code.

SECTION 4: This Ordinance is hereby declared to be an emergency measure immediately necessary for the preservation of the public peace, health, safety and welfare of said City, and for the further reason to authorize the Mayor to enter into ODOT Co-Op Purchasing 023-22 contract with Stoops Western Star of Ohio; therefore provided this Ordinance receives the affirmative vote of at least five (5) members elected to Council it shall take effect and be in force immediately from and after its passage and approval by the Mayor; otherwise, from and after the earliest period allowed by law.

APR 1 9 2022

BROOK PARK CITY COUNCIL

	PRESIDENT OF CO	OUNCIL
	APPROVED:	
K OF COUNCIL	Mi	AYOR
	D	ATF.
	K OF COUNCIL	APPROVED:MAPPROVED:

I HERCIBY APPLIOVE THE WITHIN INSTRUMENT AS TO LEGAL FORM AND CORRECTNESS

DIRECTOR OF AT

Board of Contral.

DATE: 4.21.22	PRICE QUOTE BY:
.company: 1topo	DATE:
ADDRESS: Western Stan	ORDERED BY: Jollens
	P-O#
PRONE NO.	AREA WHERE PRODUCT USED:
VENDOR 2:	401: 432 - Capital
VENDOR 3	

LOUNT DESCRIPTION .	DEPT	PRICE EAL	TOTAL	
1 Western Das Chaesis as land	20/	#	14377	10
ODOT 023 ZZ Bid Co,				
-> Please see attached Contract				
Vito & De To lupply llown and is	mflation			
Le applied to final Purcha	VILLY PRISA	so.		
-1 li il Vicino lam Utoo	· Willer	NO PROM	-	
a la sur al sur a la sur de la sur la	IV COLL SUVE	celo	•	
the total of allocated Monies (437 snow). Copital.		a .3		
-> Have down Pept + Finance &	tart leg	istation)		-
- Hand out		The second secon		7.
	RECE			: <u>4</u> 5
i .	APR 3	>>20192 ⊪	11	

BROOK PARK CITY COUNCIL

PRIEDARED FOR

Brook Park

Attin: John Pensis

ODOT Co-op Contract #023-22

QUOTE / Date 04-30-2022

Western Star 4700SB Single Axle





Table of Content

1) Co-op Contract #023-22

Award Letter
Signature Page
DBA Affidavit
W-9
Billing and Mailing Address

2) Surcharge

Stoops Cover Letter
Additional contract terms ODOT
December 13th, 2022Surcharge Notification
April 19th, 2022 Surcharge Notification

3) Truck spec and pricing

Quote Page Truck Specs





David Hibner Sales Manager 419-230-9684

ODOT Co-op Contract #023-22 OUOTE / Date 04-20-2022

Western Star 4700SB Single Axle

Co-op Contract #023-22

Award Letter
Signature Page
DBA Affidavit
W-9
Billing and Mailing Address





September 23, 2021

Truck Country of Indiana, Inc. 1770 Wapak-Fisher Rd Wapakoneta, OH 45895

Re: 0.

023-22

Single & Tandem Axle Cab and Chassis

Dear Vendor:

Your bid proposal as submitted has been accepted by the Ohio Department of Transportation.

This invitation permits multiple awarded vendors to provide Single & Tandem Axle Cab and Chassis. The contract will be in effect from October 1, 2021 to September 30, 2022,

A purchase shall only take place upon the issuance of an official purchase order or the use of a payment card. There is no guarantee that purchase orders will be issued or that products will be ordered against issued purchase orders.

Thank you for bidding on our invitation. Todd VanKirk is available for any assistance necessary to ensure that a quality partnership exists between your company and our Department. If you have any questions, please call (614) 466-3209.

Respectfully,

Jack Marchbanks, Ph.D.

Director

Ohlo Department of Transportation

Invitation No. 023-22

State of Ohio, Department of Transportation (ODOT) Office of Contract Sales, Purchasing Services

SIGNATURE PAGE

Procurement # 023-22

Commodity/Service: Single & Tandem Axle Cab and Chassis

This Signature Page must be completed and submitted with a Bidder's sealed bid package to serve as acknowledgement to the Department that the Bidder understands and will comply with all terms, conditions, and requirements in submitting a response for the above-referenced procurement.

Furthermore, the execution and submission of this Signature Page shall serve as acknowledgment that the Bidder will enter into a Contract with the State of Ohio, Department of Transportation if selected for award of the above-referenced procurement, and understands, upon Contract award, it shall be bound by all terms and conditions included in this procurement.

The person signing and executing this Signature Page below acknowledges that he/she is signing on behalf of their Company in a representative capacity and hereby warrants that he/she has been duly authorized by his/her Company to submit this formal response and is authorized to execute Contracts on such Company's behalf.

(Please execute below)
(Please execute below) Truck Country of Indiana, Inc., Company (Bidder) Name: DAA: Stocps Western Star of Chic
Company (Bidder) Name: DAA: Stocks Western Star of Chic
Original Signature: Donal Hill
Print Name of Officer: David Hibner
Title of Signing Officer: Sales Manager
Date: 9-10-2021

FOR USE BY THE OHIO DEPARTMENT OF TRANSPORTATION ONLY:

Pursuant to Section 30 of the Instructions, Terms and Conditions for Bidding, a signature below by the Director of ODOT shall serve as the Department's formal acceptance of the bidder's offer and will effectively form ODOT Contract 023-22 between the State of Ohio, Department of Transportation and the above successful bidder (company):



Nathan Fling, Signing on behalf of Director of Transportation, Jack Marchbanks

Jack Marchbanks, Ph. D. Director State of Ohio, Department of Transportation





P.O. Box 187 Wapakoneta, OH 45895 419-738-9684 Fax 419-738-2370

One And The Same Person Affidavit

Truck Country of Indiana, Inc. DBA Stoops Western Star of Ohio (EIN 46-5707116) of 1770 Wapak Fisher Rd., Wapakoneta, Ohio 45895 is One And The Same Person as the following:

Truck Country

Truck Country-Wapakoneta

Truck Country of Ohio

Stoops of Ohio

I swear or affirm that, upon my oath, the information I have entered is correct and the persons named above are one and the same person. I understand that making a false statement may constitute the crime of perjury.

Cheryl L. Troyer

Sales Coordinator

Date: 5/22/19

Form: (Hev. Outober 2018)
Department of the Treasury

Request for Taxpayer Identification Number and Certification

Give Form to the requester. Do not send to the IRS.

> Go to www.irs.gov/FormW9 for instructions and the latest information.

Internal Revenue Service P Go to symmetric government and the loss	do not leave this line blank.	
Internal Revenue Service 1 Name (as shown on your income tax return). Name is required on this line;	001,01101101111111111111111111111111111	6 8
TRUCK COUNTRY OF INDIANA, INC.		
.2 Business name/disregarded entity name, if different from above		
3 Check appropriate box for federal tax classification of the person whose no	ame is entered on line 1. Check only one of the	4 Examptions (codes apply only to certain entitles, not individuals; see
following seven boxes,		Instructions on page 3):
Individual/sole proprietor of LI C Corporation LI S Corporation	,	Exempt payee code (if any)
Limited liability company. Enter the tax classification (C=C corporation,	S=S corporation, P=Partnership).	
Note: Check the appropriate box in the line above for the tax classificated in the LLC is classified as a single-member LLC in at its disregarded.	ion of the single-member owner, 120 not check from the owner inless the owner of the LLC is our cases. Otherwise, a stonle-member LLC that	Exemption from FATGA reporting code (if any)
is disregarded from the owner should check the appropriate box for the	tax classingation of its owner:	(Applies to a ecounts maintained outside the U.S.)
G Other (see Instructions) > 5 Address (number, street, and apt. or suite no.) See instructions,	Requester's name	and address (optional)
5 Address (number, street, and apt. of salid no.) sale instructions.		,
8 2099 SOUTHPARK GT		
6 Cily, state, and ZIP code		
DUBUQUE, IA 52003		
7 Ust account number(s) here (optional)		
Taxpayer Identification Number (TIN)		
The This was a second to be The This provided much match the no	ame given on line 1 to avoid Social se	curity number
backup withholding. For individuals, this is generally your social security to	r Part I. later. For other	
entitles, it is your employer identification number (EIN), it you do not have a	or	Trick Called Number
Note: If the account is in more than one name, see the instructions for line Number To Give the Requester for guidelines on whose number to enter.		5. 7 D. 7. 1 1 6
	4 6	- 5 7 D 7 1 1 6
Panilly Certification Under penalties of penjury, 1 certify that:		· · · · · · · · · · · · · · · · · · ·
- I - I - I - I - I - I - I - I - I - I	nber (or I am waiting for a number to be is:	sued to me); and
 The number shown on this form is ny correct taxayar terminator in 2. I am not subject to backup withholding because: (a) I am exempt from b Service (IRS) that I am subject to backup withholding as a result of a fail no longer subject to backup withholding; and 		
3.1 am a U.S. citizen or other U.S. person (defined below); and		
and woming a little of the form of anything that I am aver	npt from FATCA reporting is correct.	
4. The PATCA code(s) entered on this form in any indicating that the bear Certification instructions. You must cross out item 2 above if you have been you have falled to report all interest and dividends on your tax return. For real an equilition or abandonment of secured property, cancellation of debt, contribution than interest and dividends, you are not required to sign the certification,	nollified by the IRS that you are currently sub- selate transactions, item 2 does not apply. Fo- illons to an incluidual retirement managemen, but you must provide your correct TIN. See	ject to backup Withholding because or mortgago Interest pald, t (IRA), and generally, payments the instructions for Part II, Jaler,
Sign Signature of / /	The second secon	7/2021
	• Form 1099-DIV (dividends, including	those from stocks or mutual
General Instructions Section references are to the Internal Revenue Code unless otherwise	funds) • Form 1099-MISC (various types of In	come, prizes, awards, or gross
noted.	proceeds) • Form 1099-B (stock or mutual fund s	
related to Form W-9 and its instructions; such as legislation enacted after they were published, go to www.irs.gov/FormW9,	transactions by brokers) • Form 1099-S (proceeds from real est	
Purpose of Form	Form 1099-K (merchant card and thi	rd party network transactions)
An individual or entity (Form W-9 requester) who is required to file an information return with the IRS must obtain your correct taxpayer	 Form 1098 (home mortgage interest) 1098-T (luition) 	, Tuas-F (stadent loan interest),
Identification number (TIN) which may be your social security number	Form 1099-C (canceled debt)	
(SSN), Individual texpayer identification number (FIN), adoption	- Form 1099-A (acquisition or abandon	
(EIN), to report on an information return the amount paid to you, or other	Use Form W-9 only if you are a U.S. allen), to provide your correct TIN.	
returns include, but are not limited to; the following, e form 1099-INT (interest eamed or paid)	If you do not return Form W-9 to the be-subject to backup withholding. See	requester with a TIN, you might What is backup withholding,
	later.	C. W.O
Cat. No. 10231X		Form W~9 (Rev. 10-2018)



TRUCK SALES SERVICE PARTS LEASING



1770 Wapakoneta Fisher Rd Wapakoneta, OH 45895 419-738-9684 Fax 419-738-2370

Billing Address

US Post Office:

Stoops Western Star of Ohio

P.O. Box 187

Wapakoneta, OH 45895

Overnight address

UPS, Fed-Ex (ONLY)

Stoops Western Star of Ohio

1770 Wapak Fisher Rd.

Wapakoneta, OH 45895

If I can be of further service, please give me a call at 419-230-9684, Thank You!

Dave Hibner

Sales Manager

419-230-9684 ODOT Co-op Contract #023-22 QUOTE / Date 04-20-2022

Western Star 4700SB Single Axle

Surcharge

Stoops Cover Letter

December 13th, 2022Surcharge Notification

April 19th, 2022 Surcharge Notification







TRUCK SALES | SERVICE | PARTS | LEASING



P.O. Box 187 Wapakoneta, OH 45895 419-738-9684 Fax 419-738-2370

stoops.com

Dear Customer,

As you know, the entire world has been subject to an unprecedented global public health crisis over the past 20+ months. While our industry has shown incredible resilience and we have been instrumental in keeping the world moving, unrelenting and prolonged turbulent economic conditions have resulted. The challenges include skyrocketing material and component costs, increased labor wages, rising fuel prices, higher logistics rates and the highest rate of inflation in over three decades.

Daimler Truck North America has worked tirelessly to mitigate the effect of those increased commodity costs to you, our valued customer, and to provide the dealer network with a plan pertaining to production slots available and timing of production. However, there are a few items we would like you to be aware of.

- Supply chain and operations teams continue to face challenges which will affect production slots allotted to each dealer. Our allotted production for the coming year is already very limited and truck orders will be assigned production slots in the order that they are received.
- We will make every effort to provide our customer with an accurate estimate of production for their order.
 However, supply chain issues again may cause there to be an adjustment to these production times.
- Continued issues with the supply chain and changes in the economy may make it necessary to implement a pricing surcharge.
- If there are adjustments made to the production schedule for your order or a pricing surcharge is added we will contact you as soon as we are made aware to discuss these changes.

In closing, we would like to convey our appreciation for your business. We value deep seated partnerships that extend past recessionary cycles, and are built on the mutual desire to see each other succeed. To that end, we look forward to continuing to be your dealer partner of choice now and well into the future.

Best Regards,

David Hibner

Sales Manager

Duane Hoersten

Vocational Sales

AMENDMENT TO ODOT CONTRACT 023-22 BETWEEN THE STATE OF OHIO, DEPARTMENT OF TRANSPORTATION AND Truck Country of Indiana, Inc.

ADDITION OF CONTRACT TERMS

This AMENDMENT to ODOT Contract 023-22 is entered into by and between the State of Ohio, Department of Transportation, ("ODOT" hereinafter), 1980 West Broad Street, Columbus, Ohio 43223, and Truck Country of Indiana, Inc. ("Vendor" hereinafter). Hereinafter, ODOT and the Vendor will be referred to as the "Parties".

The Parties agree to amend the terms and conditions of the original Contract (which is a reflection of the original intent of the contract as documented by the pricing pages and communications) as follows:

- A. ODOT will modify existing Purchase Orders for equipment only if the following criteria is met: 1. The equipment has not been built by the manufacturer, 2. The manufacturers' pricing increase is being applied to this equipment purchase and 3. The contract vendor's price increase is the same as manufacturer's price increase.
- B. ODOT is adding the following language to the contract:

All bid pricing shall not increase for the first sixty (60) calendar days after the date of the bid opening. Thereafter, a request for a price increase may be submitted in writing to the Department's Office of Contract Sales along with all documentation that supports the need for the price increase. No price increase will be effective until it is approved by the Department and the Vendor is notified of such approval in writing. The price increase will take effect upon the date the Vendor is notified. In the event that a price increase is accepted by the Department, the Vendor may not seek an additional price increase for at least thirty (30) calendar days. The Department reserves the right to reject any proposed price increase, or to cancel the contract if such action is determined to be in the best interest of the Department.

In the event of a price decrease, the Department shall be guaranteed full benefit of the price reduction for all orders on the effective date of the decrease and thereafter. If the Vendor and the Department cannot agree on a renegotiated price, the Department will have the right, upon notice to the Vendor, to immediately remove the affected products and services from this Contract.

C. All other terms and conditions in the original Contract fully executed on September 23, 2021 shall remain in effect and unchanged.

IN WITNESS THEREFORE, the parties hereunto have caused this AMENDMENT to ODOT Contract 023-22 to be executed by authorized persons thereunto duly authorized as of the day and year last written below.

ODOT

Truck Country of Indiana, Inc.

E-SIGNED by Nathan Fling on 2022-01-06 16:57:55 GMT

Nathan Fling, Signing on behalf of Director of Transportation, Jack Marchbanks

By: David Hibner

Print Name: David Hibner

Title: Sales Manuagen

Date: 1-3-2022

DAIMLER TRUCK

North America

December 13, 2021

To:

All Freightliner & Western Star Dealers (US/CAN)

Subject: Model Year 2023 Pricing Surcharge - Freightliner & Western Star

Dear Dealer Partners,

As discussed in our Dealer Town Hall earlier this morning, the entire industry has been subject to an unprecedented number of economic challenges over the past 20+ months. Unrelenting and prolonged turbulent economic conditions have resulted in skyrocketing material and component costs, increased labor wages, rising fuel prices, higher logistics rates and the highest rate of inflation in over three decades.

Daimler Truck North America (DTNA) and our parent company Daimler Truck AG, have worked tirelessly to mitigate the effect of increased commodity and supply chain related costs to you, our valued dealer partners, and our mutual customers to date. However, these continued challenging economic conditions have made it necessary for our company to implement a pricing surcharge on all MY23 Freightliner & Western Star trucks (details below). Increases are in addition to the \$300 MY23 Product Cost Surcharge announced earlier this year.

Model Year 2023 Pricing Surcharge Details:

 All MY23 units (excluding trucks rolled from CY21 to the first quarter) will be subject to the additional non-discountable surcharge below:

Models	MY23 Production Cost Surcharge	MY23 Pricing Surcharge	Total MY23 Surcharge
Cascadia/5700	\$300	\$3,900	\$4,200
4700/47X/4900/49X/122SD/6900	\$300	\$4,200	\$4,500
M2106/112 & 108/114SD	\$300	\$2,600	\$2,900
Walk-in Van Chassis	\$300	\$1,700	\$2,000*

* For details on surcharge and polices please contact FCCC sales team

- The Total MY23 Surcharge fee applies to all trucks included in your CY22 Dealer Reservation System plan, including both Program and Concession reservations.
- The total non-discountable surcharge will be presented as a single line item on the truck invoice.
- Dealers are responsible to update and include Total MY23 Surcharge on all current and future quotes for CY22/MY23.
- Dealers are responsible to notify customers of the total MY23 surcharge effective immediately.
- Total MY23 Surcharge is in addition to all previous CY22 Surcharges announced by DTNA including FCCC for the Tire Surcharge, DD13 Gen 5, CARB22, Standard Destination & Freight, etc.

Order Cancellation Policy:

- All units ordered as true MY23 (excluding trucks that were rolled from 2021 to 2022) can be cancelled at N/C by Dec 22, 2021.
- All cancelled orders will be subtracted from your plan volumes and returned to Freightliner and Western Star.

John O'Leary President & CEO David Carson SVP Sales & Marketing

CY22 - MY23 Price Surcharge Update

3

Communication Type: Pricing

Date: 4/19/2022

Dear Dealer Parthers,

As discussed with you yesterday, the continued challenging global and domestic economic conditions have made it necessary for Daimler Truck North America (DTNA) to implement an additional pricing surcharge on all MY23 Freightliner & Western Star trucks (details below), Increases are in addition to the \$2,900 - \$4,500 Total MY23 Surcharge announced in December 2021 for CY22/MY23 units.

This new surcharge will be applied on CY22 units with a schedule build date starting May 30th, 2022. Units with a schedule build date on or before May 29th, 2022 are price protected and will not be impacted by the newly updated surcharge.

DTNA is committed to release MY24 Pricing in Q3/2022

Total MY23 Surcharge (as of January 1st, 2021) \$4,200 \$4,500 \$2,900 Below are the updated Model Year 2023 Pricing Surcharge Details: Values in USD 4700/47X/4900/49X/122SD/6900 W2 106/112 & 108/114SD Cascadia*/5700

Total MY23 Surcharge As of May 30th**, 2022 \$9,900. \$10,300 \$6,700 Additional Surcharge

\$5,800 \$5,700

Includes eCascadia ** Indicates schedule build date

- The Total MY23 Surcharge fee applies to all units included in your CY22 Dealer Reservation System plan, including both Program and Concession reservations with a schedule build date of May 30th, 2022 or after.
 - The total non-discountable surcharge will be presented as a single line item on the truck invoice.
- Dealers are responsible to update and include Total MY23 Surcharge on all current and future quotes for CY22/MY23.
- Total MY23 Surcharge is in addition to all previous CY22 Surcharges announced by DTNA including FCCC for the Tite Surcharge, DD13 Gen 5, CARB22, Standard Destination &

Order Cancellation Guidelines:

- Entire backlog beginning 05/30 is cancellable until April 29th, 2022 (program and concession). This includes units inside the standard 30 day window from schedule build date.
 - After April 29th, 2022 standard cancellation policies apply:
- Program trucks are non-cancellable.
- Cancellations will only be accepted outside of 90 days from schedule build date.
- Q3 cancellations required by 5/31, Q4 cancellations required by 7/1.
- All reorders required by 7/1 (CY22 closeout date).
- Plans must be modified to reflect all cancellations and reorders.
- Cancelled orders will not result in plan volume forfeitures. All cancelled units (regardless of plan quarter) will be returned to dealer plans in their Q4 volumes and can be reordered as necessary, Concession for concession and program for program cancellation-reorder requirements still apply.
- Per standard cancellation policy; all Top 50 cancellations cannot be repurposed and will revert back to DTNA.

President & CEO John O'Leary

David Carson SVP Sales & Marketing

Affachments:

(//dtnacontent-dtna.prd.freightliner.com/c ontent/dam/dtna-portal/en/sales/pricing/Fin. al_CY22_MY23%20Pricin g%20Surcharge%20Letter .pdf) Final_CY22_MY23 Pricing Surcharge Letter.pdf

ODOT Co-op Contract #023-22 OUOTE / Date 04-20-2022

Western Star 4700SB Single Axle

Truck specifications

Quote Page Truck Spees







TRUCK SALES | SERVICE | PARTS | LEASING



1770 Wapakoneta Fisher Rd | Wapakoneta, OH 45895 419-738-9684 | Fax 419-738-2370 stoops.com

April 20, 2022

Brook Park 19065 Holland Rd. Brookpark, Ohio 44142

Attn: John Pensis

Stoops Western Star is please to quote the following attached Western Star Chassis as part of the ODOT 023-22 Bid/ CO-OP purchasing plan governed by ORC section 9:48:

2023, Western Star 4700SB

Total State Bid Price

\$117,788.00 (Ref-ODOT Page Price, pg. 2)

Brook Park Option Package Discount

<u>-9,211.00</u> \$108,577.00

Total Net State Bid 023-22 DTNA Surcharge (see attached

5,800.00

Total Price

\$114,377.00

Due to unfortunate market issue and shortages prices are very fluid and unpredictable. You are a valued customer, and we appreciate your business.

Please make a P.O. to Stoops Western Star of Ohio.

If we can be of further service, please give me a call at 419-738-9684. Thank You!

Best regards,

David Hibner

Sales Manager

Accepted By:

Date

JESTOOPS

OVISION OF TROOPS COOMING

OVISION OF TROOPS COOMING

VITSTEAM STAR

Western Star is the unmatched leader for Durability and Dependability


BROOKPARK, OH 44142 Phone: 440-227-4159 Prepared by:
Dave Hibner
STOOPS WESTERN STAR OF
OHIO
1770 WAPAK FISHER RD
WAPAKONETA, OH 45895
Phone: 419-230-9684

A proposal for BROOK PARK CITY OF ODOT Contract 023-22

Prepared by STOOPS WESTERN STAR OF OHIO Dave Hibner

Apr 20, 2022

Western Star 4700SB



Components shown may not reflect all spec'd options and are not to scale

Application Version 11,7,206 Data Version PRL-26T,044 Brook Park ODOT 023-22 Tag-on 4700 4-4-2021



04/20/2022 1:25 PM

Page 1 of 21

BROOKPARK, OH 44142 Phone: 440-227-4159 Prepared by:
Dave Hibner
STOOPS WESTERN STAR OF
OHIO
1770 WAPAK FISHER RD
WAPAKONETA, OH 45895
Phone: 419-230-9684

QUOTATION

4700 SET-BACK FRONT AXLE CHASSIS

SET BACK AXLE - TRUCK CUM L9 330 HP @ 2200 RPM; 2200 GOV RPM, 1000 LB-FT @ 1200 RPM

ALLISON 3500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION

RS-23-160 23,000# R-SERIES SINGLE REAR AXLE 30,000# FLAT LEAF SPRING REAR SUSPENSION WITH HELPER AND RADIUS ROD

MFS-16-143A 16,000# FL1 71.5 INCH KPI/3.74 INCH DROP SINGLE FRONT AXLE

16,000# FLAT LEAF FRONT SUSPENSION

110 INCH BBC STEEL CONVENTIONAL CAB 4050MM (159 INCH) WHEELBASE 11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI 1275MM (50 INCH) REAR FRAME OVERHANG PARTIAL INNER FRAME REINFORCEMENT AT FRONT SUSPENSION

TEM TO EVALUATE AND INSTALL FRAME RAIL
REINFORCEMENT AS NEEDED FOR FRONT
FRAME MOUNTED EQUIPMENT

BALANCE DUE COMMENTS: Due to Market conditions, Increasing su	(LOCAL CURRENCY)	\$ 108,577	\$	108,577
TRADE-IN ALLOWANCE		\$ (0)	\$	(0
TRADE-IN	we my see a	- 4		a C
OTHER CHARGES		\$ 0	\$	j
TAXES AND FEES		\$ 0	\$	1
FEDERAL EXCISE TAX (FET)		\$ (191)	\$	(191
TAXES AND FEES	San San Ya		17	
CUSTOMER PRICE BEFORE TAX		\$ 108,768	\$	108,76
DEALER INSTALLED OPTIONS		\$ 0	\$	
EXTENDED WARRANTY		\$ 0	\$	
VEHICLE PRICE	TOTAL # OF UNITS (1)	\$ 108,768	\$	108,76
		PER UNIT		TOTA
		DED LIMIT		TOTA

Customer: X			Date;//

Please indicate your acceptance of this quotation by signing below:

Daimler Truck Financial

Financing that works for you.

See your local dealer for a competitive quote from Daimler Truck Financial, or contact us at Information@dtfoffers.com.

Daimler Truck Financial offers a variety of finance, lease and insurance solutions to fit your business needs. For more information about our products and services, visit our website at www.daimler-truckfinancial.com.

Application Version 11.7.206 Data Version PRL-26T.044 Brook Park ODOT 023-22 Tag-on 4700 4-4-2021



04/20/2022 1:25 PM

Page 2 of 21

BROOKPARK, OH 44142 Phone: 440-227-4159 Prepared by:
Dave Hibner
STOOPS WESTERN STAR OF
OHIO
1770 WAPAK FISHER RD
WAPAKONETA, OH 45895
Phone: 419-230-9684

Application Version 11.7.206 Data Version PRL-26T.044 Brook Park ODOT 023-22 Tag-on 4700 4-4-2021



04/20/2022 1:25 PM

Page 3 of 21

BROOKPARK, OH 44142 Phone: 440-227-4159 Prepared by:
Dave Hibner
STOOPS WESTERN STAR OF
OHIO
1770 WAPAK FISHER RD
WAPAKONETA, OH 45895
Phone: 419-230-9684

SPECIFICATION PROPOSAL

Description

Weight

9,215

Weight Rear

6,480

Price Level

WESTERN STAR 4700 PRL-26T (EFF:7/26/21)

Data Version

SPECPRO21 DATA RELEASE VER 044

Vehicle Configuration

4700 SET-BACK FRONT AXLE CHASSIS

2023 MODEL YEAR SPECIFIED

SET BACK AXLE - TRUCK

STRAIGHT TRUCK PROVISION, NON-TOWING

LH PRIMARY STEERING LOCATION

General Service

TRUCK CONFIGURATION

DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)

CONSTRUCTION SERVICE

GOVERNMENT BUSINESS SEGMENT

DIRT/SAND/ROCK COMMODITY

TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN

TRANSIT, IS SPENT ON PAVED ROADS

MAXIMUM 8% EXPECTED GRADE

SMOOTH CONCRETE OR ASPHALT PAVEMENT -

MOST SEVERE IN-TRANSIT (BETWEEN SITES)

ROAD SURFACE

WESTERN STAR VOCATIONAL WARRANTY

EXPECTED FRONT AXLE(S) LOAD: 14700.0 lbs

EXPECTED REAR DRIVE AXLE(S) LOAD:

23000.0 lbs

EXPECTED GROSS VEHICLE WEIGHT CAPACITY

: 37700.0 lbs

Truck Service

FRONT PLOW/END DUMP BODY

Application Version 11.7.206 Data Version PRL-26T.044 Brook Park ODOT 023-22 Tag-on 4700 4-4-2021



04/20/2022 1:25 PM

Page 4 of 21

BROOKPARK, OH 44142 Phone: 440-227-4159 Prepared by:
Dave Hibner
STOOPS WESTERN STAR OF
OHIO
1770 WAPAK FISHER RD
WAPAKONETA, OH 45895
Phone: 419-230-9684

	5 r. d	Weight	Welght Rear
	Description	Tione	
	EXPECTED TRUCK BODY LENGTH: 11.0 ft		
	HENDERSON	ngen ag kalangan pangan pa Pangan pangan panga	occord produces and administration of the product of the
Engine :			
	CUM L9 330 HP @ 2200 RPM; 2200 GOV RPM, 1000 LB-FT @ 1200 RPM	-850	-70
Electronic Paramete			
N	75 MPH ROAD SPEED LIMIT		
	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT		
	PTO MODE ENGINE.RPM LIMIT - 900 RPM		
	PTO MODE BRAKE ÖVERRIDE - SERVICE BRAKE APPLIED		
	PTO RPM WITH CRUISE SET SWITCH - 900 RPM		
	PTO RPM WITH CRUISE RESUME SWITCH - 900 RPM		
	PTO MODE CANCEL VEHICLE SPEED - 5 MPH.		
	PTO GOVERNOR RAMP RATE - 250 RPM PER		

Engine Equipment

2010 EPA/CARB/GHG21 CONFIGURATION

REGEN INHIBIT SPEED THRESHOLD - 5-MPH

2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD CORNER OF DRIVER DOOR)

STANDARD OIL PAN

PTO MINIMUM RPM -- 700

SECOND

ENGINE MOUNTED OIL CHECK AND FILL SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER WITH SAFETY ELEMENT AND INSIDE/OUTSIDE AIR

WITH SNOW DOOR

DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT

SENSE

(3) DTNA GENUINE, AGM STARTING AND CYCLING, MIN 2490CCA; 570RC, THREADED

STUD BATTERIES

PASSENGER SEAT BATTERY BOX VENTED TO

OUTSIDE OF CAB

BATTERY BOX MOUNTED UNDER PASSENGER

SEAT.

Application Version 11.7,206
Data Version PRL-26T,044
Brook Park ODOT 023-22 Tag-on 4700
4-4-2021



04/20/2022 1:25 PM

10

Page 5 of 21

BROOKPARK, OH 44142 Phone: 440-227-4159 Prepared by:
Dave Hibner
STOOPS WESTERN STAR OF
OHIO
1770 WAPAK FISHER RD
WAPAKONETA, OH 45895
Phone: 419-230-9684

Description	Weight Front	Weight Rear	
WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			
PLASTIC BATTERY BOX COVER			
POSITIVE LOAD DISCONNECT WITH DASH MOUNTED CONTROL SWITCH	10		
LOW VOLTAGE BÄTTERY DISCONNECT AT 12.3° VOLTS FOR ISOLATED CIRCUITS WITH LOCAL ALARM			
CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			
AIR COMPRESSOR DISCHARGE LINE			
ELECTRONIC ENGINE INTEGRAL WARNING AND DERATE PROTECTION SYSTEM			
CUMMINS ENGINE INTEGRAL BRAKE WITH VARIABLE GEOMETRY TURBO ON/OFF	20		
RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE			
ENGINE AFTERTREATMENT DEVICE, AUTOMATIC: OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH			
10 FOOT 06 INCH (126 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT			
RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP			*
6 GALLON DIESEL EXHAUST FLUID TANK			
100 PERCENT DIESEL EXHAUST FLUID FILL			
STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING			
LH MEDIUM DÜTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION			
STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD			
HORTON DRIVEMASTER ADVANTAGE ON/OFF FAN DRIVE			
AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED			
CUMMINS SPIN ON FUEL FILTER			
COMBINATION FULL FLOW/BYPASS OIL FILTER			
1300 SQUARE INCH ALUMINUM RADIATOR	-20		
MOUNTING FOR FIREWALL MOUNTED SURGE TANK			

Application Version 11.7.206 Data Version PRL-26T.044 Brook Park ODOT 023-22 Tag-on 4700 4-4-2021



04/20/2022 1:25 PM

Page 6 of 21

BROOKPARK, OH 44142 Phone: 440-227-4159 Prepared by:
Dave Hibner
STOOPS WESTERN STAR OF
OHIO
1770 WAPAK FISHER RD
WAPAKONETA, OH 45895
Phone: 419-230-9684

		Weight	Weight
	Description	Front	Rear
the state of the s	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT		
	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT		
*	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES		
	RADIATOR DRAIN VALVE		
	LOWER RADIATOR GUARD		
	PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK HEATER	4	
	NO OIL PREHEATER		
	CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR		
	ALUMINUM FLYWHEEL HOUSING		
	ELECTRIC GRID AIR INTAKE WARMER		
	DELCO 12V 39MT HD/OCP STARTER WITH THERMAL PROTECTION AND INTEGRATED MAGNETIC SWITCH	-45	
Transmission			-35
Benediction	ALLISON 3500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION	-110	-30
Transmission Equi			
Dipotectin	ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV		
	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES		2
	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY		
	· · · · · · · · · · · · · · · · · · ·		

Application Version 11.7.206 Data Version PRL-26T,044 Brook Park ODOT 023-22 Tag-on 4700 4-4-2021



SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY

PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE

SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE

PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON; THIS DEFINED BY ENGINE AND VOCATIONAL USAGE

04/20/2022 1;25 PM

Page 7 of 21

BROOKPARK, OH 44142 Phone: 440-227-4159

Prepared by: Dave Hibner STOOPS WESTERN STAR OF OHIO 1770 WAPAK FISHER RD WAPAKONETA, OH 45895. Phone: 419-230-9684

Description

Weight Front Weight Rear

SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE: AND VOCATIONAL USAGE

MAXIMUM ENGINE SPEED FOR PTO **OPERATION 3000 RPM**

MAXIMUM OUTPUT SPEED FOR PTO ENGAGEMENT 4000 RPM

MAXIMUM OUTPUT SPEED FOR PTO OPERATION 4000 RPM - ALLISON 5TH GEN TRANSMISSIONS

ELECTRONIC TRANSMISSION WIRING TO CUSTOMER INTERFACE CONNECTOR

CUSTOMER INSTALLED CHELSEA 280 SERIES

PTO MOUNTING, L'H SIDE OF MAIN TRANSMISSION.ALLISON

MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND

PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED

TRANSMISSION PROGNOSTICS - ENABLED 2013

WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK

TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK

SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)

Front Axle and Equipment

MFS-16-143A 16,000# FL1 71.5 INCH KPI/3.74

INCH DROP SINGLE FRONT AXLE

MERITOR 16,5X6 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES

NON-ASBESTOS FRONT BRAKE LINING CONMET CAST IRON FRONT BRAKE DRUMS

FRONT BRAKE DUST SHIELDS

FRONT OIL SEALS

VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL

STANDARD SPINDLE NUTS FOR ALL AXLES

MERITOR AUTOMATIC FRONT SLACK

ADJUSTERS

STANDARD KING PIN BUSHINGS

WESTERN STAR

Application Version 11,7,206 Data Version PRL-26T.044 Brook Park ODOT 023-22 Tag-on 4700 4-4-2021

04/20/2022 1:25 PM

Page 8 of 21

BROOKPARK, OH 44142 Phone: 440-227-4159 Prepared by:
Dave Hibner
STOOPS WESTERN STAR OF
OHIO
1770 WAPAK FISHER RD
WAPAKONETA, OH 45895
Phone: 419-230-9684

	Description	Weight Front	Weight Rear	
	TRW TAS-85 POWER STEERING			
	POWER STEERING PUMP			
	4 QUART POWER STEERING RESERVOIR	5		
	SYNTHETIC 40/50W FRONT AXLE LUBE			
Front Suspensio	n		7 THE	
THE REPORT OF THE PARTY OF	16,000# FLAT LEAF FRONT SUSPENSION			
	GRAPHITE BRONZE BUSHINGS WITH SEALS - FRONT SUSPENSION			
	FRONT SHOCK ABSORBERS			
Rear Axle and Ed	uipment	7		
	RS-23-160 23,000# R-SERIES SINGLE REAR AXLE		-2,310	
	6.14 REAR AXLE RATIO			
	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING			
	MXL 17T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES	-60	-60	
	DRIVER CONTROLLED TRACTION DIFFERENTIAL - SINGLE REAR AXLE		20	
	(1) DRIVER CONTROLLED DIFFERENTIAL LOCK REAR VALVE FOR SINGLE DRIVE AXLE			
	INDICATOR LIGHT AND BUZZER FOR EACH DIFFERENTIAL LOCKOUT SWITCH			
	MERITOR 16.5X7 Q+ CAST SPIDER HEAVY DUTY CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES			
	NON-ASBESTOS REAR BRAKE LINING			
	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S)			
	CONMET CAST IRON REAR BRAKE DRUMS			
	REAR BRAKE DUST SHIELDS		5	
	REAR OIL SEALS			
	WABCO TRISTOP D-IBV LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS		-20	
	MERITOR AUTOMATIC REAR SLACK ADJUSTERS			
	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE			

Application Version 11.7.206 Data Version PRL-26T.044 Brook Park ODOT 023-22 Tag-on 4700 4-4-2021



30,000# FLAT LEAF SPRING REAR SUSPENSION WITH HELPER AND RADIUS ROD

04/20/2022 1:25 PM

150

Page 9 of 21

BROOKPARK, OH 44142 Phone: 440-227-4159 Prepared by:
Daye Hibner
STOOPS WESTERN STAR OF
OHIO
1770 WAPAK FISHER RD
WAPAKONETA, OH 45895
Phone: 419-230-9684

	e an me	Weight Front	Welght Rear
	Description Control of SPACER	tabifr	TOUT
	SPRING SUSPENSION - 1.00" AXLE SPACER		
	STANDARD AXLE SEATS ÍN AXLE CLAMP GRÖUP		
	FORE/AFT CONTROL RODS	is succession in the contract of	
Brake System			
SECTION SECTION AND SECTION OF THE S	WABCO 4S/4M ABS		
	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES		
	FIBER BRAID PARKING BRAKE HOSE		
	STANDARD BRAKE SYSTEM VALVES		
	RELAY VALVE WITH 5:8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE		
	WABCÓ SYSTEM SAVÉR HP WITH INTEGRAL AIR GOVERNOR AND HEATER		
	AIR DRYER MOUNTED INBOARD ON LH RAIL		
	STEEL AIR TANKS MOUNTED BELOW FRAME RAILS	5	5
	PETCOCK DRAIN VALVES ON ALL AIR TANK(S)	describes a constitue de la Participa de la Constitución de la Constit	
Wheelbase & Fram	THE PARTY AND THE PROPERTY OF THE PARTY OF T		
	4050MM (159 INCH) WHEELBASE	100	70
	11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI	÷100 ·	60.
	PARTIAL INNER FRAME REINFORGEMENT AT FRONT SUSPENSION	195	-5
	TEM TO EVALUATE AND INSTALL FRAME RAIL REINFORCEMENT AS NEEDED FOR FRONT FRAME MOUNTED EQUIPMENT		
	1275MM (50 INCH) REAR FRAME OVERHANG		
	FRAME:OVERHANG RANGE: 41 INCH TO 50 INCH	10	-80
	24 INCH INTEGRAL FRONT FRAME EXTENSION	122	-10
	CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 96.14 in		
	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 93.14 in		
	CALC'D FRAME LENGTH - OVERALL: 279.25 in		
	FRAME HEIGHT TOP FRONT UNLADEN: 42,25 in		
	FRAME HEIGHT TOP FRONT LADEN: 39.5 in		
	FRAME HEIGHT TOP REAR UNLADEN: 42.84 In		
	FRAME HEIGHT TOP REAR LADEN: 40.23 in		
	CALCULATED FRAME SPACE LH SIDE: 46.46 in		

Application Version 11.7:206
Data Version PRL-26T:044
Brook Park ODOT 023-22 Tag-on 4700
4:4-2021



04/20/2022 1;25 PM

Page 10 of 21.

BROOKPARK, OH 44142 Phone: 440-227-4159 Prepared by:
Dave Hibner
STOOPS WESTERN STAR OF
OHIO
1770 WAPAK FISHER RD
WAPAKONETA, OH 45895
Phone: 419-230-9684

•			
	E TANK	Weight	Weight
	Description	Front	Rear
	CALCULATED FRAME.SPACE RH SIDE: 43.59 In		
	SQUARE END OF FRAME.		
	STANDARD WEIGHT ENGINE CROSSMEMBER		
	STANDARD CROSSMEMBER BACK OF TRANSMISSION		ાં
	STANDARD MIDSHIP #1 CROSSMEMBER(S)		
	STANDARD REARMOST CROSSMEMBER		
	HEAVY DUTY SUSPENSION CROSSMEMBER		1.0
9	STANDARD WEIGHT REAR SUSPENSION CROSSMEMBER		16
Chassis Equipment			
	14 INCH CHROMED STEEL BUMPER		
	NO LICENSE PLATE MOUNTING		
	FRONT ANTI-SPRAY CAB MOUNTED MUDFLAPS		
	GRADE 8 THREADED HEX HEADED FRAME FASTENERS		
	EXTERIOR HARNESSES WRAPPED IN ABRASION TAPE		
Euel Tanks			
	80 GALLON/302 LITER ALUMINUM FUEL TANK - LH	10	
	25 INCH DIAMETER FUEL TANK(S)		
	POLISHING OF FUEL HYDRAULIC TANK(S) WITH POLISHED STAINLESS STEEL BANDS		
	FUEL TANK(S) FORWARD		
	POLISHED STEP FINISH .		
	FUEL TANK CAP(S)		
W.	DAVCO 245 FUELWATER SEPARATOR WITH 12 VOLT HEAT AND WATER IN FUEL SENSOR	20	
	EQUIFLO INBOARD FUEL SYSTEM		
	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE	S 11 Sh 2001	
Tires			
	MICHELIN'X WORKS Z 12R22.5 16 PLY RADIAL FRONT TIRES	76	
	CONTINENTAL HDC3 11R22.5 16 PLY RADIAL REAR TIRES		96
Hubs			
and NO	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS		

Application Version 11.7.206 Data Version PRL-26T.044 Brook Park ODOT 023-22 Tag-on 4700 4-4-2021



04/20/2022 1:25 PM

Page 11 of 21

BROOKPARK, OH 44142 Phone: 440-227-4159 Prepared by:
Dave Hibner
STOOPS WESTERN STAR ÖF
OHIO
1770 WAPAK FISHER RD
WAPAKONETA, OH 45895
Phone: 419-230-9684

Weight Weight Front Rear Description CONMET PRESET PLUS PREMIUM IRON REAR HUBS Wheels ACCURIDE 29039 22.5X9.00 10-HUB PILOT 5.25 66 INSET 5-HAND STEEL DISC FRONT WHEELS 36 MAXION WHEELS 90262 22.5X8:25 10-HUB PILOT 5-HAND STEEL DISC REAR WHEELS FRONT WHEEL MOUNTING NUTS REAR WHEEL MOUNTING NUTS NYLON WHEEL GUARDS FRONT AND REAR ALL **INTERFACES** Cab Exterior

110 INCH BBC STEEL CONVENTIONAL CAB WESTERN STAR PAINTED ALUMINUM CAB SKIRT

AIR CAB MOUNTS WITH CHECK VALVE
RACEWAY WITHOUT MISCELLANEOUS CUSTOM
CAB REQUIREMENTS

NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE

FRONT FENDERS

2 INCH FENDER EXTENSIONS

LH AND RH EXTERIOR GRAB HANDLES WITH RUBBER INSERTS AND RH INTERIOR GRAB HANDLE MOUNTED TO A POST

STATIONARY BRIGHT FINISH GRILLE

CHROME HOOD MOUNTED AIR INTAKE GRILLE GALVANEALED STEEL SEVERE SERVICE CAB

FIBERGLASS HOOD

HOOD OPENING ASSIST

DUAL ROUND AIR HORNS, SINGLE BASE, MOUNTED UNDER CAB

SINGLE ELECTRIC HORN

SINGLE RECTANGULAR H4 HALOGEN HEADLIGHTS WITH BRIGHT BEZELS

(5) AMBER MARKER LIGHTS

WIRING AND SWITCH FOR CUSTOMER-FURNISHED SNOW PLOW LAMPS WITH DUAL CONNECTIONS AT BUMPER

HEADLIGHTS ON WITH WIPERS; WITH DAYTIME RUNNING LIGHTS WITH ROCKER/TOGGLE MOMENTARY INTERRUPTER SWITCH

Application Version 11.7;206 Data Version PRL-26T:044 Brook Park ODOT 023;22 Tag-on 4700 4-4-2021



04/20/2022:1;25 PM

Page 12 of 21.

BROOKPARK, OH 44142 Phone: 440-227-4159

Prepared by: Dave Hibner STOOPS WESTERN STAR OF OHO 1770 WAPAK FISHER RD WAPAKONETA, OH 45895 Phone: 419-230-9684

				53
\$	Description	Weight Front	Weight Rear	
	INTEGRAL STOP/TAIL/BACKUP LIGHTS			
	STÄNDARD FRONT TURN SIGNAL LÄMPS			
	(2) FLUSH LED UTILITY LIGHTS MOUNTED BACK OF CABISLEEPER	6		
	DUAL AERO BRIGHT FINISH HEATED DUAL AXIS 1-PIECE MOTORIZED MIRRORS WITH LIGHTS, LH AND RH REMOTE AND INTEGRAL CONVEX MIRRORS	-20	20	
	CAB MOUNTED MIRRORS	×		
	102 INCH EQUIPMENT WIDTH			
	DUAL BRIGHT FINISH HEATED CONVEX MIRRORS WITH MANUAL ADJUSTMENT AND DUAL AXIS FOR 1-PIECE PRIMARY MIRRORS			
	NO AUXILIARY MIRROR			
	STANDARD SIDE/REAR REFLECTORS			
	STAINLESS STEEL EXTERIOR SUN VISOR	28		
	17:5X35 INCH TINTED REAR WINDOW			
	TINTED DOOR GLASS			
	RH AND LH ELECTRIC POWERED WINDOWS	4		
	2-PIÈCE ROPED-IN HEATED WIPER PARK SOLAR GREEN GLASS WINDSHIELD			
	2 GALLON WINDSHIELD WASHER RESERVOIR WITH FLUID LEVEL INDICATOR, MOUNTED UNDER CAB, WITH REMOTE FILL		no a la companya da companya d	
Cab Interior				

GRAY VINYL BASE INTERIOR

BLACK HARD TRIM

BASE LEFT HAND DOOR TRIM

BASE RIGHT HAND DOOR TRIM

BLACK CARPET WITH DOUBLE INSULATION

NO DASH MOUNTED ASH TRAY, POWER RECEPTACLE IN LIEU OF LIGHTER

FORWARD ROOF MOUNTED CONSOLE

LH AND RH DOOR MAP POCKETS

(2) COAT HOOKS ON BACKWALL OF CAB

(1) DOUBLE CUP HOLDER WITH CELL PHONE HOLDER LH OR RH DASH

TWO-TONE CHARCOAL UPPER/COOL GRAY LOWER SOFT TOUCH WING DASH WITH BLACK DRIVER SIDE COSMETIC UNDER DASH COVER

2-1/2-LB. FIRE EXTINGUISHER

Application Version 11.7.206 Data Version PRL-26T.044 Brook Park ODOT 023-22 Tag-on 4700 4-4-2021



04/20/2022 1:25 PM

Page 13 of 21

BROOKPARK, OH 44142 Phone: 440-227-4159 Prepared by:
Dave Hibner
STOOPS WESTERN STAR OF
OHIO
1770 WAPAK FISHER RD
WAPAKONETA, OH 45895
Phone: 419-230-9684

Weight. Rear

Welght

	2	Front
	Description	Tion
	HEATER, DEFROSTER AND AIR CONDITIONER WITH CONSTANT TEMPERATURE CONTROL AND COSMETIC COVER	
	HVAC DUCTING WITH FOAM MAÎN FRESH AIR FILTER	
	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH	
	STANDARD HEATER PLUMBING WITH BALL SHUTOFF VALVES	
	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR	
	RADIATOR MOUNTED AIR CONDITIONER CONDENSER	
	BINARY CONTROL, R-134A	
	CAB INSULATION	
	AUTOMATIC SELF-RESET CIRCUIT BREAKERS/FUSES IN DASH POWER DISTRIBUTION BOXES AND FUSES IN AUXILIARY POWER DISTRIBUTION BOXES	
	DOOR ACTIVATED DOME LIGHT, UNDER DASH LIGHT AND LH AND RH DOOR MOUNTED COURTESY LIGHTS	
	ALL UNIT(S) KEYED ALIKE WITH CUSTOMER SPECIFIED KEY NUMBER D420	8
	CAB DOOR LATCHES WITH MANUAL DOOR. LOCKS	
	(1) 12 VOLT POWER SUPPLY AND (2) USB PORTS MOUNTED IN DASH	William
	TRIANGULAR REFLECTORS KIT WITHOUT FLARES SHIPPED LOOSE IN CAB	10
	BASIC HIGH BACK AIR SUSPENSION DRIVER SEAT WITH 1 CHAMBER AIR LUMBAR, INTEGRATED CUSHION EXTENSION AND REAR CUSHION TILT	
	BATTERY BOX MID BACK NON SUSPENSION PASSENGER SEAT	
	INBOARD DRIVER SEAT ARMREST, NO PASSENGER SEAT ARMREST	2
	MORDURA CLOTH DRIVER SEAT	
13	MORDURA CLOTH PASSENGER SEAT	
	· · · · · · · · · · · · · · · · · · ·	

Application Version 11.7,206 Data Version PRL-26T.044 Brook Park ODOT 023-22 Tag-on 4700 4-4-2021



3 POINT DRIVER AND PASSENGER SEAT BELT RETRACTORS

ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN

04/20/2022 1:25 PM

Page 14 of 21

BROOKPARK, OH 44142 Phone: 440-227-4159 Prepared by:
Davé Hibner
STOOPS WESTERN STAR OF
OHIO
1770 WAPAK FISHER RD
WAPAKONETA, OH 45895
Phone: 419-230-9684

Welght Front Welght Rear

3

Description

4-SPOKE 18 INCH (450MM) BLACK STEERING WHEEL WITH SWITCHES

DRIVER AND PASSENGER INTERIOR SUN VISORS

Instruments & Controls

NON-ADJUSTABLE SUSPENDED PEDALS

ELECTRONIC ACCELERATOR CONTROL

ENGINE REMOTE INTERFACE WITH PARK BRAKE INTERLOCK

BRIGHT ARGENT FINISH GAUGE BEZELS

ROYAL ROSEWOOD MATTE FINISH DRIVER

INSTRUMENT PANEL

ROSEWOOD VINYL MATTE FINISH CENTER

INSTRUMENT PANEL INSERT

LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM

2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES

INTAKE MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS

87 DB TO 112 DB SELF-ADJUSTING BACKUP

ALARM
ELECTRONIC CRUISE CONTROL WITH
CONTROLS ON STEERING WHEEL SPOKES

KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY

ICU4ME DRIVER MESSAGE CENTER WITH GRAPHICAL DISPLAY, BLACK FACE GAUGES, DIAGNOSTICS AND DATA LINKED

(1) HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH AND (1) SAE J1939 DIAGNOSTIC INTERFACE CONNECTOR LOCATED CENTER OF DASH

2 INCH ELECTRIC FUEL GAÜGE

ENGINE REMOTE INTERFACE WITH MULTIPLE SET SPEEDS

CUSTOMER INTERFACE CONNECTOR LOCATED BETWEEN SEATS WITH CAPS

ENGINE REMOTE INTERFACE CONNECTOR AT POWERTRAIN INTERFACE CONNECTOR

ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE

Application Version 11.7,206 Data Version PRL-26T.044 Brook Park ODOT 023-22 Tag-on 4700 4-4-2021.



04/20/2022 1:25 PM

Page 15 of 21

BROOKPARK, OH 44142 Phone: 440-227-4159 Prepared by:
Dave Hibner
STOOPS WESTERN STAR OF
OHIO
1770 WAPAK FISHER RD
WAPAKONETA, OH 45895
Phone: 419-230-9684

Mat-GA	Matalas	
Front	Rear	
10		
-5		
ř		
	10	Front Rear

Application Version 11.7.206 Data Version PRL-267.044 Brook Park ODOT 023-22 Tag-on 4700 4-4-2021



04/20/2022 1:25 PM

Page 16 of 21

BROOKPARK, OH 44142 Phone: 440-227-4159 Prepared by:
Dave Hibner
STOOPS WESTERN STAR OF
OHIO
1770 WAPAK FISHER RD
WAPAKONETA, OH 45895
Phone: 419-230-9684

Weight

Rear

Weight

Front

Description

DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY

SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY AND ARCTIC TYPE BLADES

MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SW WITH HEADLIGHT/MRKR LT INTERRUPTER SWITCHES ON STEERING WHEEL & DASH SW FOR CUSTOMER FURNISHED SNOWPLOW LTS

ONE VALVE PARKING BRAKE SYSTEM WITH

WARNING INDICATOR

SELF CANCELING TURN SIGNAL SWITCH, HEADLAMP HIGH/LOW AND FLASH, WASH/WIPE/INTERMITTENT

PACIFIC INSIGHT ELECTRONIC FLASHER

Design

PAINT: ONE SOLID COLOR

Color

CAB COLOR A: L2225EY CANDY APPLE RED

ELITE EY

CAB INTERIOR PAINTED SAME AS CAB COLOR

BLACK, HIGH SOLIDS POLYURETHANE CHASSIS

PAINT

POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)

POWDER WHITE (N0006EA) REAR

WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)

Certification / Compliance

U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS

Secondary Factory Options

DEALER HAS BEEN ADVISED OF AND ACCEPTED RESPONSIBILITY FOR MODIFICATIONS DUE TO POSSIBLE PTO/CHASSIS INTERFERENCE

Raw Performance Data

CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 93.14 in

TOTAL VEHICLE SUMMARY

Application Version 11.7.206 Data Version PRL-26T.044 Brook Park ODOT 023-22 Tag-on 4700 4-4-2021



04/20/2022 1:25 PM

Page 17 of 21

BROOKPARK, OH 44142 Phone: 440-227-4159 Prepared by: Dave Hibner STOOPS WESTERN STAR OF OHIO 1770 WAPAK FISHER RD WAPAKÖNETA, OH 45895 Phone: 419-230-9684

Weight Summary Factory Weight*	Welght	Weight	Total
	Front	Rear	Weight
	8703 lbs	4275 lbs	12978 lbs
Total Weight [↓]	8703·lbs	427.5 lbs	12978 lbs


(+) Weight's shown are estimates only.
If weight is critical, contact Customer Application Engineering.

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.



BROOKPARK, OH 44142 Phone: 440-227-4159 Prepared by:
Dave Hibner
STOOPS WESTERN STAR OF
OHIO
1770 WAPAK FISHER RD
WAPAKONETA, OH 45895
Phone: 419-230-9684

DIMENSIONS



VEHICLE SPECIFICATIONS SUMMARY - DIMENSIONS

Model	4700SB
Wheelbase (545)	
Rear Frame Overhang (552)	1275MM (50 INCH) REAR FRAME OVERHANG
Eith Mhaol (579)	NO FIFTH WHEEL
Mounting Location (577)	NO FIFTH WHEEL LOCATION
Maximum Forward Position (in)	0
Maximum Rearward Position (in)	0
Amount of Slide Travel (in)	0
Amount of Slide Travel (in)	0
Desired Olida Danition (in)	
Cab Size (829)	110 INCH BBC STEEL CONVENTIONAL CAB
Sleeper (682)	NO SLEEPER BOX/SLEEPERCAB
Exhaust System (016) RH OUTBOARD UNDER STEP MOUNTE WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE	D HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY

TABLE SUMMARY - DIMENSIONS

Application Version 11.7.206 Data Version PRL-26T.044 Brook Park ODOT 023-22 Tag-on 4700 4-4-2021



04/20/2022 1:25 PM

Page 19 of 21

BROOKPARK, OH 44142 Phone: 440-227-4159 Prepared by:
Dave Hibner
STOOPS WESTERN STAR OF
OHIO
1770 WAPAK FISHER RD
WAPAKONETA, OH 45895
Phone: 419-230-9684

Dimensions	Inches
	133.2
Bumper to Back of Cab (BBC)	93.9
Bumper to Centerline of Front Axle (BA)	39.3
Front Axle to Back of Cab (AC)	3,0
Min. Cab to Body Clearance (CB)	96.1
Back of Cab to Centerline of Rear Axle(s) (CA)	93.1
Effective Back of Cab to Centerline of Rear Axle(s) (Effective CA)	4,0
Back of Cab Protrusions (Exhaust/Intake) (CP)	0.0
Back of Cab Protrusions (Side Extenders/TrimTab) (CP)	0.0
Back of Cab Protrusions (CNG Tank)	3.0
Back of Cab Clearance (CL)	146.3
Back of Cab to End of Frame	
Cab Height (CH)	73.5
Wheelbase (WB)	159.4
Frame Overhang (OH)	50.2
Overall Frame Length	279.3
Overall Length (OAL)	279.6
Rear Axle Spacing	0.0
Unladen Frame Height at Centerline of Rear Axle	42.8

Performance calculations are estimates only. If performance calculations are critical, please contact Customer Application Engineering.



BROOKPARK, OH 44142 Phone: 440-227-4159 Prepared by:
Dave Hibner
STOOPS WESTERN STAR OF
OHIO
1770 WAPAK FISHER RD
WAPAKONETA, OH 45895
Phone: 419-230-9684

FRAME RBM

TABLE SUMMARY - FRAME RBM

ltem	Description // Value		
	4050MM (159 INCH) WHEELBASE		
Wheelbase	4050/AM (159 INCH) WHEELONG COALS (0.73111) 227 9111/0.244740.04 INCH) 120K91		
Frame	11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI		
Inner Frame Reinforcement	PARTIAL INNER FRAME REINFORCEMENT AT FRONT SUSPENSION		
Outer Frame Reninforcement	TEM TO EVALUATE AND INSTALL FRAME RAIL REINFORCEMENT AS NEEDED FOR FRONT		
Yield Strength (psl)	120000		
Section Modulus - per rall (cu. in.)	16.98		
Frame RBM - per rall (lbf-in)	2037600		

Performance calculations are estimates only. If performance calculations are critical, please contact Customer Application Engineering.



	1104-19-22 SERVICE
SP	CA 4-210-22
	1stR
	2nd R
	3rd R
	D/O

CITY OF BROOK PARK, OHIO

ORDINANCE	NO:	
-----------	-----	--

INTRODUCED BY: MAYOR ORCUTT

AN ORDINANCE

AUTHORIZING THE MAYOR TO ENTER INTO A CONTRACT WITH HENDERSON PRODUCTS (SOURCEWELL CONTRACT #080818-HPI/ SOURCEWELL #: 39065)
FOR THE PURCHASE OF A 2022 SINGLE AXLE SNOW AND ICE CONTROL TRUCK EQUIPMENT PACKAGE, AND DECLARING AN EMERGENCY

NOW THEREFORE, BE IT ORDAINED, by the Council of the City of Brook Park, State of Ohio, that:

SECTION 1: The Mayor is hereby authorized to enter into a Sourcewell contract #080818-HPI/Sourcewell #: 39065 with Henderson Products, Inc., for the purchase of a 2022 Single Axle Snow and Ice Control Truck Equipment Package, a copy of said contract is attached hereto and incorporated herein as Exhibit "A".

SECTION 2: The money needed for the aforesaid transaction shall be paid from 401-432 Capital Funds, and shall not exceed \$95,836.00.

SECTION 3: It is found and determined that all formal actions of this Council concerning and relating to the adoption of this Ordinance were adopted in an open meeting of this Council, and that all deliberations of this Council and of any of its committees that resulted in such formal action were in meetings open to the public in compliance with all legal requirements, including Section 121.22 of the Ohio Revised Code.

SECTION 4: This Ordinance is hereby declared to be an emergency measure immediately necessary for the preservation of the public peace, health, safety and welfare of said City, and for the further reason to provide for usual and ordinary operation of the City's Service Department; therefore this Ordinance shall take effect and be in force immediately from and after its passage and approval by the Mayor.

APR 1 9 2022

BROOK PARK CITY COUNCIL

PASSED:		PRESIDENT OF	COUNCIL
ATTEST:_	Clerk of Council	APPROVED:	MAYOR
			DATE

I HERUBY APPROVE THE WITHIN INSTRUMENT AS TO LEGAL FORM AND CORRECTNES

DIPECTOR OF LAW

EXMIBIT !	Soardof Cortral.
DOTE: 4.18.22	
DATE: 4.18.22	PRICE QUOTE BY:
Chillip and it is a 1 100 to con to control	DATE:
ADDRESS: Products luc	P.O.# ASM X
PHONE NO.	AREA WHERE PRODUCT USED: Copital
VENDOR 3:	

an or chief	. DESCRIPTION .	. DEPT-	PRICE EA.	TOTAL
TWOOM.	Din Body, D	naw	J	95836
	Plow Hetch; C	entra		-
	Hydraulie se	ptim		
	ovid Dalt spr wistalled on ou	2		
	2002 Westerns	Way.	·	
	see attached C	mod # 3 90	65	-
Nol	Dourcewell Cont Have Law + Fino	0805 Bert		

Ligislation of Kurchasing Due to Durcharges Degn contract ASAP Due to Durcharges



PRODUCTS, INC.

2177 STATE ROUTE 19 BUCYRUS, OH 44820 PHONE: 419-617-7509 FAX: 563-927-7106

Quoted By: Ross Repp

Email: rrepp@hendersonproducts.com

Phone: 419-617-7509

Cell: 4195696166

Fax:

CUSTOMER QUOTE

Page 1 Quote #161028 Rev #28

To: CITY OF BROOK PARK, OH

Attn: JOHN PENSIS Quote Date: 4/12/2022 Valid Until: 5/12/2022

Sourcewell Contract# 080818-HPI

Sourcewell #: 39065

2022 SINGLE AXLE SNOW & ICE CONTROL TRUCK EQUIPMENT PACKAGE

Henderson Products is pleased to present the following quote. Please contact us if you have any questions.

Snow Plow Hitch

Reversing Cylinder Style: None or Top mount reversing cylinders Plow Portion Hitch: Plow portion not included, existing plow Hitch, Truck Portion: Pin & loop hitch, Hercules Bumper to Frame Mounting Kit: No, upfitter supplied mounting Hydraulic Lift Cylinder: 4" x 2" x 10" Double Acting Nitrided Lift Cylinder High Pressure QD System: No High Pressure QD System Holding Valve for Lift Cylinder: No Holding Valve For Lift Cylinder Custom Options: Note Custom Details Below Option 1 Description: HERCULES PIN & LOOP PLOW HITCH Option 2 Description: STRUCTURAL STEEL CONSTRUCTION Option 3 Description: LIFT BEAM FOLDS FLAT WHEN NOT IN USE

HPI MarkE

COUNTRY/LANGUAGE: USA/ENGLISH

FAMILY: MARK E, CLASSIC

FLOOR LENGTH: 11' FLOOR LENGTH SIDE HEIGHT: 36" SIDE HEIGHT

BODY MATERIAL (SIDES/HEADSHEET): 7GA 201SS SIDES/HEADSHEET

SIDE BRACES: (2) V CRIMP SIDE BRACES

TOP RAIL/RUB RAIL MATERIAL: 7GA 201SS TOP & RUB RAILS

REAR BOLSTER HEIGHT: 8" BOLSTER, 2-1/8" POCKETS REAR BOLSTER MATERIAL: 7GA 201SS REAR BOLSTERS

FRONT BOLSTER: NO FRONT BOLSTERS FLOOR MATERIAL: 1/4" AR400 FLOOR

HOIST TYPE: TRN MT HOIST, INT DH, SUBFRM, DA CYLINDER MODEL: CS/G4, DBL ACT, 2YR SALT WTY*

HOIST MOUNT TYPE: STANDARD SUBFRAME

INSTALL HOIST & CRADLE: UPFITTER INSTALLED H&C

LONGSILLS: 5" I-BEAM LONGSILLS, FULL WELD

BODY HINGE MAINTENANCE: GREASEABLE PINS, NO BUSHINGS

TAILGATE STYLE: CONFIGURABLE STANDARD TAILGATE

TAILGATE SHEET MATERIAL: 7GA 201SS TAILGATE SHEET

TAILGATE LINER: NO TAILGATE LINER









PRODUCTS, INC.

2177 STATE ROUTE 19 BUCYRUS, OH 44820 PHONE: 419-617-7509 FAX: 563-927-7106

CUSTOMER QUOTE

Page 2 Quote #161028 Rev #28

COAL CHUTE: NO COAL CHUTE

TAILGATE BRĂCE: 2 HORIZONTAL TAILGATE BRACE

TAILGATE LIFT STYLE/LOCATION: FORMED LIFT LOOP, TOP BRACE

TAILGATE RELEASE & CONTROL: DOUBLE ACTING, SS BUSHING, TG RELEASE

TAILGATE HINGE: STD, 1-1/4" PIN, 1" PLT

TAILGATE CHAINS: ZINC TAILGATE CHAINS

HORIZONTAL J-HOOKS: NO HORIZONTAL J-HOOKS

TAILGATE PIN LANYARDS: NO TAILGATE PIN LANYARDS

TAILGATE AIR VALVE: UPFITTER SUPPLIED TAILGATE AIR VALVE

LUBRICATION: GREASEABLE PINS, JAWS, & SHAFT

CABSHIELD STYLE/WIDTH/OVERHANG: WELD-ON, 22"x86", NO TARP SHROUD

CABSHIELD MATERIAL: 201SS, 10GA PANEL, 7GA ENDS

CABSHIELD INSTALLATION: CABSHIELD SHIPS LOOSE

CABSHIELD OFFSET: OFFSET NOT APPLICABLE

CABSHIELD LIGHTING: CS LIGHTS, 2 FORWARD, 1 EACH SIDE

ASPHALT LIP: NO ASPHALT LIP

SIDE BOARDS: UPFITTER SUPPLIED SIDEBOARDS

SIDE LADDER LOCATION: LADDER/GRBHND, DS FRNT, INSTL

SIDE LADDER TYPE: LADDER, PULLOUT 201SS, FIXED UPR

INTERIOR STEPS: NO INTERIOR STEPS

RUB RAIL LIGHTING: NO RUB RAIL LIGHTING

REAR BOLSTER MARKER LIGHTING: 2.5" RED REAR BLSTR LIGHT

REAR FACING REAR BOLSTER LIGHT: 3 OBROUND LIGHT

LIGHTING ADD ONS: NO BOLT-ON LIGHT BOX

LIGHTING PACKAGE: UPFITTER SUPPLIED LIGHT PACK

PWS TANKS: NO PREWET TANKS

PREWET PREP: NO PREWET BOX BRACKET

WALK RAILS: NO WALK RAILS

TARP RAILS: NO TARP RAILS

VIBRATOR LOCATION: NO VIBRATOR

TGS INSTALLATION: NO FACTORY INSTALLED TGS

TGS INTEGRATION: NO TGS SPILL SHIELDS

TGS/ASPHALT LIP MOUNT HOLES: NO MOUNT HOLES IN BOLSTER

FINISH PREP: WASH & PRIME MILD PARTS ONLY

PAINT/FINISH: NO FINISH

NOTE 1:: NO ADDITIONAL CUSTOM OPTIONS

NOTE 2:: NO ADDITIONAL CUSTOM OPTIONS

NOTE 3:: NO ADDITIONAL CUSTOM OPTIONS

NOTE 4: NO ADDITIONAL CUSTOM OPTIONS

NOTE 5: NO ADDITIONAL CUSTOM OPTIONS

NOTE 6: NO ADDITIONAL CUSTOM OPTIONS NOTE 7: NO ADDITIONAL CUSTOM OPTIONS

NOTE 8: NO ADDITIONAL CUSTOM OPTIONS

FSH salt / sand spreader

Spreader Model: FSH-II Salt/Sand Spreader Hopper length: 11'









PRODUCTS, INC.

2177 STATE ROUTE 19 BUCYRUS, OH 44820 PHONE: 419-617-7509 FAX: 563-927-7106

CUSTOMER QUOTE

Page 3 Quote #161028 Rev #28

Hopper material: 201SS - 10 GA sides/ends, 7 GA sills/floor Capacity: FSH-II 56" (7.6 CY) w/ formed chain shields standard

Conveyor: Dual 7" dia. augers

Gearcase: 3.6:1 planetary gearcase

Flow Divider: Yes, Factory Installed (recommended)

Chute type: Standard Dump Over Chute Same Material as Hopper

Tilt-up spinner: Tilt-up spinner with hand wrench, SS (loose "SL")

Spinner disk: 20" urethane spinner disk

Inverted vee: Inverted vee, 201ss

Install inverted vee: Install at factory

Screen type: Std. top grate screens

Install top grate screens: Install at factory Hold down kits: Dump body kit w/ rachet straps

Extended front idler grease tubes: Extended front idler grease tubes

Trunnion latch for tailgate: Trunnion latch, Mild Channel (loose "SL")

Option 1 Description: SS TRUNNION ILO MILD

Installation Workup

Chassis Delivery To Henderson: Henderson Picks Up (100 miles or less) Completed Truck Delivery Method: Henderson Delivers (100 miles or less)

Chassis Make: Westernstar Chassis Model Yr: 2023 Chassis Model: 4700

Useable CA/CT: 96 Inch Front Frame Ext?: Yes Frnt Frame Ext Type: Full Front Frame Wall: Single Wall

Front Frame Width: 42"

Pump Location: Transmission Mount Pump

Transmission Type: Automatic

Transmission Model: Allison Transmission

Hitch Type: Hercules Hitch Mount Type: Engineered Truck Hitch (sales to order hitch w/ unit)

Mount Spec: (1)178128 KIT, HITCH, HERCULES, EXT, FRAME, 9

Front Bumper: OEM Bumper Cut and Split Hitch Options 1: (1) 177873 PLATE, GUSSET,

Dump Body Type: Mark E Single Axle

Floor Length: (11') floor length Hoist Type: Tele Trun HoIst with Subframe, Internal Doghouse

Cylinder Type: Double Acting Body Material (Sides/ends): Stainless Steel Type Body Material

Tailgate Release Type: IDC Supplied manual air over air valve

Pressure Protection Valve: Direct to air tank valve (All except Int, Mack & Volvo)









PRODUCTS, INC.

CUSTOMER QUOTE Page 4 Quote #161028 Rev #28

2177 STATE ROUTE 19 BUCYRUS, OH 44820 PHONE: 419-617-7509 FAX: 563-927-7106

Cabshield Install: Supl'd by fact, welded to body @ IDC, sales to order w/ unit Grab Handle(s): (1) Factory supl'd, install @ IDC (Sales to order with unit) Ladder(s): Supplied by factory, Install @ IDC (sales to order w/ unit) Ladder Install QTY (Dump): (1) LADDER INSTALLED @ IDC (LABOR ONLY) Ladder Install Style (Dump) 1: 3 Step Pull Out Ladder Install Loc 1 (Dump): Driver Side Front Body Install Options 1: (4)114775.201 BRACKET, HOLD DOWN, DUMP

Body Spec Notes:

Spreader Type: FSH

FSH Drive Type: Hydraulic FSH Mount Type: Slip in Mount

Slip in Tie Downs: Factory Hold down kit (Sales to order with unit)

Trunnion Latch: Install Fact Sup'ld Trun Latch Bar, sales to order with unit

FSH Spinner Configuration: Standard Spinner install

HYD QD Mount Brackets: Stainless Steel QD Mount in front of dump body bolster

Chassis Accessories: Yes (SELECT RELATED OPTIONS BELOW)

Mudflaps (Rear): Swinging w/Logo

Mudflap Type (Rear): 36" Swinging, SS (with LOGO)

Mudflaps (Front): Body Mounted w/Logo

Mudflap Type (Front): Body Mounted Rubber, SS, w/ anti-sail brackets W/ LOGO

Pintle Plate: Yes (select from options below)

Pintle Plate Configuration: 3/4" Plate, PH20 Holes, SA w/ SubFrm (3LTC)

Pintle Plate D-Rings: Qty (2) 1" D-rings, 50 deg bend

Pintle Hook: Not Required

Trailer Plug (1): 7 Pin Trailer Plug, Truck end 7-Way RV, new style (municipal)

Truck Wash: Complete Truck Wash/Clean/Vac 1

Warranty: Standard 1 Year Warranty Inspection: Walk-around meeting only

Reflective Tape: Reflective Tape, Henderson Logo (60' Linear)

Install Touch-up: Basic Installation Touch-Up

Electrical: Yes (SELECT RELATED OPTIONS BELOW) Power Distribution Panel: Power Distribution Panel Misc Electrical Supplies: Req'd Misc Elect Supplies Plow Lights: Plow Lts, LED, Heated, Tlite, Round, Pair Plow Light Brackets: Plow Lt Brckts, SS, FRTLNR/Western Star/Other, Pair Worklight(s) QTY: (QTY 1) Work Light (Select type below) Worklight (1) Type: LED, Worklight, 4in Round (Optilux) Worklight (1) Gen Location: On rear of body Cabshield Warning Light Qty: Qty 6 Lights (Order Holes with Unit) Cabshield Warning Lights: QTY 3 6" LED Ovl Strobe Green/Qty 3 LED Ovl Strobe

Amber Cabshield Lighting Harness: Cabshield Warning Lights Only (qty 2-6) Rear Dump Bolster (S/T/T): LED S/T/T, kit (OH) (order holes)

OEM Light Remount: Remount OEM Chassis Lights









PRODUCTS, INC.

CUSTOMER QUOTE Page 5 Quote #161028 Rev #28

2177 STATE ROUTE 19 BUCYRUS, OH 44820 PHONE: 419-617-7509 FAX: 563-927-7106

Rear Dump Bolster (Back-up): B/U Lights, LED, Clear, Oval, pair (Order holes

Rear Dump Bolster Strobes: 6" LED Oval Strobes, 1 Amber, 1 Green (order holes

Rear Dump Bolster Light Boxes: Single Oval, 6" SS Lightboxes, Pair, Externally Mounted

Back up alarm: Backup Alarm, 97db

Body up switch/light: Supplied with Hydraulics, IDC install Brake controller: Brake Controller, Voyager Brake Controller

Backbone & Wire Standoffs: 10' Backbone (For SA)

Electrical Spec Notes:

Hydraulics: Full Hydraulic Package

Hyd Supplier: Certified (Select Pkg Below) Hyd Supplier (Spec): Certified Power B Package

Controls Type: Air Controls

PTO Type: Included in Hydraulics Package Reservoir Type: Supplied With Hydraulics

Reservoir Spec:

Valve Enclosure Type: Supplied With Hydraulics Low Oil Indicator: Yes, included in Hyd Pkg Return Filter: Provided with Hydraulics SS Tubing Upgrade: SA,F&R lines,6'Frnt,9'Rr Quick Coupler Upgrade: Standard Quick Couplers Hyd Options 1: (1)162781 KIT, RAM MOUNT

Hydraulics Notes:

*SS QUICK COUPLERS IN HYD KIT

*SS VALVE ENCLOSURE/OIL RESERVOIR COMBO TANK

*AIR LEVER PEDISTAL W/ FREEDOM 2 ELECTRIC SPREADER CONTROLLER

*PLOW BALANCE VALVE & COUPLER PREASURE RELEASE VALVE

Disclaimer: Paint not guaranteed to match OEM chassis color

IDC Paint Location: IDC-OH

Undercoat: Undercoat (Body Underside & Chassis)

Paint Code & Color (from color charts):









PRODUCTS, INC.

2177 STATE ROUTE 19 BUCYRUS, OH 44820 PHONE: 419-617-7509 FAX: 563-927-7106

Date:

CUSTOMER QUOTE

Page 6 Quote #161028 Rev #28

Total configured price: \$105,485.00 Sourcewell package discount: 10% plus freight Discounted single package price: \$95,836.00 Package(s): 1

Package(s): 1 Total: \$95,836.00

Due to the volatility in material costs and chassis delays, pricing is subject to change at time of manufacturing and/or upfit.

Due to current raw material market conditions this quote includes a surcharge on Henderson equipment. Quotes exceeding the expressed quote validity date are subject to surcharge revisions.

Quote notes:	
Option Remove Freedom Controller and use Dual Knob Spreader Controls, Dec	luct
\$1,175.00 Remove Full Loadsense Plow Balance, Deduct \$1,844.00	







	110 4-19-22 SERVING
SP	CA 4.00.22
	1stR_
	2nd R
	and R
	i i

CITY OF BROOK PARK, OHIO

ORDINAMCE .	мо: .		
INTRODÚCED	BY:	MAYOR	ORCUTT

AN ORDINANCE

AUTHORIZING THE MAYOR TO ENTER INTO A

CONTRACT WITH BUCKEYE PUMPS, INC., TO PURCHASE

FOUR LIFT STATION PUMPS, TWO CONTROL PANELS, AND TWO PRIMEX

PRESSURE TRANSDUCERS,

AND DECLARING AN EMERGENCY

WHEREAS, Council deems it necessary for the City to enter into a contract with Buckeye Pumps, Inc., for the purchase and installation of four Flyght/Xylem submersible pumps and the necessary equipment for the Fry/Richard and Kalvin/Grosse pump stations.; and

NOW THEREFORE, BE IT ORDAINED, by the Council of the City of Brook Park, State of Ohio, that:

SECTION 1: That the Mayor is hereby authorized and directed to enter into a contract with Buckeye Pumps, Inc., for the purchase and installation of four dry pit submersible pumps, as set forth in Exhibit "A."

SECTION 2: The money needed for the aforesaid transaction shall be paid from fund #429, and in no event shall the total amount to be paid under said contract exceed \$86,962.00.

SECTION 3: It is found and determined that all formal actions of this Council concerning and relating to the adoption of this Ordinance were adopted in an open meeting of this Council, and that all deliberations of this Council and of any of its committees that resulted in such formal action were in meetings open to the public in compliance with all legal requirements, including Section 121.22 of the Ohio Revised Code.

SECTION 4: This Ordinance is hereby declared to be an emergency measure immediately necessary for the preservation of the public peace, health, safety and welfare of said City, and for the further reason that Council deems it necessary for the Mayor to enter into said agreement with undue delay; therefore provided (5)

members elected to Council, it shall take effect and be in force immediately upon its passage and approval by the mayor; otherwise, from and after the earliest period allowed by law.

PASSED:	· · · · · · · · · · · · · · · · · · ·	PRESI	DENT OF COUNCIL	
ATTEST:_	Clerk of Council	APPROVED:	MAYOR	
		-	DATE	

I HEREBY APPLOVE THE WITHIN INSTRUMENT AS TO LEGAL FORM AND CORRECTNESS

DIRECTOR LIFT AND

u 6 3)	EX	1-4	D	1.7
	a	٨	11	

DATE: APRIL 11, 2022	PRICE QUOTE BY:
COMPANY: BUCKEYE PUMP	DATE:
ADDRESS:	ORDERED BY: B BEYER/B KALL
	P.O.#
PHONE NO	_AREA WHERE PRODUCT USED:429
VENDOR 2:	
VENDOR 3:	

2000	DESCRIPTION	DEPT.	PRICE EA.	TOTAL
TNUOMA				
	FRY & RICHARD & KALVIN & GROSSE PUMP S	TSTATONS		
4	FLYGHT/XYLEM SUBMERSIBLE PUMPS FOR BOT PUMP STSTAIONS	2H		\$ 86,962.
	***SEE ATTACHED QUOTE**			
	BOARD OF CONTROL			
	v .			
	,			
į.				
,			N.	1



MAIN OFFICE 1311 Freese Works Place Galion OH 44833 CINCINNATI OFFICE 24 East 76th Street Cincinnati OH 45216

PH; (419) 468-7866 FX: (419) 468-1460

PH: (513) 679-6100 FX: (513) 679-6101

buckeye pumps inc.

March, 3 2022

Quote # 27-030322-RJH

To: All Bidding Contractors

Attn: Bob Kall

Reference:

City of Brookpark

Location:

Brookpark, Ohio

Bid Date:

N/A

Buckeye Pumps Inc. is pleased to provide pricing for the following equipment as required:

Fry/Richard, Kelvin/Grosse

Lift Station Pumps (4 Pumps)

Qty (2) - FLYGT/XYLEM Submersible Pumps Model NP 3127.091, rated for ?? GPM at ??' TDH. Pumps shall come with a standard 4" discharge. Pumps shall come with an 10 HP, 1800 RPM, 460/3/60 submersible explosion proof motors. Motor shall be air filled and have a 1.15 service factor rating; Thermal overloads shall be imbedded in the windings to provide overheating protection. Pumps shall come with a positively driven dual, tandem mechanical shaft seal system consisting of two seal sets, each having an independent spring. The lower primary seal, located between the pump and seal chamber, shall contain one stationary and one positive driven rotating corrosion and abrasion resistant tungsten-carbide ring. The upper secondary seal located between the seal chamber and the seal inspection chamber shall be a leakage-free seal. Moisture sensing probe shall be provided for detection of moisture on outer seal failure.

Qty (2) - FLYGT/XYLEM Submersible Pumps Model NP 3085.091, rated for ?? GPM at ??' TDH. Pumps shall come with a standard 4" discharge. Pumps shall come with an 3 HP, 1800 RPM, 460/3/60 submersible explosion proof motors. Motor shall be air filled and have a 1.15 service factor rating; Thermal overloads shall be imbedded in the windings to provide overheating protection. Pumps shall come with a positively driven dual, tandem mechanical shaft seal system consisting of two seal sets, each having an independent spring. The lower primary seal, located between the pump and seal chamber, shall contain one stationary and one positive driven rotating corrosion and abrasion resistant tungsten-carbide ring. The upper secondary seal located between the seal chamber and the seal inspection chamber shall be a leakage-free seal. Moisture sensing probe shall be provided for detection of moisture on outer seal failure.

Two (2) Control Panel

Engineered Panels: Fry and Richard 3HP, 10HP Kalvin and Grosse 3HP, 10HP

NEMA Type 4X - 304 Stainless Steel Enclosure, with back panel Aluminum Dead-front Inner Door Circuit breaker cutouts with mounting bracket Incoming Power Terminal Block

Current Monitor Relay

Incoming Power Lightning Arrestor

1 kVA Control Power Transformer with Primary Fuses

Control Power Circuit Breaker

3 - 15 Amp 1 Pole QOU Circuit Breaker

1 - Circuit Breaker (HDL) / 10 hp NEMA Motor Starter with Melting Alloy Overload

1 - Circuit Breaker (HDL) / 3 hp NEMA Motor Starter with Melting Alloy Overload

LevelView Primary Controller

DPC-4F Secondary Controller

2 - 22mm Hand Off Auto Switch

2 - 22mm Run Pilot Light

2 - Elapsed Time Meter

LED Alarm Light

Horn Audible Alarm

22mm Silence Pushbutton

PumpWatch Gateway/ panel mount with one year cellular service

Engraved Nameplates

UL Label 508

Self Laminating Wire Numbers

Control Relays as required

Terminal Blocks and Ground Lugs as Required

Two (2) Primex Pressure Transducer With 100' Cord

Buckeye Pumps Will Use The Current Air In Take Pipe To Run The Pump Cables. Panel Should Roughly

Be 30"x36"x12, and Panel Will Be Mounted On The Pole.

Fourteen (4) Female Power Cable Adapters

Fourteen (4) Male Power Cable Adapters

Eight (8) Handles For Adapters

Total Price for above items......\$86,962.00

- Startup service is provided.
- Freight is included.
- Submittals available in 3-4 weeks after receipt of order.
- Delivery 10-12 weeks after receipt of approved submittals.
- Prices in this proposal are good for 90 days.
- Net due: 30 days with approved credit.
- No retainage withheld for delivered material only.
- All material remains the property of BPI until paid for in full.
- 2% monthly service charge after 30 days.

Quote excludes: Any Traffic Control Needed. Should Be Handled By The City of Brookpark if Needed.

I understand that the terms of this proposal are final, and no other terms or actions proposed by the customer — including contracts or purchase orders — are applicable without the signed approval of the authorized agent for Buckeye Pumps Inc. (BPI). I also understand that BPI is under no obligation to produce and/or deliver the materials described in this proposal until it is signed by the customer.

Upon my signature, this proposal and the terms within will act as a sales contract between Buckeye Pumps Inc. and the customer, and acts as a request for the Notice of Commencement for the Project.

Signature of Authorized Agent for the Customer:	
Printed Name:	
Company Name & Address:	
Phone Number:	
Fax Number:	
Date:	
Authorized Agent for BPI:	

Ryan Hoepf Buckeye Pumps 419-566-0202 rhoepf@buckeyepumps.com