

P/C 5-4-21 SERVICE  
CA 5-11-21  
1st R 5-18-21  
2nd R \_\_\_\_\_  
3rd R \_\_\_\_\_  
B/C \_\_\_\_\_

CITY OF BROOK PARK, OHIO

ORDINANCE NO: 11197-2021

INTRODUCED BY: MAYOR GAMMELLA

AN ORDINANCE

AUTHORIZING THE MAYOR TO ENTER INTO A CONTRACT WITH STOOPS WESTERN STAR OF OHIO (ODOT CO-OP PURCHASING 023-21) FOR THE PURCHASE OF A WESTERN STAR TRUCK CHASSIS TO BE PACKAGED WITH A HENDERSON DUMP BODY, AND DECLARING AN EMERGENCY

NOW THEREFORE, BE IT ORDAINED, by the Council of the City of Brook Park, State of Ohio, that:

SECTION 1: The Mayor is hereby authorized to enter into a contract with Stoops Western Star of Ohio, through ODOT Co-Op Purchasing 023-21, a copy of said contract is attached hereto and incorporated herein as Exhibit "A".

SECTION 2: The money needed for the aforesaid transaction shall be paid from 401-432 Capital Funds, and shall not exceed \$90,217.00.

SECTION 3: It is found and determined that all formal actions of this Council concerning and relating to the adoption of this Ordinance were adopted in an open meeting of this Council, and that all deliberations of this Council and of any of its committees that resulted in such formal action were in meetings open to the public in compliance with all legal requirements, including Section 121.22 of the Ohio Revised Code.

SECTION 4: This Ordinance is hereby declared to be an emergency measure immediately necessary for the preservation of the public peace, health, safety and welfare of said City, and for the further reason to authorize the Mayor to enter into ODOT Co-Op Purchasing 023-21 contract with Stoops Western Star of Ohio; therefore provided this Ordinance receives the affirmative vote of at least five (5) members elected to Council it shall take effect and be in force immediately from and after its passage and approval by the Mayor; otherwise, from and after the earliest period allowed by law.

PASSED:

May 18, 2021

M. P. Vukobratovic  
PRESIDENT OF COUNCIL

ATTEST:

Michelle Blazak  
CLERK OF COUNCIL

APPROVED:

[Signature]  
MAYOR

5/20/2021  
DATE

CERTIFICATE

Michelle Blazak, Clerk of Council, of the City of Brook Park, Ohio, do hereby certify that the foregoing is a true and accurate copy of Ordinance/Resolution

No. 11197-2021

passed on the 18th day of May  
20 21 by said council.

Michelle Blazak  
Clerk of Council

I, Michelle Blazak, Clerk of Council for the City of Brook Park, State of Ohio, do hereby certify that there is no newspaper of general circulation in the municipality and that publication of the foregoing ordinances/resolutions was made by posting true copies at five of the most public places in said municipality as determined by Ordinance No. 4838-1975; location City Hall 6161 Engle Road, Police Station 17401 Holland Road, #2 Fire Station 22530 Rupple Parkway, #3 Fire Station 17401 Holland Road, Brook Park Library 6165 Engle Road, for a period of fifteen days.

commencing May 24, 2021

Michelle Blazak  
MICHELLE BLAZAK  
Clerk of Council


	Yea	Nay
Troyer	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Mencini	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Orcutt	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Scott	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Schmuck	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Poindexter	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Salvatore	<input checked="" type="checkbox"/>	<input type="checkbox"/>

I HEREBY APPROVE THE WITHIN  
INSTRUMENT AS TO LEGAL FORM  
AND CORRECTNESS

[Signature]  
DIRECTOR OF LAW

Prepared for:  
John Pensis  
BROOK PARK CITY OF  
19065 HOLLAND RD

BROOKPARK, OH 44142  
Phone: 440-227-4159




Prepared by:  
Dave Hibner  
STOOPS WESTERN STAR OF  
OHIO  
1770 WAPAK FISHER RD  
WAPAKONETA, OH 45895  
Phone: 419-230-9684

*A proposal for*  
**BROOK PARK CITY OF  
ODOT CO-OP PURCHASING  
Contract 023-21**

*Prepared by*  
**STOOPS WESTERN STAR OF OHIO**  
*Dave Hibner*

*Apr 16, 2021*

**Western Star 4700SB**



Components shown may not reflect all spec'd options and are not to scale

Prepared for:  
John Pensis  
BROOK PARK CITY OF  
19065 HOLLAND RD

BROOKPARK, OH 44142  
Phone: 440-227-4159

Prepared by:  
Dave Hibner  
STOOPS WESTERN STAR OF  
OHIO  
1770 WAPAK FISHER RD  
WAPAKONETA, OH 45895  
Phone: 419-230-9684

## Q U O T A T I O N

### 4700 SET-BACK FRONT AXLE CHASSIS

SET BACK AXLE - TRUCK  
CUM L9 330 HP @ 2200 RPM; 2200 GOV RPM, 1000 LB-  
FT @ 1200 RPM  
ALLISON 3500 RDS AUTOMATIC TRANSMISSION WITH  
PTO PROVISION  
RS-23-160 23,000# R-SERIES SINGLE REAR AXLE  
30,000# FLAT LEAF SPRING REAR SUSPENSION WITH  
HELPER AND RADIUS ROD  
MFS-14-143A 14,700# FF1 71.5 INCH KPI/3.74 INCH  
DROP SINGLE FRONT AXLE

16,000# FLAT LEAF FRONT SUSPENSION  
110 INCH BBC STEEL CONVENTIONAL CAB  
4050MM (159 INCH) WHEELBASE  
11/32X3-1/2X10-15/16 INCH STEEL FRAME  
(8.73MMX277.8MM/0.344X10.94 INCH) 120KSI  
1275MM (50 INCH) REAR FRAME OVERHANG  
PARTIAL INNER FRAME REINFORCEMENT AT FRONT  
SUSPENSION  
BODY COMPANY INSTALLED ADDITIONAL FRONT  
FRAME REINFORCEMENT FOR SNOW PLOW

			PER UNIT		TOTAL
VEHICLE PRICE	TOTAL # OF UNITS (1)	\$	90,333	\$	90,333
EXTENDED WARRANTY		\$	0	\$	0
DEALER INSTALLED OPTIONS		\$	0	\$	0
CUSTOMER PRICE BEFORE TAX		\$	90,333	\$	90,333

### TAXES AND FEES

FEDERAL EXCISE TAX (FET)	\$	(191)	\$	(191)
TAXES AND FEES	\$	75	\$	75
OTHER CHARGES	\$	0	\$	0

### TRADE-IN

TRADE-IN ALLOWANCE	\$	(0)	\$	(0)
--------------------	----	-----	----	-----

BALANCE DUE	(LOCAL CURRENCY)	\$	90,217	\$	90,217
-------------	------------------	----	--------	----	--------

### COMMENTS:

Projected delivery on \_\_\_ / \_\_\_ / \_\_\_ provided the order is received before \_\_\_ / \_\_\_ / \_\_\_.

### APPROVAL:

Please indicate your acceptance of this quotation by signing below:

Customer: X \_\_\_\_\_ Date: \_\_\_ / \_\_\_ / \_\_\_.

**Daimler Truck Financial**

Financing that works for you.

See your local dealer for a competitive quote from Daimler Truck Financial, or  
contact us at [Information@dtfoffers.com](mailto:Information@dtfoffers.com).

Daimler Truck Financial offers a variety of finance, lease and insurance solutions to  
fit your business needs. For more information about our products and services, visit  
our website at [www.daimler-truckfinancial.com](http://www.daimler-truckfinancial.com).

Application Version 11.6.103  
Data Version PRL-24T.013  
BrookPark 4-09-21



I HEREBY APPROVE THE QUOTATION 04/16/21 8:24 AM  
INSTRUMENT AS TO LEGAL FORM  
AND CORRECTNESS

Page 2 of 21

DIRECTOR OF FINANCE

Prepared for:  
John Pensis  
BROOK PARK CITY OF  
19065 HOLLAND RD  
  
BROOKPARK, OH 44142  
Phone: 440-227-4159

Prepared by:  
Dave Hibner  
STOOPS WESTERN STAR OF  
OHIO  
1770 WAPAK FISHER RD  
WAPAKONETA, OH 45895  
Phone: 419-230-9684

## SPECIFICATION PROPOSAL

	Description	Weight Front	Weight Rear
<b>Price Level</b>			
	WESTERN STAR 4700 PRL-24T (EFF:01/19/21)		
<b>Data Version</b>			
	SPECPRO21 DATA RELEASE VER 013		
<b>Vehicle Configuration</b>			
	4700 SET-BACK FRONT AXLE CHASSIS	9,215	6,480
	2022 MODEL YEAR SPECIFIED		
	SET BACK AXLE - TRUCK		
	STRAIGHT TRUCK PROVISION, NON-TOWING		
	LH PRIMARY STEERING LOCATION		
<b>General Service</b>			
	TRUCK CONFIGURATION		
	DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)		
	CONSTRUCTION SERVICE		
	GOVERNMENT BUSINESS SEGMENT		
	DIRT/SAND/ROCK COMMODITY		
	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS		
	MAXIMUM 8% EXPECTED GRADE		
	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE		
	WESTERN STAR VOCATIONAL WARRANTY		
	EXPECTED FRONT AXLE(S) LOAD : 14700.0 lbs		
	EXPECTED REAR DRIVE AXLE(S) LOAD : 23000.0 lbs		
	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 37700.0 lbs		
<b>Truck Service</b>			
	FRONT PLOW/END DUMP BODY		

Prepared for:  
 John Pensis  
 BROOK PARK CITY OF  
 19065 HOLLAND RD  
  
 BROOKPARK, OH 44142  
 Phone: 440-227-4159

Prepared by:  
 Dave Hibner  
 STOOPS WESTERN STAR OF  
 OHIO  
 1770 WAPAK FISHER RD  
 WAPAKONETA, OH 45895  
 Phone: 419-230-9684

	Description	Weight Front	Weight Rear
	EXPECTED TRUCK BODY LENGTH : 11.0 ft		
	NO MFR'S/BODY TYPE IDENTIFICATION		
<b>Engine</b>			
	CUM L9 330 HP @ 2200 RPM; 2200 GOV RPM, 1000 LB-FT @ 1200 RPM	-850	-70
<b>Electronic Parameters</b>			
	75 MPH ROAD SPEED LIMIT		
	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT		
	PTO MODE ENGINE RPM LIMIT - 900 RPM		
	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED		
	PTO RPM WITH CRUISE SET SWITCH - 900 RPM		
	PTO RPM WITH CRUISE RESUME SWITCH - 900 RPM		
	PTO MODE CANCEL VEHICLE SPEED - 5 MPH		
	PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND		
	PTO MINIMUM RPM - 700		
	REGEN INHIBIT SPEED THRESHOLD - 5 MPH		
<b>Engine Equipment</b>			
	2016 ONBOARD DIAGNOSTICS/2010 EPA/CARB/GHG21 CONFIGURATION		
	2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD CORNER OF DRIVER DOOR)		
	STANDARD OIL PAN		
	ENGINE MOUNTED OIL CHECK AND FILL		
	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER WITH SAFETY ELEMENT AND INSIDE/OUTSIDE AIR WITH SNOW DOOR	10	
	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE		
	(3) DTNA GENUINE, AGM STARTING AND CYCLING, MIN 2190CCA, 570RC, THREADED STUD BATTERIES		
	PASSENGER SEAT BATTERY BOX VENTED TO OUTSIDE OF CAB		
	BATTERY BOX MOUNTED UNDER PASSENGER SEAT		

Prepared for:  
 John Pensis  
 BROOK PARK CITY OF  
 19065 HOLLAND RD  
  
 BROOKPARK, OH 44142  
 Phone: 440-227-4159

Prepared by:  
 Dave Hibner  
 STOOPS WESTERN STAR OF  
 OHIO  
 1770 WAPAK FISHER RD  
 WAPAKONETA, OH 45895  
 Phone: 419-230-9684

Description	Weight Front	Weight Rear
WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN		
PLASTIC BATTERY BOX COVER		
POSITIVE LOAD DISCONNECT WITH DASH MOUNTED CONTROL SWITCH	8	
LOW VOLTAGE BATTERY DISCONNECT AT 12.3 VOLTS FOR ISOLATED CIRCUITS WITH LOCAL ALARM		
CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE		
AIR COMPRESSOR DISCHARGE LINE		
ELECTRONIC ENGINE INTEGRAL WARNING AND DERATE PROTECTION SYSTEM		
CUMMINS ENGINE INTEGRAL BRAKE WITH VARIABLE GEOMETRY TURBO ON/OFF	20	
RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE		
ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH		
10 FOOT 06 INCH (126 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT		
RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP		
6 GALLON DIESEL EXHAUST FLUID TANK		
100 PERCENT DIESEL EXHAUST FLUID FILL		
STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING		
LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION		
STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAILOPIPE SHIELD		
HORTON DRIVEMASTER ADVANTAGE ON/OFF FAN DRIVE		
AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED		
CUMMINS SPIN ON FUEL FILTER		
COMBINATION FULL FLOW/BYPASS OIL FILTER		
1300 SQUARE INCH ALUMINUM RADIATOR	-20	
MOUNTING FOR FIREWALL MOUNTED SURGE TANK		

Prepared for:  
 John Pensis  
 BROOK PARK CITY OF  
 19065 HOLLAND RD  
  
 BROOKPARK, OH 44142  
 Phone: 440-227-4159

Prepared by:  
 Dave Hibner  
 STOOPS WESTERN STAR OF  
 OHIO  
 1770 WAPAK FISHER RD  
 WAPAKONETA, OH 45895  
 Phone: 419-230-9684

Description	Weight Front	Weight Rear
ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT		
GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT		
CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES		
RADIATOR DRAIN VALVE		
LOWER RADIATOR GUARD		
PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK HEATER	4	
NO OIL PREHEATER		
CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR		
ALUMINUM FLYWHEEL HOUSING		
ELECTRIC GRID AIR INTAKE WARMER		
DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH	-35	
<b>Transmission</b>		
ALLISON 3500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION	-230	-130
<b>Transmission Equipment</b>		
ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV		
ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES		
PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY		
SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY		
S1 PERFORMANCE PRIMARY SHIFT SCHEDULE, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY		
S2 PERFORMANCE 2 SECONDARY SHIFT SCHEDULE, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY		
1950 RPM PRIMARY MODE SHIFT SPEED		
1750 RPM SECONDARY MODE SHIFT SPEED		
MAXIMUM ENGINE SPEED FOR PTO OPERATION 3000 RPM		



Prepared for:  
 John Pensis  
 BROOK PARK CITY OF  
 19065 HOLLAND RD  
  
 BROOKPARK, OH 44142  
 Phone: 440-227-4159

Prepared by:  
 Dave Hibner  
 STOOPS WESTERN STAR OF  
 OHIO  
 1770 WAPAK FISHER RD  
 WAPAKONETA, OH 45895  
 Phone: 419-230-9684

Description	Weight Front	Weight Rear
MAXIMUM OUTPUT SPEED FOR PTO ENGAGEMENT 4000 RPM		
MAXIMUM OUTPUT SPEED FOR PTO OPERATION 4000 RPM - ALLISON 5TH GEN TRANSMISSIONS		
ELECTRONIC TRANSMISSION WIRING TO CUSTOMER INTERFACE CONNECTOR		
CUSTOMER INSTALLED CHELSEA 280 SERIES PTO		
PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION		
MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN		
PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED		
TRANSMISSION PROGNOSTICS - ENABLED 2013		
WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK		
TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK		
SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)		
<b>Front Axle and Equipment</b>		
MFS-14-143A 14,700# FF1 71.5 INCH KPI/3.74 INCH DROP SINGLE FRONT AXLE	-130	
MERITOR 16.5X5 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	-10	
NON-ASBESTOS FRONT BRAKE LINING		
CONMET CAST IRON FRONT BRAKE DRUMS		
FRONT OIL SEALS		
VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL		
STANDARD SPINDLE NUTS FOR ALL AXLES		
MERITOR AUTOMATIC FRONT SLACK ADJUSTERS		
STANDARD KING PIN BUSHINGS		
TRW TAS-85 POWER STEERING		
POWER STEERING PUMP		
4 QUART POWER STEERING RESERVOIR	5	
SYNTHETIC 40/50W FRONT AXLE LUBE		

Prepared for:  
John Pensis  
BROOK PARK CITY OF  
19065 HOLLAND RD

BROOKPARK, OH 44142  
Phone: 440-227-4159

Prepared by:  
Dave Hibner  
STOOPS WESTERN STAR OF  
OHIO  
1770 WAPAK FISHER RD  
WAPAKONETA, OH 45895  
Phone: 419-230-9684

Description	Weight Front	Weight Rear
<b>Front Suspension</b>		
16,000# FLAT LEAF FRONT SUSPENSION		
GRAPHITE BRONZE BUSHINGS WITH SEALS - FRONT SUSPENSION		
FRONT SHOCK ABSORBERS		
<b>Rear Axle and Equipment</b>		
RS-23-160 23,000# R-SERIES SINGLE REAR AXLE		-2,310
6.14 REAR AXLE RATIO		
IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING		
MXL 17T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES	-60	-60
DRIVER CONTROLLED TRACTION DIFFERENTIAL - SINGLE REAR AXLE		20
(1) DRIVER CONTROLLED DIFFERENTIAL LOCK REAR VALVE FOR SINGLE DRIVE AXLE		
INDICATOR LIGHT FOR EACH DIFFERENTIAL LOCKOUT SWITCH		
MERITOR 16.5X7 Q+ CAST SPIDER HEAVY DUTY CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES		
NON-ASBESTOS REAR BRAKE LINING		
BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S)		
CONMET CAST IRON REAR BRAKE DRUMS		
REAR BRAKE DUST SHIELDS		5
REAR OIL SEALS		
WABCO TRISTOP D LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS		-20
MERITOR AUTOMATIC REAR SLACK ADJUSTERS		
CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE		
<b>Rear Suspension</b>		
30,000# FLAT LEAF SPRING REAR SUSPENSION WITH HELPER AND RADIUS ROD		150
SPRING SUSPENSION - NO AXLE SPACERS		
STANDARD AXLE SEATS IN AXLE CLAMP GROUP		
FORE/AFT CONTROL RODS		

Prepared for:  
John Pensis  
BROOK PARK CITY OF  
19065 HOLLAND RD

BROOKPARK, OH 44142  
Phone: 440-227-4159

Prepared by:  
Dave Hibner  
STOOPS WESTERN STAR OF  
OHIO  
1770 WAPAK FISHER RD  
WAPAKONETA, OH 45895  
Phone: 419-230-9684

Description	Weight Front	Weight Rear
<b>Brake System</b>		
WABCO 4S/4M ABS		
REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES		
FIBER BRAID PARKING BRAKE HOSE		
STANDARD BRAKE SYSTEM VALVES		
RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE		
WABCO SYSTEM SAVER HP WITH INTEGRAL AIR GOVERNOR AND HEATER		
AIR DRYER MOUNTED INBOARD ON LH RAIL		
STEEL AIR TANKS MOUNTED BELOW FRAME RAILS	5	5
PETCOCK DRAIN VALVES ON ALL AIR TANK(S)		
<b>Wheelbase &amp; Frame</b>		
4050MM (159 INCH) WHEELBASE		
11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI	-100	60
PARTIAL INNER FRAME REINFORCEMENT AT FRONT SUSPENSION	195	-5
BODY COMPANY INSTALLED ADDITIONAL FRONT FRAME REINFORCEMENT FOR SNOW PLOW		
1275MM (50 INCH) REAR FRAME OVERHANG		
FRAME OVERHANG RANGE: 41 INCH TO 50 INCH	10	-80
12 INCH INTEGRAL FRONT FRAME EXTENSION	95	-10
CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 96.14 in		
CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 93.14 in		
CALC'D FRAME LENGTH - OVERALL : 267.25		
FRAME HEIGHT TOP FRONT UNLADEN : 42.4 in		
FRAME HEIGHT TOP FRONT LADEN : 39.5 in		
FRAME HEIGHT TOP REAR UNLADEN : 41.84 in		
FRAME HEIGHT TOP REAR LADEN : 39.23 in		
CALCULATED FRAME SPACE LH SIDE : 55.96 in		
CALCULATED FRAME SPACE RH SIDE : 121.85 in		
CALC'D SPACE AVAILABLE FOR DECKPLATE : 89.69 in		

Prepared for:  
 John Pensis  
 BROOK PARK CITY OF  
 19065 HOLLAND RD  
  
 BROOKPARK, OH 44142  
 Phone: 440-227-4159

Prepared by:  
 Dave Hibner  
 STOOPS WESTERN STAR OF  
 OHIO  
 1770 WAPAK FISHER RD  
 WAPAKONETA, OH 45895  
 Phone: 419-230-9684

Description	Weight Front	Weight Rear
SQUARE END OF FRAME		
STANDARD WEIGHT ENGINE CROSSMEMBER		
STANDARD CROSSMEMBER BACK OF TRANSMISSION		
STANDARD MIDSHIP #1 CROSSMEMBER(S)		
STANDARD REARMOST CROSSMEMBER		
HEAVY DUTY SUSPENSION CROSSMEMBER		10
STANDARD WEIGHT REAR SUSPENSION CROSSMEMBER		
<b>Chassis Equipment</b>		
14 INCH CHROMED STEEL BUMPER		
NO LICENSE PLATE MOUNTING		
FRONT ANTI-SPRAY CAB MOUNTED MUDFLAPS		
GRADE 8 THREADED HEX HEADED FRAME FASTENERS		
EXTERIOR HARNESSSES WRAPPED IN CONDUIT		
<b>Fuel Tanks</b>		
60 GALLON/227 LITER ALUMINUM FUEL TANK - LH		
25 INCH DIAMETER FUEL TANK(S)		
PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS		
FUEL TANK(S) FORWARD		
PLAIN STEP FINISH		
FUEL TANK CAP(S)		
DAVCO 245 FUEL/WATER SEPARATOR WITH 12 VOLT HEAT AND WATER IN FUEL SENSOR	20	
EQUIFLO INBOARD FUEL SYSTEM		
HIGH TEMPERATURE REINFORCED NYLON FUEL LINE		
<b>Tires</b>		
CONTINENTAL HSC 3 12R22.5 16 PLY RADIAL FRONT TIRES	74	
CONTINENTAL HDC3 11R22.5 16 PLY RADIAL REAR TIRES		96
<b>Hubs</b>		
CONMET PRESET PLUS PREMIUM IRON FRONT HUBS		

Prepared for:  
 John Pensis  
 BROOK PARK CITY OF  
 19065 HOLLAND RD  
  
 BROOKPARK, OH 44142  
 Phone: 440-227-4159

Prepared by:  
 Dave Hibner  
 STOOPS WESTERN STAR OF  
 OHIO  
 1770 WAPAK FISHER RD  
 WAPAKONETA, OH 45895  
 Phone: 419-230-9684

	Description	Weight Front	Weight Rear
	CONMET PRESET PLUS PREMIUM IRON REAR HUBS		
<b>Wheels</b>			
	ACCURIDE 29039 22.5X9.00 10-HUB PILOT 5.25 INSET 5-HAND STEEL DISC FRONT WHEELS	66	
	MAXION WHEELS 90262 22.5X8.25 10-HUB PILOT 5-HAND STEEL DISC REAR WHEELS		36
	FRONT WHEEL MOUNTING NUTS		
	REAR WHEEL MOUNTING NUTS		
<b>Cab Exterior</b>			
	110 INCH BBC STEEL CONVENTIONAL CAB		
	WESTERN STAR PAINTED ALUMINUM CAB SKIRT		
	AIR CAB MOUNTS WITH CHECK VALVE		
	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE		
	FRONT FENDERS		
	2 INCH FENDER EXTENSIONS	5	
	LH AND RH EXTERIOR GRAB HANDLES WITH RUBBER INSERTS AND RH INTERIOR GRAB HANDLE MOUNTED TO A POST		
	STATIONARY BRIGHT FINISH GRILLE		
	CHROME HOOD MOUNTED AIR INTAKE GRILLE		
	GALVANEALD STEEL SEVERE SERVICE CAB		
	FIBERGLASS HOOD		
	HOOD OPENING ASSIST		
	DUAL ROUND AIR HORNS, SINGLE BASE, MOUNTED UNDER CAB		
	DUAL ELECTRIC HORNS		
	ALL UNIT(S) KEYED ALIKE WITH CUSTOMER SPECIFIED KEY NUMBER D420		
	SINGLE RECTANGULAR H4 HALOGEN HEADLIGHTS WITH BRIGHT BEZELS		
	(5) AMBER MARKER LIGHTS		
	WIRING AND SWITCH FOR CUSTOMER FURNISHED SNOW PLOW LAMPS WITH DUAL CONNECTIONS AT BUMPER		
	INTEGRAL STOP/TAIL/BACKUP LIGHTS		
	STANDARD FRONT TURN SIGNAL LAMPS		
	DUAL WEST COAST STAINLESS STEEL HEATED MIRRORS WITH LIGHTS		

Prepared for:  
 John Pensis  
 BROOK PARK CITY OF  
 19065 HOLLAND RD  
  
 BROOKPARK, OH 44142  
 Phone: 440-227-4159

Prepared by:  
 Dave Hibner  
 STOOPS WESTERN STAR OF  
 OHIO  
 1770 WAPAK FISHER RD  
 WAPAKONETA, OH 45895  
 Phone: 419-230-9684

Description	Weight Front	Weight Rear
DOOR MOUNTED MIRRORS		
102 INCH EQUIPMENT WIDTH		
LH AND RH SUREPLUS 574 8 INCH BRIGHT FINISH HEATED CONVEX MIRRORS WITH SEPARATE ADJUSTMENT, MOUNTED BELOW MIRROR		
RH DOWN VIEW MIRROR		
STANDARD SIDE/REAR REFLECTORS		
17.5X35 INCH TINTED REAR WINDOW		
TINTED DOOR GLASS		
RH AND LH ELECTRIC POWERED WINDOWS	4	
2-PIECE TINTED CURVED BONDED WINDSHIELD		
2 GALLON WINDSHIELD WASHER RESERVOIR WITH FLUID LEVEL INDICATOR, MOUNTED UNDER CAB, WITH REMOTE FILL		
<b>Cab Interior</b>		
GRAY VINYL BASE INTERIOR		
BLACK HARD TRIM		
BASE LEFT HAND DOOR TRIM		
BASE RIGHT HAND DOOR TRIM		
BLACK MATS WITH SINGLE INSULATION		
DASH MOUNTED ASH TRAY AND LIGHTER, DRIVER SIDE		
FORWARD ROOF MOUNTED CONSOLE		
LH AND RH DOOR MAP POCKETS		
(2) COAT HOOKS ON BACKWALL OF CAB		
(1) CUP HOLDER MOUNTED IN BOTTOM CENTER OF DASH		
TWO-TONE CHARCOAL UPPER/COOL GRAY LOWER SOFT TOUCH WING DASH WITH BLACK DRIVER SIDE COSMETIC UNDER DASH COVER		
2-1/2 LB. FIRE EXTINGUISHER MOUNTED OUTBOARD OF DRIVER SEAT	5	
HEATER, DEFROSTER AND AIR CONDITIONER WITH CONSTANT OUTLET TEMPERATURE CONTROL		
HVAC DUCTING WITH FOAM MAIN FRESH AIR FILTER		
MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH		
STANDARD HEATER PLUMBING WITH BALL SHUTOFF VALVES		

Prepared for:  
 John Pensis  
 BROOK PARK CITY OF  
 19065 HOLLAND RD  
  
 BROOKPARK, OH 44142  
 Phone: 440-227-4159

Prepared by:  
 Dave Hibner  
 STOOPS WESTERN STAR OF  
 OHIO  
 1770 WAPAK FISHER RD  
 WAPAKONETA, OH 45895  
 Phone: 419-230-9684

Description	Weight Front	Weight Rear
VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR		
RADIATOR MOUNTED AIR CONDITIONER CONDENSER		
BINARY CONTROL, R-134A		
CAB INSULATION		
AUTOMATIC SELF-RESET CIRCUIT BREAKERS/FUSES IN DASH POWER DISTRIBUTION BOXES AND FUSES IN AUXILIARY POWER DISTRIBUTION BOXES		
DOOR ACTIVATED DOME LIGHT, UNDER DASH LIGHT AND LH AND RH DOOR MOUNTED COURTESY LIGHTS		
CAB DOOR LATCHES WITH MANUAL DOOR LOCKS		
TRIANGULAR REFLECTORS KIT WITHOUT FLARES SHIPPED LOOSE IN CAB	10	
BASIC HIGH BACK AIR SUSPENSION DRIVER SEAT WITH 1 CHAMBER AIR LUMBAR, INTEGRATED CUSHION EXTENSION AND REAR CUSHION TILT		
BATTERY BOX MID BACK NON SUSPENSION PASSENGER SEAT		
INBOARD DRIVER SEAT ARMREST, NO PASSENGER SEAT ARMREST	2	
BLACK CORDURA PLUS CLOTH DRIVER SEAT COVER		
BLACK CORDURA PLUS CLOTH PASSENGER SEAT COVER		
3 POINT DRIVER AND PASSENGER SEAT BELT RETRACTORS		
ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN		
4-SPOKE 18 INCH (450MM) BLACK STEERING WHEEL WITH SWITCHES		
DRIVER AND PASSENGER INTERIOR SUN VISORS		

#### Instruments & Controls

NON-ADJUSTABLE SUSPENDED PEDALS  
 ELECTRONIC ACCELERATOR CONTROL  
 BRIGHT ARGENT FINISH GAUGE BEZELS  
 ROYAL ROSEWOOD MATTE FINISH DRIVER INSTRUMENT PANEL

Prepared for:  
 John Pensis  
 BROOK PARK CITY OF  
 19065 HOLLAND RD  
  
 BROOKPARK, OH 44142  
 Phone: 440-227-4159

Prepared by:  
 Dave Hibner  
 STOOPS WESTERN STAR OF  
 OHIO  
 1770 WAPAK FISHER RD  
 WAPAKONETA, OH 45895  
 Phone: 419-230-9684

Description	Weight Front	Weight Rear
ROSEWOOD VINYL MATTE FINISH CENTER INSTRUMENT PANEL INSERT		
LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM		
2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES		
INTAKE MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS		
ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES		
KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY		
ICU4ME DRIVER MESSAGE CENTER WITH GRAPHICAL DISPLAY, BLACK FACE GAUGES, DIAGNOSTICS AND DATA LINKED		
HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH		
2 INCH ELECTRIC FUEL GAUGE		
PROGRAMMABLE RPM CONTROL - ELECTRONIC ENGINE		
ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE		
2 INCH TRANSMISSION OIL TEMPERATURE GAUGE		
ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER		
ELECTRIC ENGINE OIL PRESSURE GAUGE		
AM/FM/WB WORLD TUNER RADIO WITH AUXILIARY INPUT, J1939	10	
ROOF/OVERHEAD CONSOLE MOUNTED RADIO (4) RADIO SPEAKERS IN CAB		
POWER AND GROUND WIRING FOR CB RADIO IN OVERHEAD CONSOLE		
ROOF/OVERHEAD CONSOLE CB RADIO PROVISION		
MULTI-BAND AM/FM/WB/CB LH MIRROR MOUNTED ANTENNA SYSTEM		
ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITH ODOMETER		



Prepared for:  
John Pensis  
BROOK PARK CITY OF  
19065 HOLLAND RD

BROOKPARK, OH 44142  
Phone: 440-227-4159

Prepared by:  
Dave Hibner  
STOOPS WESTERN STAR OF  
OHIO  
1770 WAPAK FISHER RD  
WAPAKONETA, OH 45895  
Phone: 419-230-9684

Description		Weight Front	Weight Rear
STANDARD VEHICLE SPEED SENSOR WITH ADDITIONAL SIGNAL FOR CUSTOMER USE LOCATED BETWEEN DRIVER AND PASSENGER SEATS			
ELECTRONIC 3000 RPM TACHOMETER			
NO VEHICLE PERFORMANCE MONITOR		-5	
IGNITION SWITCH CONTROLLED ENGINE STOP			
2 INCH TURBO AIR PRESSURE GAUGE			
DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY			
SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY AND ARCTIC TYPE BLADES			
CAB/TRAILER MARKER LIGHT SWITCH WITH SEPARATE HEADLIGHT SWITCH WITH HDLR/MRKR INTERRUPT SWITCH ON STEERING WHEEL & DASH SW FOR CUSTOMER FURNISHED SNOWPLOW LTS			
ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR			
SELF CANCELING TURN SIGNAL SWITCH, HEADLAMP HIGH/LOW AND FLASH, WASH/WIPE/INTERMITTENT			
PACIFIC INSIGHT ELECTRONIC FLASHER			
<b>Design</b>			
PAINT: ONE SOLID COLOR			
<b>Color</b>			
CAB COLOR A: L2225EY CANDY APPLE RED ELITE EY			
CAB INTERIOR PAINTED SAME AS CAB COLOR			
BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT			
POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)			
POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)			
<b>Certification / Compliance</b>			
U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS			
<b>Secondary Factory Options</b>			
DEALER HAS BEEN ADVISED OF AND ACCEPTED RESPONSIBILITY FOR MODIFICATIONS DUE TO POSSIBLE PTO/CHASSIS INTERFERENCE			

Prepared for:  
John Pensis  
BROOK PARK CITY OF  
19065 HOLLAND RD

BROOKPARK, OH 44142  
Phone: 440-227-4159

Prepared by:  
Dave Hibner  
STOOPS WESTERN STAR OF  
OHIO  
1770 WAPAK FISHER RD  
WAPAKONETA, OH 45895  
Phone: 419-230-9684

Description	Weight Front	Weight Rear
<b>Raw Performance Data</b>		
CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA) : 93.14 in		
CALC'D SPACE AVAILABLE FOR DECKPLATE : 89.69 in		

## TOTAL VEHICLE SUMMARY

<b>Weight Summary</b>			
	Weight Front	Weight Rear	Total Weight
Factory Weight <sup>+</sup>	8323 lbs	4177 lbs	12500 lbs
Total Weight <sup>+</sup>	8323 lbs	4177 lbs	12500 lbs

(+) Weights shown are estimates only.


If weight is critical, contact Customer Application Engineering.

(\*\*\*) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.

Prepared for:  
 John Pensis  
 BROOK PARK CITY OF  
 19065 HOLLAND RD  
  
 BROOKPARK, OH 44142  
 Phone: 440-227-4159

Prepared by:  
 Dave Hibner  
 STOOPS WESTERN STAR OF  
 OHIO  
 1770 WAPAK FISHER RD  
 WAPAKONETA, OH 45895  
 Phone: 419-230-9684

## DIMENSIONS



## VEHICLE SPECIFICATIONS SUMMARY - DIMENSIONS

Model.....	4700SB
Wheelbase (545) .....	4050MM (159 INCH) WHEELBASE
Rear Frame Overhang (552) .....	1275MM (50 INCH) REAR FRAME OVERHANG
Fifth Wheel (578) .....	NO FIFTH WHEEL
Mounting Location (577) .....	NO FIFTH WHEEL LOCATION
Maximum Forward Position (in) .....	0
Maximum Rearward Position (in) .....	0
Amount of Slide Travel (in) .....	0
Slide Increment (in) .....	0
Desired Slide Position (in) .....	0.0
Cab Size (829) .....	110 INCH BBC STEEL CONVENTIONAL CAB
Sleeper (682) .....	NO SLEEPER BOX/SLEEPER CAB
Exhaust System (016) .....	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE

## TABLE SUMMARY - DIMENSIONS

Prepared for:  
John Pensis  
BROOK PARK CITY OF  
19065 HOLLAND RD

BROOKPARK, OH 44142  
Phone: 440-227-4159

Prepared by:  
Dave Hibner  
STOOPS WESTERN STAR OF  
OHIO  
1770 WAPAK FISHER RD  
WAPAKONETA, OH 45895  
Phone: 419-230-9684

Dimensions	Inches
Bumper to Back of Cab (BEC)	121.3
Bumper to Centerline of Front Axle (BA)	57.9
Min. Cab to Body Clearance (CB)	3.0
Back of Cab to Centerline of Rear Axle(s) (CA)	95.1
Effective Back of Cab to Centerline of Rear Axle(s) (Effective CA)	93.1
Back of Cab Protrusions (Exhaust/Intake) (CP)	4.0
Back of Cab Protrusions (Side Extenders/Trim Tab) (CP)	3.0
Back of Cab Protrusions (CNG Tank)	3.0
Back of Cab Clearance (CI)	3.0
Back of Cab to End of Frame	145.3
Cab Height (CH)	73.5
Wheelbase (WB)	159.4
Frame Overhang (OH)	53.2
Overall Frame Length	267.2
Overall Length (OAL)	267.6
Rear Axle Spacing	3.0
Unladen Frame Height at Centerline of Rear Axle	41.8

Performance calculations are estimates only. If performance calculations are critical, please contact Customer Application Engineering.

Prepared for:  
 John Pensis  
 BROOK PARK CITY OF  
 19065 HOLLAND RD  
  
 BROOKPARK, OH 44142  
 Phone: 440-227-4159

Prepared by:  
 Dave Hibner  
 STOOPS WESTERN STAR OF  
 OHIO  
 1770 WAPAK FISHER RD  
 WAPAKONETA, OH 45895  
 Phone: 419-230-9684

## FRAME RBM

### VEHICLE SPECIFICATIONS SUMMARY - FRAME RBM

Wheelbase (545) ..... 4050MM (159 INCH) WHEELBASE  
 Frame Rails (546) ..... 11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI(546)  
     Yield Strength (psi)..... 120000  
     Section Modulus (per rail) (cu in).....16.979  
     RBM (per rail) (lbf-in).....2037600  
 Inner Frame Reinforcement (547) .....PARTIAL INNER FRAME REINFORCEMENT AT FRONT SUSPENSION  
 Outer Frame Reinforcement (548) . BODY COMPANY INSTALLED ADDITIONAL FRONT FRAME REINFORCEMENT FOR SNOW PLOW

### TABLE SUMMARY - FRAME RBM


Item	Description / Value
Wheelbase	4050MM (159 INCH) WHEELBASE
Frame	11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI
Inner Frame Reinforcement	PARTIAL INNER FRAME REINFORCEMENT AT FRONT SUSPENSION
Outer Frame Reinforcement	BODY COMPANY INSTALLED ADDITIONAL FRONT FRAME REINFORCEMENT FOR SNOW PLOW
Yield Strength (psi)	120000
Section Modulus - per rail (cu.in.)	16.98
Frame RBM - per rail (lbf-in)	2037600

Performance calculations are estimates only. If performance calculations are critical, please contact Customer Application Engineering.

Prepared for:  
 John Pensis  
 BROOK PARK CITY OF  
 19065 HOLLAND RD  
 BROOKPARK, OH 44142  
 Phone: 440-227-4159

Prepared by:  
 Dave Hibner  
 STOOPS WESTERN STAR OF  
 OHIO  
 1770 WAPAK FISHER RD  
 WAPAKONETA, OH 45895  
 Phone: 419-230-9684

## STARTABILITY



### VEHICLE SPECIFICATIONS SUMMARY - STARTABILITY

Model.....	4700SB
Cab Size (829).....	110 INCH BBC STEEL CONVENTIONAL CAB
Expected Front Axle(s) Load (lbs).....	14700.0
Expected Pusher Axle(s) Load (lbs).....	0.0
Expected Rear Axle(s) Load (lbs).....	23000.0
Expected Tag Axle(s) Load (lbs).....	0.0
Expected GVW (lbs) .....	37700

Prepared for:  
John Pensis  
BROOK PARK CITY OF  
19065 HOLLAND RD

BROOKPARK, OH 44142  
Phone: 440-227-4159

Prepared by:  
Dave Hibner  
STOOPS WESTERN STAR OF  
OHIO  
1770 WAPAK FISHER RD  
WAPAKONETA, OH 45895  
Phone: 419-230-9684

Expected GCW (lbs)	0.0
Engine (101)	CUM L9 330 HP @ 2200 RPM; 2200 GOV RPM, 1000 LB-FT @ 1200 RPM
Torque at Clutch Engagement (lbs-ft)	549
Transmission (342)	ALLISON 3500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION
Gear Ratio: Forward 1	4.59
Gear Ratio: Forward 2	2.25
Gear Ratio: Forward 3	1.54
Gear Ratio: Reverse 1	5
Gear Ratio: Reverse 2	N/A
Gear Ratio: Reverse 3	N/A
Auxiliary Transmission (352)	NO AUXILIARY TRANSMISSION
Low Gear Ratio	N/A
High Gear Ratio	N/A
Transfer Case (373)	NO TRANSFER CASE
Low Gear Ratio	N/A
High Gear Ratio	N/A
Rear Axle (420)	RS-23-160 23,000# R-SERIES SINGLE REAR AXLE
Number of Speeds	1
Rear Axle Gear Ratio(s)	6.14 REAR AXLE RATIO
Rear Tires (094)	CONTINENTAL HDC3 11R22.5 16 PLY RADIAL REAR TIRES
Revolutions per Mile	492
Vehicle Service (A85)	CONSTRUCTION SERVICE
Startability Factor	8
Terrain (AA5)	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS
Startability Factor	0
Most Severe Grade Expected (AB1)	MAXIMUM 8% EXPECTED GRADE
Startability Factor	8
Road Surface (AB5). SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE	
Startability Factor	0
Suggested Torque Converter Stall Ratio	2.02

Performance calculations are estimates only. If performance calculations are critical, please contact Customer Application Engineering.