P/G,	
CA_	5-11-21
181 图	5-18-21
2nd R	
181 R 2nd R 3rd R	
B/C .	Committee of the Commit

CITY OF BROOK PARK, OHIO

INTRODUCED BY: MAYOR GAMMELLA

AN ORDINANCE

AUTHORIZING THE MAYOR TO ENTER INTO A CONTRACT WITH HENDERSON PRODUCTS (SOURCEWELL CONTRACT 080818-HPI) FOR THE PURCHASE A NEW DUMP BODY PACKAGE TO BE MOUNTED TO A WESTERN STAR CHASSIS PACKAGE, AND DECLARING AN EMERGENCY

NOW THEREFORE, BE IT ORDAINED, by the Council of the City of Brook Park, State of Ohio, that:

- SECTION 1: The Mayor is hereby authorized to enter into a Sourcewell Contract 080818-HPI with Henderson Products for the purchase of a new dump body package to be mounted to a Western Star Chassis package, a copy of said contract is attached hereto and incorporated herein as Exhibit "A".
- SECTION 2: The money needed for the aforesaid transaction shall be paid from 401-432 Capital Funds, and shall not exceed \$82,505.00.
- SECTION 3: It is found and determined that all formal actions of this Council concerning and relating to the adoption of this Ordinance were adopted in an open meeting of this Council, and that all deliberations of this Council and of any of its committees that resulted in such formal action were in meetings open to the public in compliance with all legal requirements, including Section 121.22 of the Ohio Revised Code.
- SECTION 4: This Ordinance is hereby declared to be an emergency measure immediately necessary for the preservation of the public peace, health, safety and welfare of said City, and for the further reason to authorize the Mayor to enter into Sourcewell Contract 080818-HPI; therefore provided this Ordinance receives the affirmative vote of at least five (5) members elected to Council it shall take effect and be in force immediately from and after its passage and approval by the Mayor; otherwise, from and after the earliest period allowed by law.

PASSED:	May 18, 200	1	PRESIDENT OF COUNCIL
ATTEST:	Mukelle Bla CLERK OF COUNCIL	Sol APP	ROVED: MAYOR
			DATE
Michelle B Park, Ohlo true and a No. passed on the	CERTIFICATE lazak, Clerk of Council, of the City of Bro do hereby certify that the foregoing is courate copy of Ordinance/Resoluti a day of May by said council. Clerk of Council	ook 8 a on 	I, Michelle Blazak, Elerk of Council for the City of Brook Park, State of Ohlo, do hereby certify that there is no newspaper of general circulation in the municipality and that publication of the foregoing ordinances/ resolutions was made by posting true copies at five of the most public location. City Hall 6161 Engle Road, Police Station 17401 Holland Road, Brook Park Library 6165 Engle Road, for a period of fifteen days. Commencing MICHELLE BLAZIK Clerk of Council
		Troyer 1/2 Mencini 1/2 Orcutt 1/2 Scott 1/2 Schmuck 1/2 Poindexter 1/2 Salvatore 1/2	Nay

I HERI:BY APPROVE THE WITHIN INSTRUMENT AS TO LEGAL FORM AND CORRECTNES

DIRECTOR AND



PRODUCTS, INC.

2177 STATE ROUTE 19 BUCYRUS, OH 44820 PHONE: 419-617-7509 FAX: 563-927-7106

Quoted By: Ross Repp

Phone: 419-617-7509

Email: rrepp@hendersonproducts.com

Cell: 4195696166

Fax:

CUSTOMER QUOTE

Page 1 Quote #148043 Rev #18



TO: CITY OF BROOK PARK, OH

Attn: JOHN PENSIS Quote Date: 4/20/2021 Valid Until: 6/19/2021

Sourcewell Contract# 080818-HPI

Sourcewell #: 39065

Quoted:

2021 SINGLE AXLE SNOW AND ICE CONTROL TRUCK EQUIPMENT PACKAGE

Henderson Products is pleased to present the following quote. Please contact us if you have any questions.

Snow Plow Hitch

Hitch, Truck Portion: Quick Link hitch, Low Profile

Lift Arm Type: Fold down arm for safe storage-current single point lift

Lift Arm Size: Telescoping Arm with 4x4x3/8" outer and 3x3x3/4" inner tube

Lift Lug(s): Standard 1/2" plate with key holes for 1/2" chain

Hydraulic Lift Cylinder: 4" x 2" x 10" Double Acting Nitrided Lift Cylinder

Custom Options: Note Custom Details Below

Option 1 Description: HERCULES PIN & LOOP HITCH

Option 2 Description: TELESCOPIC LIFT BEAM FOLDS FLAT WHEN NOT IN USE

Option 3 Description: ALL STRUCTURAL STEEL CONSTRUCTION

MARKE SA Dump Body

BODY LENGTH: 11ft BODY LENGTH

SIDE STYLE: STRAIGHT SIDES

SIDE HEIGHT (FROM FLOOR): 36" SIDE HEIGHT

REAR BODY PROFILE: STANDARD STRAIGHT VERTICAL GATE

REAR CORNER POSTS: REAR BOLSTERS 8" ABOVE SIDES

BOARD POCKETS: 2" WIDE BOARD POCKETS

HOIST TYPE: TRN MOUNT TELE HOIST W/ SUBFRM, INTERNAL DOGHOUSE

HOIST CYLINDER/MODEL: MAILHOT CS-SERIES, DOUBLE ACTING, CS100-4.5-3DA

HYDRAULIC PUMP: NO FACTORY SUPPLIED HYDRAULIC PUMP

CYLINDER CRADLE STYLE: STANDARD HOIST CRADLE

INSTALL SUBFRAME AND/OR CYLINDER: SHIP LOOSE - DEALER TO INSTALL

EXTRA BODY PROP: NO EXTRA BODY PROP

HYDRAULIC RESERVOIR: NO RESERVOIR - DEALER TO SUPPLY

FLOOR MATERIAL: 1/4" AR400 FLOOR

FLOOR TO SIDE RADIUS: 5" RADIUS FLOOR TO SIDE

LONGSILL MATERIAL: 5" I-BEAM LONGSILLS (STANDARD SKIP WELD)

SIDES/HEADSHEET MATERIAL: 7GA 201SS SIDES/HEAD

SIDE BRACING TYPE: DOUBLE V-CRIMP INTERMEDIATE SIDE BRACES

SIDE BRACE MATERIAL: DOUBLE V-CRIMP SIDE BRACE

TOP RAIL STYLE: FLAT (2" FLAT, THEN SLOPED)

CONTOURED FRONT CORNER POSTS: 10GA 201SS FRONT CORNER POSTS

REAR CORNER POST MATERIAL: 7GA 2018S REAR CORNER POSTS









PRODUCTS, INC.

Page 2 Quote #148043 Rev #18

CUSTOMER QUOTE

2177 STATE ROUTE 19 BUCYRUS, OH 44820 PHONE: 419-617-7509 FAX: 563-927-7106

TAILGATE STYLE: STANDARD TAILGATE

TAILGATE SHEET MATERIAL: 10GA 201SS TAILGATE SHEET

TAILGATE BRACING: DOUBLE HORIZONTAL TAILGATE BRACING

TAILGATE BRACE MATERIAL: 10GA 201SS TAILGATE BRACING

TAILGATE TOP PIVOT HARDWARE: 1-1/4" PINS, 1" PLATES, GREASABLE

TAILGATE LATCH TYPE: DBL ACTING AIR CYL TG RELEASE, GREASABLE SS BUSHINGS

TAILGATE RELEASE VALVE: TAILGATE RELEASE VALVE SUPPLIED WITH INSTALLATION

TAILGATE PIN LANYARDS: NO TAILGATE PIVOT PIN LANYARDS

TAILGATE LIFT LOOP: TAILGATE LIFT LOOP, CENTER OUTSIDE (SS)

LATCH JAWS: LOWER TG LATCH JAWS, GREASABLE

COAL CHUTE: NO COAL CHUTE

REAR FACE LIGHT HOLES: (3) OBROUND LIGHT HOLES, EA BOLSTER REAR FACE

REAR SIDE MARKER LIGHT HOLE: STD 2.5" SIDE MARKER LIGHT HOLES

EXTERIOR LIGHT BOXES INSTALLED: NO EXTERIOR LIGHT BOXES

LIGHTING PACKAGE: NO OEM LIGHTING PACKAGE

BODY HINGE CONSTRUCTION: STD SUBFRAME INTEGRAL HINGE

BODY HINGE TYPE: GREASABLE HINGE BLOCKS

BODY HINGE PAINT: YES, REAR HINGE PAINTED @ FACTORY

PAINT PREPARATION: SS WASH-NATURAL FINISH, PRIME MILD PARTS (201/304SS BODY)

CABSHIELD STYLE: STANDARD WELD ON CABSHIELD

CABSHIELD MATERIAL: 10GA W/ 7GA END PLATES (201SS)

CABSHIELD SIZE: 22" X 86" CABSHIELD (1/2 CAB)

CABSHIELD MOUNTED LIGHT HOLES: FOUR OVALS, (1) FACING EACH SIDE, (2) FACING FORWARD

INSTALL CABSHIELD: CABSHIELD SHIPPED LOOSE, DEALER TO INSTALL

ASPHALT LIP: NO ASPHALT LIP

WALK RAILS: NO WALKRAILS ON LOWER RUBRAILS

TARP RAILS: NO TARP RAILS

SIDE LADDERS: (YES) SIDE LADDER - Pick From List Below

SIDE LADDER MATERIAL: STAINLESS STEEL LADDER CONSTRUCTION - Pick From List Below

DRIVER'S SIDE FRONT LADDER: 3 STEP PULL OUT LADDER (201SS)

INSTALL DRIVER SIDE FRONT LADDER: NO, SHIP DRIVERS SIDE FRONT LADDER LOOSE

DRIVER'S SIDE REAR LADDER: NO DRIVERS SIDE REAR LADDER

CURBSIDE FRONT LADDER: NO CURBSIDE FRONT LADDER

CURBSIDE REAR LADDER: NO CURB SIDE REAR LADDER

STEP(S): NO STEP(S)

GRAB HANDLES: NO GRAB HANDLES

Show Options: No Additional Options

FSH salt / sand spreader

Spreader Model: FSH-II Salt/Sand Spreader

Hopper length: 11'

Hopper material: 201SS - 10 GA sides/ends, 7 GA sills/floor Capacity: FSH-II 56" (7.6 CY) w/ formed chain shields standard

Conveyor: Dual 7" dia. augers

Gearcase: 3.6:1 planetary gearcase

Flow Divider: Yes, Factory Installed (recommended)









PRODUCTS, INC.

Page 3 Quote #148043 Rev #18

CUSTOMER QUOTE

2177 STATE ROUTE 19 BUCYRUS, OH 44820 PHONE: 419-617-7509 FAX: 563-927-7106

Chute type: Standard Dump Over Chute Same Material as Hopper

Tilt-up spinner: Tilt-up spinner with hand wrench, SS (loose "SL")

Spinner disk: 20" urethane spinner disk

Inverted vee: Inverted vee, 201ss

Install inverted vee: Install at factory

Screen type: Std. top grate screens

Install top grate screens: Install at factory Hold down kits: Dump body kit w/ rachet straps

Extended front idler grease tubes: Extended front idler grease tubes
Trunnion latch for tailgate: Trunnion latch, Mild Channel (loose "SL")

Option 1 Description: STAINLESS STEEL TRUNNION LATCE BAR ILO MILD

Installation Workup

Facility: IDC-OH

Chassis Delivery To Henderson: Truck Dealer/Customer Delivers

Completed Truck Delivery Method: Henderson Delivers (100 miles or less)

Chassis Make: Westernstar Chassis Model Yr: 7400 Chassis Model: 2022

Useable CA/CT: 108 INCH CAB TO AXLE

Front Frame Ext?: Yes
Frnt Frame Ext Type: Full
Front Frame Wall: Single Wall

Front Frame Width: 42"

Pump Location: Transmission Mount Pump

Transmission Type: Automatic

Transmission Model: Allison Transmission

Hitch Type: Hercules Hitch -

Mount Type: Engineered Truck Hitch (sales to order hitch w/ unit)

Mount Spec: OHIO SIDE PLATES # 163928 Front Bumper: OEM Bumper Cut and Split

Dump Body Type: Mark E Single Axle Floor Length: (11') floor length

Hoist Type: Tele Trun Hoist with Subframe, Ext Dhouse, add's 1' overall

Cylinder Type: Double Acting

Body Material (Sides/ends): Stainless Steel Type Body Material Tailgate Release Type: IDC Supplied manual air over air High Lift valve

Pressure Protection Valve: Direct to air tank valve (All except Int & Mack) HLTG Cabshield Install: Supl'd by fact, welded to body @ IDC, sales to order w/ unit

Step(s): Supplied and install @ IDC (select from step options below)

Step QTY: 1

Step 1 Type: SS Serrated 18" Step (Rub Rail/Side Brace)

Step 1 Location: Driver Side Front, outside

Grab Handle(s): (2) IDC supplied/installed grab handles (select type below)

Grab Handle 1 Type: SS 17" grab handle









PRODUCTS, INC.

Page 4 Quote #148043 Rev #18

CUSTOMER QUOTE

2177 STATE ROUTE 19 BUCYRUS, OH 44820 PHONE: 419-617-7509 FAX: 563-927-7106

Grab Handle 2 Type: SS 17" grab handle

Ladder(s): Supplied/Installed @ Factory (sales to order w/ unit)

Body Spec Notes:

Spreader Type: FSH

FSH Drive Type: Hydraulic FSH Mount Type: Slip in Mount

Slip in Tie Downs: Factory Hold down kit (Sales to order with unit)

Trunnion Latch: Install Fact Sup'ld Trun Latch Bar, sales to order with unit

FSH Spinner Configuration: Standard Spinner install

HYD QD Mount Brackets: Stainless Steel QD Mount in front of dump body bolster

Chassis Accessories: Yes (SELECT RELATED OPTIONS BELOW)

Mudflaps (Rear): Swinging w/Logo

Mudflap Type (Rear): 36" Swinging, SS (with LOGO)

Mudflaps (Front): Frame Mounted w/Logo

Mudflap Type (Front): Frame Mntd, Rubber, SS w/anti-sail brackets W/Logo

Pintle Plate: Yes (select from options below)

Pintle Plate Configuration: 3/4" Plate, PH20/45 Holes, SA w/ SubFrm (3LTC)

Pintle Plate D-Rings: Qty (2) 1" D-rings, 50 deg bend

Pintle Hook: Not Required

Trailer Plug (1): 7 Pin Trailer Plug, Truck end 7-Way RV, new style (municipal)

Truck Wash: Complete Truck Wash/Clean/Vac 1

Warranty: Standard 1 Year Warranty
Inspection: Walk-around meeting only

Reflective Tape: Reflective Tape, Henderson Logo (60' Linear)

Install Touch-up: Basic Installation Touch-Up

Electrical: Yes (SELECT RELATED OPTIONS BELOW)

Power Distribution Panel: Power Distribution Panel

Misc Electrical Supplies: Req'd Misc Elect Supplies

Plow Lights: Plow Lts, LED, Heated, Tlite, Round, Pair

Plow Light Brackets: Plow Lt Brckts, SS, FRTLNR/Western Star/Other, Pair

Worklight(s) QTY: (QTY 1) Work Light (Select type below)

Worklight (1) Type: LED, Worklight, 4in Round (Optilux)

Worklight (1) Gen Location: On rear of body

Cabshield Warning Light Qty: Qty 6 Lights (Order Holes with Unit)

Cabshield Warning Lights: QTY 3 6" LED Ovl Strobe Green/Qty 3 LED Ovl Strobe

Cabshield Lighting Harness: Cabshield Warning Lights Only (qty 2-6)

Rear Dump Bolster (S/T/T): LED S/T/T, kit (OH) (order holes)

OEM Light Remount: Remount OEM Chassis Lights

Rear Dump Bolster (Back-up): B/U Lights, LED, Clear, Oval, pair (Order holes with body)

Rear Dump Bolster Strobes: 6" LED Oval Strobes, 1 Amber, 1 Green (order holes w/unit)

Rear Dump Bolster Light Boxes: Single Oval, 6" SS Lightboxes, Pair, Externally Mounted









PRODUCTS, INC.

2177 STATE ROUTE 19 BUCYRUS, OH 44820 PHONE: 419-617-7509

FAX: 563-927-7106

CUSTOMER QUOTE

Page 5 Quote #148043 Rev #18

Back up alarm: Backup Alarm, 97db
Junction Box/Backup Alarm Bracket: Backup Alarm Bracket Installed
Body up switch/light: Body UP Switch/Body Up Light (Trucklite)
Brake controller: Brake Controller, Voyager Brake Controller
Backbone & Wire Standoffs: 10' Backbone (For SA)

Electrical Spec Notes:

Hydraulics: Full Hydraulic Package

Hyd Supplier: Certified (Select Pkg Below)
Hyd Supplier (Spec): CERTIFIED #18340055 B

Controls Type: Air Controls

PTO Type: Included in Hydraulics Package Reservoir Type: Supplied With Hydraulics

Valve Enclosure Type: Supplied With Hydraulics Low Oil Indicator: Yes, included in Hyd Pkg Return Filter: Provided with Hydraulics SS Tubing Upgrade: SA,F&R lines,6'Frnt,9'Rr Quick Coupler Upgrade: Standard Quick Couplers

Hydraulics Notes:

- *SS QUICK COUPLERS IN HYD KIT
- *SS VALVE ENCLOSURE/OIL RESERVOIR COMBO TANK
- *AIR LEVER PEDISTAL W/ FREEDOM 2 ELECTRIC SPREADER CONTROLLER
- *PLOW BALANCE VALVE & COUPLER PREASURE RELEASE VALVE

IDC Paint Location: IDC-OH

Hitch Powder Paint: Hitch Only (Black)

Undercoat: Undercoat (Body Underside & Chassis)

Paint Code & Color (from color charts):

Total configured price: \$87,216.00

Sourcewell package discount: 10% plus freight Discounted single package price: \$82,505.00

Package(s): 1

Total: \$82,505.00

Due to current raw material market conditions this quote includes a 7% surcharge on Henderson equipment. Quotes exceeding the expressed quote validity date are subject to surcharge revisions.

Signed:

LHERIBY APPLOVE THE WANTEN
INSTRUMENT AS TO LEGAL FORM
AND CORRECTNESS

DIRECTOR TAV

Quote notes:





