P/C 4-19-22 Service

S Can 1st R 21-26-22 amended

2nd R

3rd R

B/C

CITY OF BROOK PARK, OHIO

ORDINANCE NO: 11254-2022

INTRODUCED BY: MAYOR ORCUTT

AN ORDINANCE

AUTHORIZING THE MAYOR TO ENTER INTO A CONTRACT WITH STOOPS WESTERN STAR OF OHIO (ODOT CO-OP PURCHASING 023-22) FOR THE PURCHASE OF A WESTERN STAR TRUCK CHASSIS TO BE PACKAGED WITH A HENDERSON DUMP BODY, AND DECLARING AN EMERGENCY

NOW THEREFORE, BE IT ORDAINED, by the Council of the City of Brook Park, State of Ohio, that:

<u>SECTION 1</u>: The Mayor is hereby authorized to enter into a contract with Stoops Western Star of Ohio, through ODOT Co-Op Purchasing 023-22, a copy of said contract is attached hereto and incorporated herein as Exhibit "A".

SECTION 2: The money needed for the aforesaid transaction shall be paid from 401-432 Capital Funds, and shall not exceed \$114,377.00.

SECTION 3: It is found and determined that all formal actions of this Council concerning and relating to the adoption of this Ordinance were adopted in an open meeting of this Council, and that all deliberations of this Council and of any of its committees that resulted in such formal action were in meetings open to the public in compliance with all legal requirements, including Section 121.22 of the Ohio Revised Code.

SECTION 4: This Ordinance is hereby declared to be an emergency measure immediately necessary for the preservation of the public peace, health, safety and welfare of said City, and for the further reason to authorize the Mayor to enter into ODOT Co-Op Purchasing 023-22 contract with Stoops Western Star of Ohio; therefore provided this Ordinance receives the affirmative vote of at least five (5) members elected to Council it shall take effect and be in force immediately from and after its passage and approval by the Mayor; otherwise, from and after the earliest period allowed by law.

PASSED: April 26, 2022 ATTEST: Carol Johnson CLERK OF COUNCIL	APPROVED: MAYOR
CERTIFICATE 2arol Johnson, Clerk of Council, of the City of Brook Park, Ohio, do hereby certify that the foregoing is a true and accurate copy of Ordinance / Resolution No. 1254 2022 passed on the 26 day of April 20 22 by said council. Clerk of Council	Carol Johnson, Clerk of Council for the City of Brook Park, State of Ohio, do hereby certify that there is no newspaper of general circulation in the municipality and that publication of the foregoing ordinances/ resolutions was made by posting true copies at five of the most public places in said municipality as determined by Ordinance No. 4838-1975 location City Hall 6161 Engle Road, Police Station 17401 Holland Road, #2 Fire Station 22530 Ruple Parkway, #3 Fire Station 17401 Holland Road, Brook Park Library 6165 Engle Road, for a period of fifteen days. CAROL DHNSON Clerk of Council
Troyer Mencini Roberts Scott Coyne Poindexter Salvatore Yea Nay Hall Absent	

I HEREBY APPLIOVE THE WITHIN INSTRUMENT AS TO LEGAL FORM AND CORRECTNESS

DIRECTOR OF AN

PREPARED FOR

Brook Park

Attn: John Pensis

ODOT Co-op Contract #023-22

OUOTE / Date 04-20-2022

Western Star 4700SB Single Axle





Table of Content

1) Co-op Contract #023-22

Award Letter
Signature Page
DBA Affidavit
W-9
Billing and Mailing Address

2) Surcharge

Stoops Cover Letter Additional contract terms ODOT December 13^{th.}, 2022Surcharge Notification April 19^{th.}, 2022 Surcharge Notification

3) Truck spec and pricing

Quote Page Truck Specs



ODOT Co-op Contract #023-22 ODOTE / Date 04-20-2022

Western Star 4700SB Single Axle

Co-op Contract #023-22

Award Letter
Signature Page
DBA Affidavir
W-9
Billing and Mailing Address





September 23, 2021

Truck Country of Indiana, Inc. 1770 Wapak-Fisher Rd Wapakoneta, OH 45895

Re: 023-22

Single & Tandem Axle Cab and Chassis

Dear Vendor:

Your bid proposal as submitted has been accepted by the Ohio Department of Transportation.

This Invitation permits multiple awarded vendors to provide Single & Tandem Axle Cab and Chassis. The contract will be in effect from October 1, 2021 to September 30, 2022.

A purchase shall only take place upon the issuance of an official purchase order or the use of a payment card. There is no guarantee that purchase orders will be issued or that products will be ordered against issued purchase orders.

Thank you for bidding on our invitation. Todd VanKirk is available for any assistance necessary to ensure that a quality partnership exists between your company and our Department. If you have any questions, please call (614) 466-3209.

Respectfully.

Jack Marchbanks, Ph.D.

fel of hilling

Director

Ohio Department of Transportation

Invitation No. 023-22

State of Ohio, Department of Transportation (ODOT) Office of Contract Sales, Purchasing Services

SIGNATURE PAGE

Procurement # 023-22

Commodity/Service: Single & Tandem Axle Cab and Chassis

This Signature Page must be completed and submitted with a Bidder's scaled bid package to serve as acknowledgement to the Department that the Bidder understands and will comply with all terms, conditions, and requirements in submitting a response for the above-referenced procurement.

Furthermore, the execution and submission of this Signature Page shall serve as acknowledgment that the Bidder will enter into a Contract with the State of Ohio, Department of Transportation if selected for award of the above-referenced procurement, and understands, upon Contract award, it shall be bound by all terms and conditions included in this procurement.

The person signing and executing this Signature Page below acknowledges that he/she is signing on behalf of their Company in a representative capacity and hereby warrants that he/she has been duly authorized by his/her Company to submit this formal response and is authorized to execute Contracts on such Company's behalf.

(Please execute below)	
(Please execute below) Trock Country of Indiana, Inc., Company (Bidder) Name: DAG! Stocps (Upstern Star of Chic	
Company (Bidder) Name: DAM: Stocks Western Star of Ohio	
Original Signature: Dand Hille	
Print Name of Officer: David Hibner	
Title of Signing Officer: Sales Manager	
Date: 9-10-2021	

FOR USE BY THE OHIO DEPARTMENT OF TRANSPORTATION ONLY:

Pursuant to Section 30 of the Instructions, Terms and Conditions for Bidding, a signature below by the Director of ODOT shall serve as the Department's formal acceptance of the bidder's offer and will effectively form ODOT Contract 023-22 between the State of Ohio, Department of Transportation and the above successful bidder (company):



Nathan Fling, Signing on behalf of Director of Transportation, Jack Marchbanks

Jack Marchbanks, Ph. D. Director State of Ohio, Department of Transportation





P.O. Box 187 Wapakoneta, OH 45895 419-738-9684 Fax 419-738-2370

One And The Same Person Affidavit

Truck Country of Indiana, Inc. DBA Stoops Western Star of Ohio (EIN 46-5707116) of 1770 Wapak Fisher Rd., Wapakoneta, Ohio 45895 is One And The Same Person as the following:

Truck Country

Truck Country-Wapakoneta

Truck Country of Ohio

Stoops of Ohio

I swear or affirm that, upon my oath, the information I have entered is correct and the persons named above are one and the same person. I understand that making a false statement may constitute the crime of perjury.

Cheryl L. Troyer

Sales Coordinator

Date: 5/22/19

Request for Taxpayer Identification Number and Certification

Give Form to the requester, Do not send to the IRS.

Departn	nent of the Treasury Revenue Service	for instructions and the latest information.				
	1. Name (as shown on your income tax return). Name is required on this line; do not leave this line blank.					
	TRUCK COUNTRY OF INDIANA, INC.					
i	.2 Business name/disregarded entity name, if different from above					
page යි	8 Check appropriate box for federal tax classification of the person will following seven boxes.	nose name is entered on tine 1. Check only one of the certain entitles, not individuals; see (astroctors on page 3):				
7 S	☐ Individual/sole proprietor or ☐ C Corporation ☑ S Corporation ☑ S Corporation					
to to	United liability company. Enter the tax classification (C=C corpo	ration, S=S corporation, P=Partnership) >				
3 Check appropriate box for federal tax classification of the person whose name is entered on tine 1. Check only one of the following seven boxes. I Individual/sele proprietor or Coorporation S Corporation Partnership Trust/estate single-member LLC Limited liability company. Enter the tax classification (C=C corporation, S=S corporation, P=Partnership) > Note: Check the appropriate box in the line above for the tax classification of the single-member owner. Do not check LLC if the LLC is classified as a single-member LLC that is not disregarded from the owner for U.S. federal tax purposes. Olipanyles a single-member LLC that is not disregarded from the owner for U.S. federal tax purposes. Olipanyles a single-member LLC that is not disregarded from the owner should check the appropriate box for the tax classification of its owner. Other (see instructions) > Other (see instructions) > Requestor's name and address (optional)						
200	Other (see instructions) >	(2.1) est evisivo brasilia un arcovita su accovita un accovita evisivo de la U.S.)				
<i>(</i>)	5 Address (number, street, and apt, or suite no.) See instructions.	Requestor's name and address (optional)				
See	2099 SOUTHPARK CT 6 City, étate, and ZIP code	-				
	DUBUQUE, IA 52003					
•	7 List account number(s) here (óptional)					
Retr	Texpayer Identification Number (TIN)					
Entery	rour TIN In the appropriate box. The TIN provided must match	the name given on line 1 to avoid Spolal security number				
	p withholding. For individuals, this is generally your social secu it allen, solo proprietor, or disregarded entity, see the instruction					
entitles	s, it is your employer identification number (EIN), it you do not t	nave a number, see Host to get a				
77N, le	ton If the account is in more than one name, see the instructions fo	r line 1. Also see What Name and Employer Identification number				
	er To Give the Requester for guidelines on whose number to en	ter.				
		4 6 - 5 7 0 7 1 1 6				
Pairt	Certification					
	penaltles of perjury, I certify that:					
2. I am Serv	not subject to backup withholding because; (a) I am exempt fr	n number (or I am walting for a number to be issued to me); and om backup withholding, or (b) I have not been notified by the internal Revenue a failure to report all interest or dividends; or (c) the IRS has notified me that I am				
3. 1 am	a U.S. cilizen or other U.S. person (defined below); and					
	FATCA code(s) entered on this form (if any) indicating that I am	•				
Certific you hav nequial other th	ballon instructions: You must cross out Item 2 above if you have leaded to report all interest and dividends on your tax rolum. For tion or abandonment of accuract property, cancellation of debt, or an interest and dividends, you are not required to sign the certific	been notified by the IRS that you are currently subject to backup withholding because real estate transactions, item 2 does not apply. For mongage interest paid, attributions to an individual retrement arrangement (IRA), and generally, payments allon, but you must provide your correct TIN. See the instructions for Part II, later.				
Sign Here	Signature of U.S. person Auti-Vien	_{Deta} ⊳ 09/17/2021				
Gen	eral Instructions	 Form 1099-DIV (dividends, including those from stocks or mutual funds) 				
Section noted.	Section references are to the Internal Revenue Code unless otherwise Form 1099-MISC (various types of Income, prizes, awards, or cross					
Future developments. For the latest information about developments related to Form W-9 and its instructions; such as legislation enacted after they were published, no to www.lis.gov/FormW9.						
•	• Form 1099-8 (proceeds from real estate transactions)					
-	`_	Form 1099-K (merchant card and third party network transactions) Form 1098 (tome mortages latered), 1098-K lateracy tensions.)				
informa	An Individual, or entity (Form W-9 requester) who is required to file on interest), information return with the IRS must obtain your correct taxpayer dentification number (TIN) which may be your sodial security nu					
(SSN), i	SSN), individual texpayer identification number (ITIN), edoption					
(EIN) ·to	axpayer identification number (ATIN), or employer identification number EIN), to report on an information return the amount paid to you, or other amount reportable on an information return. Examples of information To the reserve (acquisition of abandomitent of secure or property) Use Form W-9 only if you are a U.S. person (including a resident allen), to provide your correct TiN.					
returns l	include, but are not limited to, the following. 1099-INT (interest earned or paid)	If you do not return Form W-9 to the requester with a TIN, you might be subject to backup withholding. See What is backup withholding, later.				



TRUCK SALES SERVICE PARTS LEASING



1770 Wapakoneta Fisher Rd Wapakoneta, OH 45895 419-738-9684 Fax 419-738-2370

Billing Address

US Post Office:

Stoops Western Star of Ohio

P.O. Box 187

Wapakoneta, OH 45895

Overnight address

UPS, Fed-Ex (ONLY)

Stoops Western Star of Ohio

1770 Wapak Fisher Rd.

Wapakoneta, OH 45895

If I can be of further service, please give me a call at 419-230-9684, Thank You!

Dave delines

Dave Hibner

Sales Manager

419-230-9684

ODOT Co-op Contract #023-22

OUOTE / Date 04-20-2022

Western Star 4700SB Single Axle

Surcharge

Stoops Cover Letter

December 13th, 2022Surcharge Notification

April 19th, 2022 Surcharge Notification







TRUCK SALES | SERVICE | PARTS | LEASING



P.O. Box 187 Wapakoneta, OH 45895 419-738-9684 Fax 419-738-2370

stoops.com

Dear Customer,

As you know, the entire world has been subject to an unprecedented global public health crisis over the past 20+ months. While our industry has shown incredible resilience and we have been instrumental in keeping the world moving, unrelenting and prolonged turbulent economic conditions have resulted. The challenges include skyrocketing material and component costs, increased labor wages, rising fuel prices, higher logistics rates and the highest rate of inflation in over three decades.

Daimler Truck North America has worked tirelessly to mitigate the effect of those increased commodity costs to you, our valued customer, and to provide the dealer network with a plan pertaining to production slots available and timing of production. However, there are a few items we would like you to be aware of.

- Supply chain and operations teams continue to face challenges which will affect production slots allotted to each dealer. Our allotted production for the coming year is already very limited and truck orders will be assigned production slots in the order that they are received.
- We will make every effort to provide our customer with an accurate estimate of production for their order.
 However, supply chain issues again may cause there to be an adjustment to these production times.
- Continued issues with the supply chain and changes in the economy may make it necessary to implement a pricing surcharge.
- If there are adjustments made to the production schedule for your order or a pricing surcharge is added we will contact you as soon as we are made aware to discuss these changes.

In closing, we would like to convey our appreciation for your business. We value deep seated partnerships that extend past recessionary cycles, and are built on the mutual desire to see each other succeed. To that end, we look forward to continuing to be your dealer partner of choice now and well into the future.

Best Regards,

David Hibner

and Hilm

Sales Manager

Duane Hoersten

Vocational Sales

AMENDMENT TO ODOT CONTRACT 023-22 BETWEEN THE STATE OF OHIO, DEPARTMENT OF TRANSPORTATION AND

Truck Country of Indiana, Inc.

ADDITION OF CONTRACT TERMS

This AMENDMENT to ODOT Contract 023-22 is entered into by and between the State of Ohio, Department of Transportation, ("ODOT" hereinafter), 1980 West Broad Street, Columbus, Ohio 43223, and Truck Country of Indiana, Inc. ("Vendor" hereinafter). Hereinafter, ODOT and the Vendor will be referred to as the "Parties".

The Parties agree to amend the terms and conditions of the original Contract (which is a reflection of the original intent of the contract as documented by the pricing pages and communications) as follows:

- A. ODOT will modify existing Purchase Orders for equipment only if the following criteria is met: 1. The equipment has not been built by the manufacturer, 2. The manufacturers' pricing increase is being applied to this equipment purchase and 3. The contract vendor's price increase is the same as manufacturer's price increase.
- B. ODOT is adding the following language to the contract:

All bid pricing shall not increase for the first sixty (60) calendar days after the date of the bid opening. Thereafter, a request for a price increase may be submitted in writing to the Department's Office of Contract Sales along with all documentation that supports the need for the price increase. No price increase will be effective until it is approved by the Department and the Vendor is notified of such approval in writing. The price increase will take effect upon the date the Vendor is notified. In the event that a price increase is accepted by the Department, the Vendor may not seek an additional price increase for at least thirty (30) calendar days. The Department reserves the right to reject any proposed price increase, or to cancel the contract if such action is determined to be in the best interest of the Department.

In the event of a price decrease, the Department shall be guaranteed full benefit of the price reduction for all orders on the effective date of the decrease and thereafter. If the Vendor and the Department cannot agree on a renegotiated price, the Department will have the right, upon notice to the Vendor, to immediately remove the affected products and services from this Contract.

C. All other terms and conditions in the original Contract fully executed on **September 23, 2021** shall remain in effect and unchanged.

IN WITNESS THEREFORE, the parties hereunto have caused this AMENDMENT to ODOT Contract 023-22 to be executed by authorized persons thereunto duly authorized as of the day and year last written below.

ODOT

Truck Country of Indiana, Inc.

E-SIGNED by Nathan Fling on 2022-01-06 16:57:55 GMT

Nathan Fling, Signing on behalf of Director of Transportation, Jack Marchbanks

Ву:	David Hihm
Print Na	me: David Hibner
Title:	Sales MANAger
Date:	1-3-2022

DAIMLER TRUCK

North America

December 13, 2021

To:

All Freightliner & Western Star Dealers (US/CAN)

Subject: Model Year 2023 Pricing Surcharge - Freightliner & Western Star

Dear Dealer Partners,

As discussed in our Dealer Town Hall earlier this morning, the entire industry has been subject to an unprecedented number of economic challenges over the past 20+ months. Unrelenting and prolonged turbulent economic conditions have resulted in skyrocketing material and component costs, increased labor wages, rising fuel prices, higher logistics rates and the highest rate of inflation in over three decades.

Daimler Truck North America (DTNA) and our parent company Daimler Truck AG, have worked tirelessly to mitigate the effect of increased commodity and supply chain related costs to you, our valued dealer partners, and our mutual customers to date. However, these continued challenging economic conditions have made it necessary for our company to implement a pricing surcharge on all MY23 Freightliner & Western Star trucks (details below). Increases are in addition to the \$300 MY23 Product Cost Surcharge announced earlier this year.

Model Year 2023 Pricing Surcharge Details:

 All MY23 units (excluding trucks rolled from CY21 to the first quarter) will be subject to the additional non-discountable surcharge below:

Models	MY23 Production Cost Surcharge	MY23 Pricing Surcharge	Total MY23 Surcharge
Cascadia/5700	\$300	\$3,900	\$4,200
4700/47X/4900/49X/122SD/6900	\$300	\$4,200	\$4,500
M2106/112 & 108/114SD	\$300	\$2,600	\$2,900
Walk-in Van Chassis	\$300	\$1,700	\$2,000*

^{*} For details on surcharge and polices please contact FCCC sales team

- The Total MY23 Surcharge fee applies to all trucks included in your CY22 Dealer Reservation System plan, including both Program and Concession reservations.
- The total non-discountable surcharge will be presented as a single line item on the truck invoice.
- Dealers are responsible to update and include Total MY23 Surcharge on all current and future quotes for CY22/MY23.
- Dealers are responsible to notify customers of the total MY23 surcharge effective immediately.
- Total MY23 Surcharge is in addition to all previous CY22 Surcharges announced by DTNA including FCCC for the Tire Surcharge, DD13 Gen 5, CARB22, Standard Destination & Freight, etc.

Order Cancellation Policy:

- All units ordered as true MY23 (excluding trucks that were rolled from 2021 to 2022) can be cancelled at N/C by Dec 22, 2021.
- All cancelled orders will be subtracted from your plan volumes and returned to Freightliner and Western Star.

John O'Leary President & CEO David Carson SVP Sales & Marketing

CY22 - MY23 Price Surcharge Update

Communication Type: Pricing

Date: 4/19/2022

Dear Dealer Partners,

As discussed with you yesterday, the continued challenging global and domestic economic conditions have made it necessary for Daimler Truck North America (DTNA) to implement an additional pricing surcharge on all MY23 Freightliner & Western Star trucks (details below). Increases are in addition to the \$2,900 - \$4,500 Total MY23 Surcharge announced in December 2021 for CY22/MY23 units. This new surcharge will be applied on CY22 units with a schedule build date starting May 30th, 2022. Units with a schedule build date on or before May 29th, 2022 are price protected and will not be impacted by the newly updated surcharge.

DTNA is committed to release MY24 Pricing in Q3/2022

Below are the updated Model Year 2023 Pricing Surcharge Details:

Total MY23 Surcharge As of May 30th**, 2022 \$9,900. \$9,300 \$6,700
Additional Surcharge \$5,700 \$5,800 \$3,800
Total MY23 Surcharge (as of January 1st, 2021) \$4,200 \$4,500 \$2,500
Models Cascadia15700 4700/47X4900/49X/122SD/6900 M2,106/112,8.108/114SD

'Includes e Cascadia " Indicates schedule build date

- The Total MY23 Surcharge fee applies to all units included in your CY22 Dealer Reservation System plan, including both Program and Concession reservations with a schedule build date of May 30th, 2022 or after,
 - The total non-discountable surcharge will be presented as a single line item on the truck invoice.
- Dealers are responsible to update and include Total MY23 Surcharge on all current and future quotes for CY22/MY23.
- Total MY23 Surcharge is in addition to all previous CY22 Surcharges announced by DTNA including FCCC for the Tire Surcharge, DD13 Gen 5, CARB22, Standard Destination &

Order Cancellation Guidelines:

- Enfire backlog beginning 05/30 is cancellable until April 29th, 2022 (program and concession). This includes units inside the standard 90 day window from schedule build date.
 - After April 29th, 2022 standard cancellation policies apply:
- Program trucks are non-cancellable.
- Cancellations will only be accepted outside of 90 days from schedule build date.
- Q3 cancellations required by 5/31, Q4 cancellations required by 7/1.
 - All reorders required by 7/1 (CY22 closeout date).
- Plans must be modified to reflect all cancellations and reorders.
- · Cancelled orders will not result in plan volume forfeitures. All cancelled units (regardless of plan quarter) will be returned to dealer plans in their Q4 volumes and can be reordered as necessary. Concession for concession and program for program cancellation-reorder requirements still apply.
- Per standard cancellation policy, all Top 50 cancellations cannot be repurposed and will revert back to DTNA.

John O'Leary President & CEO David Carson SVP Sales & Marketing Attachments:

Final_CY22_MY23 Pricing Surcharge Letter.pdf (//dtnacontent-dtna.prd_freightliner.com/c ontent/dam/dtna-portal/en/sales/pricing/Fin al_CY22_MY23%20Pricin g%20Surcharge%20Letter.pdf)

419-230-9684

ODOT Co-op Contract #023-22 OUOTE / Date 04-20-2022

Western Star 4700SB Single Axle

Truck specifications

Quote Page Truck Specs

FStoops
WEIGHT SIM II OHD
DISCOUNT OF THE DISC





TRUCK SALES | SERVICE | PARTS | LEASING



1770 Wapakoneta Fisher Rd | Wapakoneta, OH 45895 419-738-9684 | Fax 419-738-2370 stoops.com

April 20, 2022

Brook Park 19065 Holland Rd. Brookpark, Ohio 44142

Attn: John Pensis

Stoops Western Star is please to quote the following attached Western Star Chassis as part of the ODOT 023-22 Bid/ CO-OP purchasing plan governed by ORC section 9:48:

2023, Western Star 4700SB

Total State Bid Price

\$117,788.00 (Ref-ODOT Page Price, pg. 2)

Brook Park Option Package Discount

- 9,211.00 \$108,577.00

Total Net State Bid 023-22

DTNA Surcharge (see attached ____5,800.00

Date

Total Price

\$114,377.00

Due to unfortunate market issue and shortages prices are very fluid and unpredictable. You are a valued customer, and we appreciate your business.

Please make a P.O. to Stoops Western Star of Ohio.

If we can be of further service, please give me a call at 419-738-9684. Thank You!

Best regards, David Hilmer David Hibner Sales Manager

Accepted By:

WESTERN STAR OF ONIO

Western Star is the unmatched leader for Durability and Dependability


BROOKPARK, OH 44142 Phone: 440-227-4159 Prepared by:
Dave Hibner
STOOPS WESTERN STAR OF
OHIO
1770 WAPAK FISHER RD
WAPAKONETA, OH 45895
Phone: 419-230-9684

A proposal for BROOK PARK CITY OF ODOT Contract 023-22

Prepared by STOOPS WESTERN STAR OF OHIO Daye Hibner

Apr 20, 2022

Western Star 4700SB



Components shown may not reflect all spec'd options and are not to scale

Application Version 11.7,206 Data Version PRL-26T.044 Brook Park ODOT 023-22 Tag-on 4700 4-4-2021



04/20/2022 1:25 PM

Page 1 of 21

BROOKPARK, OH 44142 Phone: 440-227-4159 Prepared by:
Dave Hibner
STOOPS WESTERN STAR OF
OHIO
1770 WAPAK FISHER RD
WAPAKONETA, OH 45895
Phone: 419-230-9684

QUOTATION

4700 SET-BACK FRONT AXLE CHASSIS

SET BACK AXLE - TRUCK
CUM L9 330 HP @ 2200 RPM; 2200 GOV RPM, 1000 LB-FT @ 1200 RPM
ALLISON 3500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION
RS-23-160 23,000# R-SERIES SINGLE REAR AXLE
30,000# FLAT LEAF SPRING REAR SUSPENSION WITH HELPER AND RADIUS ROD
MFS-16-143A 16,000# FL1 71.5 INCH KPI/3.74 INCH DROP SINGLE FRONT AXLE
16,000# FLAT LEAF FRONT SUSPENSION

110 INCH BBC STEEL CONVENTIONAL CAB
4050MM (159 INCH) WHEELBASE
11/32X3-1/2X10-15/16 INCH STEEL FRAME
(8.73MMX277.8MM/0.344X10.94 INCH) 120KSI
1275MM (50 INCH) REAR FRAME OVERHANG
PARTIAL INNER FRAME REINFORCEMENT AT FRONT
SUSPENSION
TEM TO EVALUATE AND INSTALL FRAME RAIL
REINFORCEMENT AS NEEDED FOR FRONT

FRAME MOUNTED EQUIPMENT

TOTAL PER UNIT VEHICLE PRICE TOTAL # OF UNITS (1) 108,768 108,768 EXTENDED WARRANTY \$ Ð 0 DEALER INSTALLED OPTIONS 0 S Q CUSTOMER PRICE BEFORE TAX 108,768 108.768 TAXES AND FEES FEDERAL EXCISE TAX (FET) \$ (191) \$ (191)TAXES AND FEES \$ n \$ 0 OTHER CHARGES TRADE-IN TRADE-IN ALLOWANCE (0)**BALANCE DUE** (LOCAL CURRENCY) \$ 108,577 \$ 108,577 COMMENTS: Due to Market conditions, Increasing supply chain issues and parts shortages a surcharge of \$5,800 Total price with surcharge \$114,377.

Customer: X	Date:	1	/

Please indicate your acceptance of this quotation by signing below:

Daimler Truck Financial

Financing that works for you.

APPROVAL:

See your local dealer for a competitive quote from Daimler Truck Financial, or contact us at Information@dtfoffers.com.

Daimler Truck Financial offers a variety of finance, lease and insurance solutions to fit your business needs. For more information about our products and services, visit our website at www.daimler-truckfinancial.com.

Application Version 11.7.206 Data Version PRL-26T.044 Brook Park ODOT 023-22 Tag-on 4700 4-4-2021



04/20/2022 1:25 PM

Page 2 of 21

BROOKPARK, OH 44142 Phone: 440-227-4159 Prepared by: Dave Hibner STOOPS WESTERN STAR OF OHIO 1770 WAPAK FISHER RD WAPAKONETA, OH 45895 Phone: 419-230-9684



BROOKPARK, OH 44142 Phone: 440-227-4159

Prepared by: Dave Hibner STOOPS WESTERN STAR OF OHIO 1770 WAPAK FISHER RD WAPAKONETA, OH 45895 Phone: 419-230-9684

SPECIFICATION PROPOSAL

Description

Weight Front

Weight Rear

Price Level

WESTERN STAR 4700 PRL-26T (EFF:7/26/21)

Data Version

SPECPRO21 DATA RELEASE VER 044

Vehicle Configuration

4700 SET-BACK FRONT AXLE CHASSIS

9.215

6,480

2023 MODEL YEAR SPECIFIED

SET BACK AXLE - TRUCK

STRAIGHT TRUCK PROVISION, NON-TOWING

LH PRIMARY STEERING LOCATION

General Service

TRUCK CONFIGURATION

DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)

CONSTRUCTION SERVICE

GOVERNMENT BUSINESS SEGMENT

DIRT/SAND/ROCK COMMODITY

TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS

MAXIMUM 8% EXPECTED GRADE

SMOOTH CONCRETE OR ASPHALT PAVEMENT -MOST SEVERE IN-TRANSIT (BETWEEN SITES)

ROAD SURFACE

WESTERN STAR VOCATIONAL WARRANTY EXPECTED FRONT AXLE(S) LOAD: 14700.0 lbs

EXPECTED REAR DRIVE AXLE(S) LOAD:

23000.0 lbs

EXPECTED GROSS VEHICLE WEIGHT CAPACITY

: 37700.0 lbs

Truck Service

FRONT PLOWIEND DUMP BODY

Application Version 11.7.206 Data Version PRL-26T.044 Brook Park ODOT 023-22 Tag-on 4700 4-4-2021




04/20/2022 1:25 PM

Page 4 of 21

BROOKPARK, OH 44142 Phone: 440-227-4159 Prepared by:
Dave Hibner
STOOPS WESTERN STAR OF
OHIO
1770 WAPAK FISHER RD
WAPAKONETA, OH 45895
Phone: 419-230-9684

	Denoviation	Weight Front	Weight Rear
	Description EXPECTED TRUCK BODY LENGTH: 11.0 ft	1-TOTIL	rical
	HENDERSON	Media and Albania	
Engine			
	CUM L9 330 HP @ 2200 RPM; 2200 GOV RPM, 1000 LB-FT @ 1200 RPM	-850	-70
Electronic Paramete	rs		
N	75 MPH ROAD SPEED LIMIT	i Karangan kanggan pangan ban	STEANING STANS AND AND AND STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD STANDARD ST
14	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT		
	PTO MODE ENGINE RPM LIMIT - 900 RPM		
	PTO MODE BRAKE OVERRIDE - SERVICE BRAKE APPLIED		
	PTO RPM WITH CRUISE SET SWITCH - 900 RPM		
	PTO RPM WITH CRUISE RESUME SWITCH - 900 RPM		
	PTO MODE CANCEL VEHICLE SPEED - 5 MPH		
	PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND		
	PTO MINIMUM RPM ~700		
	REGEN INHIBIT SPEED THRESHOLD - 5 MPH		
Engine Equipment			
	2010 EPA/CARB/GHG21 CONFIGURATION		TENNING THE WAS ARRESTED AND AND AND AND AND AND AND AND AND AN
	2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LOWER FORWARD CORNER OF DRIVER DOOR)		
	STANDARD OIL PAN		
	ENGINE MOUNTED OIL CHECK AND FILL		
	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER WITH SAFETY ELEMENT AND INSIDE/OUTSIDE AIR WITH SNOW DOOR	10	
	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE		
	(3) DTNA GENUINE, AGM STARTING AND CYCLING, MIN 2190CCA; 570RC, THREADED STUD BATTÉRIES		•
	PASSENGER SEAT BATTERY BOX VENTED TO OUTSIDE OF CAB		




SEAT



BATTERY BOX MOUNTED UNDER PASSENGER

BROOKPARK, OH 44142 Phone: 440-227-4159 Prepared by:
Dave Hibner
STOOPS WESTERN STAR OF
OHIO
1770 WAPAK FISHER RD
WAPAKONETA, OH 45896
Phone: 419-230-9684


	Description	Weight Front	Weight Rear	
10	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			
	PLASTIC BATTERY BOX COVER			
	POSITIVE LOAD DISCONNECT WITH DASH MOUNTED CONTROL SWITCH	10		
	LOW VOLTAGE BATTERY DISCONNECT AT 12.3 VOLTS FOR ISOLATED CIRCUITS WITH LOCAL ALARM			
	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			
	AIR COMPRESSOR DISCHARGE LINE			
	ELECTRONIC ENGINE INTEGRAL WARNING AND DERATE PROTECTION SYSTEM			
	CUMMINS ENGINE INTEGRAL BRAKE WITH VARIABLE GEOMETRY TURBO ON/OFF	20		
	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE			
	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC: OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH			
	10 FOOT 06 INCH (126 INCH+0/-5.9 INCH) EXHAUST SYSTEM HEIGHT			
	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP			
	6 GALLON DIESEL EXHAUST FLUID TANK			
	100 PERCENT DIESEL EXHAUST FLUID FILL			
	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING			
	LH MEDIUM DÜTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION			
	STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD			
	HORTON DRIVEMASTER ADVANTAGE ON/OFF FAN DRIVE			
	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED			
	CUMMINS SPIN ON FUEL FILTER			
	COMBINATION FULL FLOW/BYPASS OIL FILTER			
	1300 SQUARE INCH ALUMINUM RADIATOR	-20		
	MOUNTING FOR FIREWALL MOUNTED SURGE TANK			





BROOKPARK, OH 44142 Phone: 440-227-4159 Prepared by:
Dave Hibner
STOOPS WESTERN STAR OF
OHIO
1770 WAPAK FISHER RD
WAPAKONETA, OH 45895
Phone: 419-230-9684

	Description	Weight Front	Weight Rear
hand the state of	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT		
	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT		
	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES		
	RADIATOR DRAIN VALVE		
	LOWER RADIATOR GUARD		
	PHILLIPS-TEMRO 1000 WATT/115 VOLT BLOCK HEATER	4	
	NO OIL PREHEATER		
	CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR		
	ALUMINUM FLYWHEEL HOUSING		
	ELECTRIC GRID AIR INTAKE WARMER		
	DELCO 12V 39MT HD/OCP STARTER WITH THERMAL PROTECTION AND INTEGRATED MAGNETIC SWITCH	-45	
Transmission			
indianies con Esta	ALLISON 3500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION	-110	-35
Transmission Equip			
Proceduration or agreement of the second of	ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON:3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV		
	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES		
	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY		
	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY		
	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE		
	SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE		
,	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE		





04/20/2022 1;25 PM

Page 7 of 21

BROOKPARK, OH: 44142 Phone: 440-227-4159 Prepared by:
Dave Hibner
STOOPS WESTERN STAR OF
OHIO
1770 WAPAK FISHER RD
WAPAKONETA, OH 45895
Phone: 419-230-9684

Description

Weight Front

30

5

Weight Rear

SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE: AND VOCATIONAL USAGE

MAXIMUM ENGINE SPEED FOR PTO OPERATION 3000 RPM

MAXIMUM OUTPUT SPEED FOR PTO ENGAGEMENT 4000 RPM

MAXIMUM OUTPUT SPEED FOR PTO OPERATION 4000 RPM - ALLISON 5TH GEN TRANSMISSIONS

ELECTRONIC TRANSMISSION WIRING TO CUSTOMER INTERFACE CONNECTOR

CUSTOMER INSTALLED CHELSEA 280 SERIES PTO

PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION ALLISON

MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN

PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED

TRANSMISSION PROGNOSTICS - ENABLED 2013

WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK

TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK

SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)

Front Axle and Equipment

4-4-2021

MFS-16-143A 16,000#.FL1 71.5 INCH KPI/3.74

INCH DROP SINGLE FRONT AXLE

MERITOR 16,5X6 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES

NON-ASBESTOS FRONT BRAKE LINING

CONMET CAST IRON FRONT BRAKE DRUMS

FRONT BRAKE DUST SHIELDS:

FRONT OIL SEALS

VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL

STANDARD SPINDLE NUTS FOR ALL AXLES

MERITOR AUTOMATIC FRONT SLACK

ADJUSTERS

STANDARD KING PIN BUSHINGS

WESTERN STAR

Application Version 11.7.206 Data Version PRL-26T.044 Brook Park ODOT 023-22 Tag-on 4700

04/20/2022 1:25 PM

Page 8 of 21

BROOKPARK, OH 44142 Phone: 440-227-4159 Prepared by:
Dave Hibner
STOOPS WESTERN STAR OF
OHIO
1770 WAPAK FISHER RD
WAPAKONETA, OH 45895
Phone: 419-230-9684

	Description	Weight Front	Weight Rear
	TRW TAS-85 POWER STEERING		
	POWER STEERING PUMP		
	4 QUART POWER STEERING RESERVOIR	5	
	SYNTHETIC 40/50W FRONT AXLE LUBE		
Front Suspension			
	16,000# FLAT LEAF FRONT SUSPENSION		
	GRAPHITE BRONZE BUSHINGS WITH SEALS - FRONT SUSPENSION		
	FRONT SHOCK ABSORBERS		
Rear Axle and Equi	pment		
•	RS-23-160 23,000# R-SERIES SINGLE REAR AXLE		-2,310
	6.14 REAR AXLE RATIO		
	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING		
	MXL 17T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES	-60	-60
	DRIVER CONTROLLED TRACTION DIFFERENTIAL - SINGLE REAR AXLE		20
	(1) DRIVER CONTROLLED DIFFERENTIAL LOCK REAR VALVE FOR SINGLE DRIVE AXLE		
	INDICATOR LIGHT AND BUZZER FOR EACH DIFFERENTIAL LOCKOUT SWITCH		
	MERITOR 16.5X7 Q+ CAST SPIDER HEAVY DUTY CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES		
	NON-ASBESTOS REAR BRAKE LINING		
	BRAKE CAMS AND CHAMBERS ON FORWARD SIDE OF DRIVE AXLE(S)		
	CONMET CAST IRON REAR BRAKE DRUMS		
	REAR BRAKE DUST SHIELDS		5
	REAR OIL SEALS		
	WABCO TRISTOP D-IBV LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS		-20
	MERITOR AUTOMATIC REAR SLACK ADJUSTERS		
	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE		
Rear Suspension			
	30,000# FLAT LEAF SPRING REAR SUSPENSION WITH HELPER AND RADIUS ROD		150

WESTERN STAR



04/20/2022 1:25 PM

.....

BROOKPARK, OH 44142 Phone: 440-227-4159 Prepared by:
Dave Hibner
STOOPS WESTERN STAR OF
OHIO
1770 WAPAK FISHER RD
WAPAKONETA, OH 45895
Phone: 419-230-9684

	Description	Weight Front	Welght Rear	
	SPRING SUSPENSION - 1.00" AXLE SPACER	- 7 3		
	STANDARD AXLE SEATS IN AXLE CLAMP GROUP			
	FORE/AFT CONTROL RODS			
Brake System	grant Charles to Control			
W. 2 2 4	WABCO 4S/4M ABS			
	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			
	FIBER BRAID PARKING BRAKE HOSE			
	STANDARD BRAKE SYSTEM VALVES			
	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			
	WABCÓ SYSTEM SAVER HP WITH INTEGRAL AIR GOVERNOR AND HEATER			
	AIR DRYER MOUNTED INBOARD ON LH RAIL			
	STEEL AIR TANKS MOUNTED BELOW FRAME RAILS	5	5	
	PETCOCK DRAIN VALVES ON ALL AIR TANK(S)	namental and appropriate the second of the s	espeta, animam pelanti Melanti di Alexande	an mineriar anno este la ferencia
Wheelbase & Frame				
	4050MM (159 INCH) WHEELBASE	÷100	60.	
	1/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI	,		
	PARTIAL INNER FRAME REINFORGEMENT AT FRONT SUSPENSION	195	-5	
	TEM TO EVALUATE AND INSTALL FRAME RAIL REINFORCEMENT AS NEEDED FOR FRONT FRAME MOUNTED EQUIPMENT			
	1275MM (50 INCH) REAR FRAME OVERHANG			
	FRAME:OVERHANG RANGE: 41 INCH TO 50 INCH	10	-80	
	24 INCH INTEGRAL FRONT FRAME EXTENSION	122	-10	
	CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 96.14 in			
	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 93.14 in			
	CALC'D FRAME LENGTH - OVERALL: 279.25 in			
	FRAME HEIGHT TOP FRONT UNLADEN: 42.25 in			
	FRAME HEIGHT TOP FRONT LADEN: 39.5 in			
	FRAME HEIGHT TOP REAR UNLADEN: 42.84 in			
	FRAME HEIGHT TOP REAR LADEN: 40.23 in			
	CALCULATED FRAME SPACE LH SIDE: 46.46 in			

Application Version 11.7:206
Data Version PRL-26T:044
Brook Park ODOT 023-22 Tag-on 4700
4-4-2021



04/20/2022 1:25 PM

Page 10 of 21.

BROOKPARK, OH 44142 Phone: 440-227-4159 Prepared by:
Dave Hibner
STOOPS WESTERN STAR OF
OHIO
1770 WAPAK FISHER RD
WAPAKONETA, OH 45895
Phone: 419-230-9684

		Weight	Weight
	Description	Front	Rear
	CALCULATED FRAME SPACE RH SIDE: 43.59 in		
	SQUARE END OF FRAME.		
	STANDARD WEIGHT ENGINE CROSSMEMBER		
	STANDARD CROSSMEMBER BACK OF TRANSMISSION		
	STANDARD MIDSHIP #1 CROSSMEMBER(S)		
	STANDARD REARMOST CROSSMEMBER		
	HEAVY DUTY SUSPENSION CROSSMEMBER		10
	STANDARD WEIGHT REAR SUSPENSION CROSSMEMBER	e to general a shakka na pozzane na kaka kaka kaka ka	e - Strong to establish strong entre (1822 to 1864) interest to the
Chassis Equipment	14 INCH CHROMED STEEL BUMPER		
	NO LICENSE PLATE MOUNTING		
	FRONT ANTI-SPRAY CAB MOUNTED MUDELAPS		
	GRADE 8 THREADED HEX HEADED FRAME FASTENERS		
	EXTERIOR HARNESSES WRAPPED IN ABRASION TAPE		
Füel Tanks			
	80 GALLON/302 LITER ALUMINUM FUEL TANK - LH	10	
	25 INCH DIAMETER-FUEL TANK(S)		
	POLISHING OF FUELTHYDRAULIC TANK(S) WITH POLISHED STAINLESS STEEL BANDS		
	FUEL TANK(S) FORWARD		
	POLISHED STEP FINISH		
	FUEL TANK CAP(S)		
	DAVCO 245 FUEL/WATER SEPARATOR WITH 12 VOLT HEAT AND WATER IN FUEL SENSOR	20	
	EQUIFLO INBOARD FUEL SYSTEM		
	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE	an en November Statement de la	nerske establisestation i et autoriores kandilitation este most best
Tires	MICHELIN'X WORKS Z 12R22.5 16 PLY RADIAL FRONT TIRES	76	
	CONTINENTAL HDC3 11R22.5 16 PLY RADIAL REAR TIRES		96
Hubs			
	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS		

Application-Version 11.7.206 Data Version PRL-26T.044 Brook Park ODOT 023-22 Tag-on 4700 4-4-2021



04/20/2022 1:25 PM

Page 11 of 21

BROOKPARK, OH 44142 Phone: 440-227-4159 Prepared by:
Dave Hibner
STOOPS WESTERN STAR ÖF
OHIO
1770 WAPAK FISHER RD
WAPAKONETA, OH 45895
Phone: 419-230-9684

	.	Weight Front	Weight Rear
	Description	Front	Kedi
	CONMET PRESET PLUS PREMIUM IRON REAR HUBS		
Wheels			
	ACCURIDE 29039 22.5X9.00 10-HUB PILOT 5.25 INSET 5-HAND STEEL DISC FRONT WHEELS	66	de Englisher Hilder (1957) e Agricus (1956) e Georgia (1967) e Arreita (1967) e Arreita (1967)
	MAXION WHEELS 90262 22.5X8.25 10-HUB PILOT 5-HAND STEEL DISC REAR WHEELS		36
	FRONT WHEEL MOUNTING NUTS		
	REAR WHEEL MOUNTING NUTS		
	NYLON WHEEL GUARDS FRONT AND REAR ALL INTERFACES		
Cab Exterior			
MARKET STEELS AND THE STEELS AND THE	110 INCH BBC STEEL CONVENTIONAL CAB		
	WESTERN STAR PAINTED ALUMINUM CAB SKIRT		
	AIR CAB MOUNTS WITH CHECK VALVE		
	RACEWAY WITHOUT MISCELLANEOUS CUSTOM CAB REQUIREMENTS		
	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE		
	FRONT FENDERS		
	2 INCH FENDER EXTENSIONS	5	
	LH AND RH EXTERIOR GRAB HANDLES WITH RUBBER INSERTS AND RH INTERIOR GRAB HANDLE MOUNTED TO A POST		
	STATIONARY BRIGHT FINISH GRILLE		
	CHROME HOOD MOUNTED AIR INTAKE GRILLE		
	GALVANEALED STEEL SEVERE SERVICE CAB		
	FIBERGLASS HOOD		
	HOOD OPENING ASSIST		
	DUAL ROUND AIR HORNS, SINGLE BASE, MOUNTED UNDER CAB		
	SINGLE ELECTRIC HORN		
	SINGLE RECTANGULAR H4 HALOGEN HEADLIGHTS WITH BRIGHT BEZELS		

Application Version 11.7,206 Data Version PRL-26T:044 Brook Park ODOT 023-22 Tag-on 4700 4-4-2021

(5) AMBER MARKER LIGHTS

CONNECTIONS AT BUMPER

WIRING AND SWITCH FOR CUSTOMER FURNISHED SNOW PLOW LAMPS WITH DUAL

MOMENTARY INTERRUPTER SWITCH

HEADLIGHTS ON WITH WIPERS, WITH DAYTIME RUNNING LIGHTS WITH ROCKER/TOGGLE



04/20/2022 1:25 PM

Page 12 of 21.

BROOKPARK, OH 44142 Phone: 440-227-4159 Prepared by: Dave Hibner STOOPS WESTERN STAR OF OHIO 1770 WAPAK FISHER RD WAPAKONETA, OH 45895 Phone: 419-230-9684

				•
		Weight	Weight	
	Description	Front	Rear	 ,
	INTEGRAL STOP/TAIL/BACKUP LIGHTS			
	STANDARD FRONT TURN SIGNAL LAMPS			
	(2) FLUSH LED UTILITY LIGHTS MOUNTED BACK OF CAB/SLEEPER	6		
	DUAL AERO BRIGHT FINISH HEATED DUAL AXIS 1-PIECE MOTORIZED MIRRORS WITH LIGHTS, LH AND RH REMOTE AND INTEGRAL CONVEX MIRRORS	-20		
	CAB MOUNTED MIRRORS			
	102 INCH EQUIPMENT WIDTH			
	DUAL BRIGHT FINISH HEATED CONVEX MIRRORS WITH MANUAL ADJUSTMENT AND DUAL AXIS FOR 1-PIECE PRIMARY MIRRORS			
	NO AUXILIARY MIRROR			
	STANDARD SIDE/REAR REFLECTORS			
	STAINLESS STEEL EXTERIOR SUN VISOR	28		
	17.5X35 INCH TINTED REAR WINDOW			
	TINTED DOOR GLASS			
	RH AND LH ELECTRIC POWERED WINDOWS	4		
	2-PIÈCE ROPED-IN HEATED WIPER PARK SOLAR GREEN GLASS WINDSHIELD			
	2 GALLON WINDSHJELD WASHER RESERVOIR WITH FLUID LEVEL INDICATOR, MOUNTED UNDER CAB, WITH REMOTE FILL			
Cab interior				

GRAY VINYL BASE INTERIOR

BLACK HARD TRIM

BASE LEFT HAND DOOR TRIM

BASE RIGHT HAND DOOR TRIM

BLACK CARPET WITH DOUBLE INSULATION

NO DASH MOUNTED ASH TRAY, POWER RECEPTACLE IN LIEU OF LIGHTER

FORWARD ROOF MOUNTED CONSOLE

LH AND RH DOOR MAP POCKETS

(2) COAT HOOKS ON BACKWALL OF CAB

(1) DOUBLE CUP HOLDER WITH CELL PHONE

HOLDER LH OR RH DASH

TWO-TONE CHARCOAL UPPER/COOL GRAY LOWER SOFT TOUCH WING DASH WITH BLACK DRIVER SIDE COSMETIC UNDER DASH COVER

2-1/2 LB. FIRE EXTINGUISHER

5

Application Version 11.7.206 Data Version PRL-26T.044 Brook Park ODOT 023-22 Tag-on 4700 4-4-2021



04/20/2022 1:25 PM

Page 13 of 21

BROOKPARK, OH 44142 Phone: 440-227-4159

Description

AND COSMETIC COVER

Prepared by:
Dave Hibner
STOOPS WESTERN STAR OF
OHIO
1770 WAPAK FISHER RD
WAPAKONETA, OH 45895
Phone: 419-230-9684

Weight Rear

Weight

Front

10

2

DUCTING WITH FOAM MAÎN FE R	RESH AIR	
HVAC CONTROLS WITH RECIR	ROULATION	
DARD HEATER PLUMBING WIT OFF VALVES	H BALL	
O HEAVY DUTY A/C REFRIGER. PRESSOR	ANT	
ATOR MOUNTED AIR CONDITIC DENSER	ONER-	
RY CONTROL, R-134A		
NSULATION		
MATIC SELF-RESET CIRCUIT KERS/FUSES IN DASH POWER RIBUTION BOXES AND FUSES I LIARY POWER DISTRIBUTION B	N	
R ACTIVATED DOME LIGHT, UN FAND LH AND RH DOOR MOUN RTESY LIGHTS	DER DASH NTED	
INIT(8) KEYED ALIKE WITH GUS IFIED KEY NUMBER D420	STOMER	
DOOR LATCHES WITH MANUAL IS	DOOR.	
形 下分 化分子 人名 人 人名 人 人名 人名 化二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十二十	R IVAC CONTROLS WITH RECIPENT DARD HEATER PLUMBING WITH DEF VALVES DHEAVY DUTY AVC REFRIGER RESSOR TOR MOUNTED AIR CONDITION ENSER LY CONTROL, R-134A ISSULATION WATIC SELF-RESET CIRCUIT KERS/FUSES IN DASH POWER IBUTION BOXES AND FUSES I MARY POWER DISTRIBUTION E ACTIVATED DOME LIGHT, UN AND LH AND RH DOOR MOUNTESY LIGHTS NIT(S) KEYED ALIKE WITH GUS FIED KEY NUMBER D420 MOOR LATCHES WITH MANUAL	HVAC CONTROLS WITH RECIRCULATION CH DARD HEATER PLUMBING WITH BALL DEF VALVES D HEAVY DUTY A/C REFRIGERANT RESSOR TOR MOUNTED AIR CONDITIONER ENSER LY CONTROL, R-134A ASULATION WATIC SELF-RESET CIRCUIT KERS/FUSES IN DASH POWER IBUTION BOXES AND FUSES IN LARY POWER DISTRIBUTION BOXES ACTIVATED DOME LIGHT, UNDER DASH AND LH AND RH DOOR MOUNTED TESY LIGHTS NIT(S) KEYED ALIKE WITH GUSTOMER FIED KEY NUMBER D420 LOOR LATCHES WITH MANUAL DOOR

HEATER, DEFROSTER AND AIR CONDITIONER WITH CONSTANT TEMPERATURE CONTROL

(1) 12 VOLT POWER SUPPLY AND (2) USB

TRIANGULAR REFLECTORS KIT WITHOUT

BASIC HIGH BACK AIR SUSPENSION DRIVER SEAT WITH 1 CHAMBER AIR LUMBAR, INTEGRATED CUSHION EXTENSION AND REAR

BATTERY BOX MID BACK NON SUSPENSION

INBOARD DRIVER SEAT ARMREST, NO

ADJUSTABLE TILT AND TELESCOPING

PASSENGER SEAT ARMREST
MORDURA CLOTH DRIVER SEAT
MORDURA CLOTH PASSENGER SEAT
3 POINT DRIVER AND PASSENGER SEAT BELT

PORTS MOUNTED IN DASH

CUSHION TILT

RETRACTORS

STEERING COLUMN

PASSENGER SEAT

FLARES SHIPPED LOOSE IN CAB



BROOKPARK, OH 44142 Phone: 440-227-4159 Prepared by: Dave Hibner STOOPS WESTERN STAR OF OHIO: 1770 WAPAK FISHER RD WAPAKONETA, OH 45895 Phone: 419-230-9684

Welght Front Welght Rear

Description

4-SPOKE 18 INCH (450MM) BLACK STEERING WHEEL WITH SWITCHES

DRIVER AND PASSENGER INTERIOR SUN VISORS

Instruments & Controls

NON-ADJUSTABLE SUSPENDED PEDALS

ELECTRONIC ACCELERATOR CONTROL

ENGINE REMOTE INTERFACE WITH PARK

BRAKE INTERLOCK

BRIGHT ARGENT FINISH GAUGE BEZELS

ROYAL ROSEWOOD MATTE FINISH DRIVER INSTRUMENT PANEL

ROSEWOOD VINYL MATTE FINISH CENTER INSTRUMENT PANEL INSERT

LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM

2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES

INTAKE MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS

87 DB TO 112 DB SELF-ADJUSTING BACKUP

ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES

KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION: 4 POSITION OFF/RUN/START/ACCESSORY

ICU4ME DRIVER MESSAGE CENTER WITH GRAPHICAL DISPLAY, BLACK FACE GAUGES, DIAGNOSTICS AND DATA LINKED

(1) HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH AND (1) SAE J1939 DIAGNOSTIC INTERFACE CONNECTOR LOCATED CENTER OF DASH

2 INCH ELECTRIC FUEL GAUGE

ENGINE REMOTE INTERFACE WITH MULTIPLE SET SPEEDS

CUSTOMER INTERFACE CONNECTOR LOCATED BETWEEN SEATS WITH CAPS

ENGINE REMOTE INTERFACE CONNECTOR AT POWERTRAIN INTERFACE CONNECTOR

ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE

Application Version 11.7,206
Data Version PRL-26T,044
Brook Park ODOT 023-22 Tag-on 4700
4-4-2021



04/20/2022 1:25 PM

Page 15 of 21

3

BROOKPARK, OH 44142 Phone: 440-227-4159 Prepared by: Dave Hibner STOOPS WESTERN STAR OF OHIO 1770 WAPAK FISHER RD WAPAKONETA, OH 45895 Phone: 419-230-9684

Description	Weight Front	Weight Rear	
 2 INCH TRANSMISSION OIL TEMPERATURE GAUGE			***************************************
ELECTRÓNIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER			
ELECTRIC ENGINE OIL PRESSURE GAUGE			
AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH, USB AND AUXILIARY INPUTS, J1939	10		
ROOF/OVERHEAD CONSOLE MOUNTED RADIO			
(4) RADIO SPEAKERS IN CAB			
POWER AND GROUND WIRING FOR CB RADIO IN OVERHEAD CONSOLE			
ROOF/OVERHEAD CONSOLE CB RADIO PROVISION			
MULTI-BAND AM/FM/WB/CB/LH MIRROR MOUNTED ANTENNA SYSTEM			
ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITH ODOMETER			
STANDARD VEHICLE SPEED SENSOR WITH ADDITIONAL SIGNAL FOR CUSTOMER USE LOCATED BÉTWEEN DRIVER AND PASSENGER SEATS.			
ELECTRONIC 3000 RPM TACHOMETER			
NO VEHICLE PERFORMANCE MONITOR	-5	,	
IGNITION SWITCH CONTROLLED ENGINE STOP			
SIX EXTRA SWITCHES IN DASH			
HARDWIRE SWITCH #1,0N/OFF LATCHING, 20 AMPS IGNITION WIRED TO BACK OF CAB			
HARDWIRE SWITCH #2,0N/OFF LATCHING, 20 AMPS IGNITION WIRED TO BACK OF CAB	-		
HARDWIRE SWITCH #3,0N/OFF LATCHING, 20 AMPS IGNITION WIRED TO CUSTOMER INTERFACECONNECTOR			
HARDWIRE SWITCH #4,0N/OFF LATCHING, 20 AMPS IGNITION WIRED TO CUSTOMER INTERFACECONNECTOR			
HARDWIRE SWITCH #5,0N/OFF LATCHING, 20 AMPS IGNITION WIRED TO CUSTOMER INTERFACECONNECTOR			
HARDWIRE SWITCH #6;0N/OFF LATCHING; 20 AMPS IGNITION WIRED TO CUSTOMER INTERFACEGONNECTOR			
2 INCH TURBO AIR PRESSURE GAUGE			



BROOKPARK, OH 44142 Phone: 440-227-4159 Prepared by:
Dave Hibner
STOOPS WESTERN STAR OF
OHIO
1770 WAPAK FISHER RD
WAPAKONETA, OH 45895
Phone: 419-230-9684

Description

Weight

Front

Weight

Rear

DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY

SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY AND ARCTIC TYPE BLADES

MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SW WITH HEADLIGHT/MRKR LT INTERRUPTER SWITCHES ON STEERING WHEEL & DASH SW FOR CUSTOMER FURNISHED SNOWPLOW LTS

ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR

SELF CANCELING TURN SIGNAL SWITCH, HEADLAMP HIGH/LOW AND FLASH, WASH/WIPE/INTERMITTENT

PACIFIC INSIGHT ELECTRONIC FLASHER

Design

PAINT: ONE SOLID COLOR

Color

CAB COLOR A: L2225EY CANDY APPLE RED

ELITE EY

CAB INTERIOR PAINTED SAME AS CAB COLOR

BLACK, HIGH SOLIDS POLYURETHANE CHASSIS

PAINT

POWDER WHITE (NOBOSEA) FRONT

WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)

POWDER WHITE (N0006EA) REAR

WHEELS/RIMS (PKWHT21, TKWHT21, W. TW)

Certification / Compliance

U.S. FMVSS CERTIFICATION, EXCEPT SALES

CABS AND GLIDER KITS

Secondary Factory Options

DEALER HAS BEEN ADVISED OF AND ACCEPTED RESPONSIBILITY FOR MODIFICATIONS DUE TO POSSIBLE PTO/CHASSIS INTERFERENCE

Raw Performance Data

CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 93.14 in

TOTAL VEHICLE SUMMARY

Application Version 11.7.206 Data Version PRL-26T.044 Brook Park ODOT 023-22 Tag-on 4700 4-4-2021



04/20/2022 1:25 PM

Page 17 of 21

BROOKPARK, OH 44142 Phone: 440-227-4159 Prepared by: Dave Hibner STOOPS WESTERN STAR OF OHIO 1770 WAPAK FISHER RD WAPAKONETA, OH, 45895 Phone: 419-230-9684

Weight Summary			
\$30. (b.) 1670. And Combine Entitle (b.) And Color Annual Color (b.) Annual Color (b.)	Welght	Weight	Total
	Front	Rear	Weight
Factory Welght ⁺	8703 lbs	4275 lbs	12978 lbs
Total Weight [÷]	8703 lbs	4275 lbs	12978 lbs

(+) Weight's shown are estimates only, If weight is critical, contact Customer Application Engineering.

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.



BROOKPARK, OH 44142 Phone: 440-227-4159 Prepared by:
Dave Hibner
STOOPS WESTERN STAR OF
OHIO
1770 WAPAK FISHER RD
WAPAKONETA, OH 45895
Phone: 419-230-9684

133 in — 96 in — 98 in

VEHICLE SPECIFICATIONS SUMMARY - DIMENSIONS

Model. 4700SB Wheelbase (545) 4050MM (159 INCH) WHEELBASE Rear Frame Overhang (552) 1275MM (50 INCH) REAR FRAME OVERHANG Fifth Wheel (578) NO FIFTH WHEEL Mounting Location (577) NO FIFTH WHEEL LOCATION Maximum Forward Position (in) 0 Amount of Slide Travel (in) 0 Slide Increment (in) 0 Desired Slide Position (in) 0.0 Cab Size (829) 110 INCH BBC STEEL CONVENTIONAL CAB		
Rear Frame Overhang (552)	Model	4700SB
Fifth Wheel (578) NO FIFTH WHEEL Mounting Location (577) NO FIFTH WHEEL LOCATION Maximum Forward Position (in) 0 Maximum Rearward Position (in) 0 Amount of Slide Travel (in) 0 Slide Increment (in) 0 Desired Slide Position (in) 0.0	Wheelbase (545)	4050MM (159 INCH) WHEELBASE
Fifth Wheel (578) NO FIFTH WHEEL Mounting Location (577) NO FIFTH WHEEL LOCATION Maximum Forward Position (in) 0 Maximum Rearward Position (in) 0 Amount of Slide Travel (in) 0 Slide Increment (in) 0 Desired Slide Position (in) 0.0	Rear Frame Overhang (552)	1275MM (50 INCH) REAR FRAME OVERHANG
Mounting Location (577) NO FIFTH WHEEL LOCATION Maximum Forward Position (in) 0 Maximum Rearward Position (in) 0 Amount of Slide Travel (in) 0 Slide Increment (in) 0 Desired Slide Position (in) 0.0		
Maximum Rearward Position (in) 0 Amount of Slide Travel (in) 0 Slide Increment (in) 0 Desired Slide Position (in) 0.0		
Maximum Rearward Position (in) 0 Amount of Slide Travel (in) 0 Slide Increment (in) 0 Desired Slide Position (in) 0.0	Maximum Forward Position (in)	0
Amount of Slide Travel (in) 0 Slide Increment (in) 0 Desired Slide Position (in) 0.0	Maximum Rearward Position (in)	0,,,,,,,
Silde Increment (in)	Amount of Slide Travel (in)	0
	Slide Increment (in)	
Cab Size (829)		
	Cab Size (829)	
Sleeper (682) NO SLEEPER BOX/SLEEPERCAB		
Exhaust System (016) RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAIL PIPE		IZONTAL AFTERTREATMENT SYSTEM ASSEMBLY

TABLE SUMMARY - DIMENSIONS



BROOKPARK, OH 44142 Phone: 440-227-4159 Prepared by:
Dave Hibner
STOOPS WESTERN STAR OF
OHIO
1770 WAPAK FISHER RD
WAPAKONETA, OH 45895
Phone: 419-230-9684

Dimensions	Inches
Bumper to Back of Cab (BBC)	133.2
Bumper to Centerline of Front Axte (BA)	93.9
Front Axie to Back of Cab (AC)	39.3
Min, Cab to Body Clearance (CB)	3.0
Back of Cab to Centerline of Rear Axie(s) (CA)	96.1
Effective Back of Cab to Centerline of Rear Axie(s) (Effective CA)	93.1
Back of Cab Protrusions (Exhaust/Intake) (CP)	4.0
Back of Cab Protrusions (Side Extenders/Trim Tab) (CP)	0.0
Back of Cab Protrusions (CNG Tank)	0.0
Back of Cab Clearance (CL)	3.0
Back of Cab to End of Frame	146.3
Cab Height (CH)	73.5
Wheelbase (WB)	159.4
Frame Overhang (OH)	50.2
Overall Frame Length	279.3
Overall Length (OAL)	279.6
Rear Axle Spacing	0,0
Unladen Frame Height at Centerline of Rear Axle	42.8

Performance calculations are estimates only. If performance calculations are critical, please contact Customer Application Engineering.



BROOKPARK, OH 44142 Phone: 440-227-4159 Prepared by:
Dave Hibner
STOOPS WESTERN STAR OF
OHIO
1770 WAPAK FISHER RD
WAPAKONETA, OH 45895
Phone: 419-230-9684

FRAME RBM

TABLE SUMMARY - FRAME RBM

llem _{Extra}	Description//Value
Wheelbase	4050LIM (159 INCH) WHEELBASE
Frame	11/32X3-1/2X10-15/16 INCH STEEL FRAME (8.73MMX277.8MM/0.344X10.94 INCH) 120KSI
Inner Frame Reinforcement	PARTIAL INNER FRAME REINFORCEMENT AT FRONT SUSPENSION
Outer Frame Reninforcement	TELL TO EVALUATE AND INSTALL FRAME RAIL REINFORCEMENT AS NEEDED FOR FRONT
Yield Strength (psi)	120000
Section Modulus - per rail (cu. in.)	16.98
Frame RBM - per rall (lbf-in)	2037600

Performance calculations are estimates only. If performance calculations are critical, please contact Customer Application Engineering.



Board of Contral

DATE: 4.21.22	PRICE QUOTE BY:
COMPANY: Storps	DATE:
ADDRESS: Western Stan	ORDERED BY: a or bons
	P-O#
PHONE NO.	_AREA WHERE PRODUCT USED:
VENDOR 2:	401.437 - Papital
VENDOR 3:	Cooperation of the cooperation o
•	

AMOUNT DESCRIPTION . D	EPT.	PRICE EA.	TOTAL	
I Western Das Chaeses as Rond of		A	14377	, óc
ODOT 023-ZZ Bid Color	0	//	17//	
-> Please see attached Contract.				
Note - Que To lupply . Urain and my	lation	1		
sasell, Surcharges have and will	PRESSI	by .		
be applied to final Purchase	price	P.		
· Combined Prices from Stoops W	estern	Stas -		
and Hunderson Products Well Mr	tenc	red		
The total of allocally more No	om) }
	N.	1 1'		-
-> Have dew Pept + Finance star	I llqu	(later)		
7 11000		•		.
F	ECEI	VED		
	APR 🔼 2	2022		

BROOK PARK CITY COUNCIL