P/0 8	-23-22 Safetu
$CA_{\underline{}}$	d
1stR	
2nd R	
3rd R	The state of the s
B/C	The second secon

CITY OF BROOK PARK, OHIO

ordinance no: 11277-2028

INTRODUCED BY: MAYOR ORCUTT

AN ORDINANCE

AUTHORIZING THE MAYOR TO ENTER INTO AN
AGREEMENT WITH PFUND SUPERIOR SALES CO., INC. FOR THE PURCHASE
OF A 2024 FORD E-450 LIFE LINE TYPE III AMBULANCE, MODEL
"SUPERLINER" AND DECLARING AN EMERGENCY

WHEREAS, this ambulance shall be purchased through the State of Ohio Term Schedule Pricing, as further described in Exhibit "A"; and,

WHEREAS, Pfund Superior Sales Co., Inc. has provided a quote for this project, which is attached hereto and incorporated herein as Exhibit "B" for \$298,845.00, less trade of the 2009 Ford E-450 Road Rescue vehicle for \$5,000.00, for a total of \$293,845.00.


NOW THEREFORE, BE IT ORDAINED, by the Council of the City of Brook Park, State of Ohio, that:

SECTION 1: That the Mayor is hereby authorized and directed to enter into an agreement with Pfund Superior Sales Co., Inc. for the purchase of a 2024 Ford E-450 Life Line Type III Ambulance, model "Superliner".

SECTION 2: The money needed for the aforesaid transaction shall not exceed \$293,845.00 and shall be paid from Capital Fund 401.

SECTION 3: It is found and determined that all formal actions of this Council concerning and relating to the adoption of this Ordinance were adopted in an open meeting of this Council, and that all deliberations of this Council and of any of its committees that resulted in such formal action were in meetings open to the public in compliance with all legal requirements, including Section 121.22 of the Ohio Revised Code.

SECTION 4: This Ordinance is hereby declared to be an



emergency measure immediately necessary for the preservation of the public peace, health, safety and welfare of said City, and for the further reason that Council deems it necessary for the Mayor to enter into said agreement with undue delay; therefore, this Ordinance shall take effect and be in force immediately from and after its passage and approval by the Mayor.

PASSED: August 23, 2022 ATTEST: Carol Chrison Clerk of Council	APPROVED: MAYOR
CERTIFICATE Carol Johnson, Clerk of Council, of the City of Brook Park, Ohio, do hereby certify that the foregoing is a true and accurate copy of Ordinance's Resolution No. 127203 day of Augus 2022 by said council. Cierk of Council	DATE Johnson, Clerk of Council for the City of Brook Park, State of a do hereby certify that there is no newspaper of general circulation the municipality and that publication of the foregoing ordinances/ esciutions was made by posting true copies at five of the most public places in said municipality as determined by Ordinance No. 4838-1975; location City Hall 6161 Engle Road, Police Station 17401 Holland Road, 12 Fire Station 22530 Ruple Parkway, #3 Fire Station 17401 Holland Road, Brook Park Library 6165 Engle Road, for a period of fifteen days. CAROL JOHNSON Clerk of Council
Troyer Mencini Roberts Scott Coyne Poindexter	

I HEREBY APPROVE THE WITHIN INSTRUMENT AS TO LEGAL FORM AND CORRECTNESS

DIPPER





221 Chester Drive Lower Burrell, PA 15068 Phone: 724-339-1600

Fax: 724-339-7509

2024 MY PROPOSAL / PURCHASE AGREEMENT

June 22, 2022

PURCHASER
City of Brook Park
6161 Engle Rd.
Brook Park, OH 44142

<u>SELLER</u>

Pfund Superior Sales Co., Inc. 221 Chester Dr. Lower Burrell, PA 15068

Seller sells to Purchaser (1) 2024 Ford E-450 Life Line Type III Ambulance, Model "Superliner", VIN # TBD as per the proposed specifications and modifications, F.O.B. Delivered to City of Brook Park Fire Dept.. Delivery to be within 180-200 days after receipt of chassis. The ambulance module production does not commence until the chassis has arrived at Life Line Emergency Vehicles. The Seller shall not be liable for failure to deliver or for any delay in delivering the motor vehicle covered by this agreement where such failure or delay is due, in whole or in part, to any cause beyond the control or without the fault or negligence of the Seller. Delays from the chassis manufacturer will result in extended delivery time as will changes to this contract once the contract has been placed with Life Line Inc. Additions or deletions can only be made if the vehicle has not passed that point in production and the cost of the addition, deletion or change would be assessed at the time of request. Change order fees may apply.

Index STS 233

Schedule / Vendor #800584

Net Pricing Includes All Applicable Discounts

NON-REFUNDABLE DEPOSIT (N/A): The Seller shall have the right upon failure or refusal of Purchaser to accept delivery of the ordered vehicle or to comply with the terms of this Agreement, to retain as liquidated damages any cash deposit.

<u>DESIGN CHANGES BY THE MANUFACTURER</u>: The Manufacturer has reserved the right to change the design of any new motor vehicle, chassis, accessories, or parts of new vehicles at any time without notice and without obligation to make the same or any similar changes upon any motor vehicle, chassis, accessories or parts of vehicles previously purchased by or shipped to seller or being manufactured or sold in accordance with Seller's orders. In the event of any such change by the manufacturer, Seller shall have no obligation to Purchaser to make this same or any similar change in any motor vehicle, chassis, accessories or parts of the vehicle covered by this agreement either before or after delivery to Purchaser.

<u>PAYMENT OF SALES AND USE TAXES</u>: The price for the motor vehicle specified in this agreement does not include Sales Taxes and Use Taxes (Federal, State, or Local) unless expressly stated. Purchaser assumes and agrees to pay, unless prohibited by law, and such Sales, Use, or Occupational Taxes imposed on or applicable to the transaction covered by this agreement, regardless of which party may have primary tax liability.

EXECUTION OF OTHER DOCUMENTS: The Purchaser, before or at the time of delivery of the motor vehicle covered by this agreement will execute such other forms of agreement or documents as may be required by the terms and conditions of payment indicated on the front of this order or as required by law.

PAYMENT OF BALANCE DUE AND ACCEPTANCE BY PURCHASER: The Purchaser agrees to pay the balance due on delivery pursuant to the terms specified and to accept delivery of the ordered motor vehicle. Seller will provide a final invoice (15) calendar days prior to delivery so serve as notification that the vehicle will be completed for delivery and payment. In the event Purchaser fails to take delivery of the vehicle, Purchasers Deposit may be retained by Seller as liquidated damages for Seller's expense and efforts in this matter. In addition, Seller may dispose of or sell such ordered vehicle as Seller deems reasonable.

<u>WARRANTYS</u>: All warranties are issued by the chassis manufacturer, the ambulance builder, and component parts suppliers and seller shall have no liability with respect to warranties issued by the chassis manufacturer, the ambulance builder, and component parts suppliers.

PURCHASER

City of Brook Park 6161 Engle Rd. Brook Park, OH 44142

BY:_____

Print Name & Title_____

DATE:_____

SELLER

Pfund Superior Sales Co., Inc. 221 Chester Dr. Lower Burrell, PA 15068

(: // L

Terry E. Pfund President

DATE: June 22, 2022





QUOTATION

LIFELINE

City of Brookpark Pat Johnson 6161 Engle Rd. Brook Park, OH 44142 216-433-7204 pjohnson@cityofbrookpark.com Pfund Superior Sales Co., Inc. Terry Pfund 221 Chester Dr. Lower Burrell, PA 15068 724-339-1600 724-339-7509 tpfund@pfundsupeior.com

Exp. Date:

06/28/2022

Quote No: BODY: -0004

SUPER B

171" SUPERLINER TYPE III

06/22/2022			And a second second second second	Page 1
PART NO	DESCRIPTION	QTY	EACH 0.00	EXTENDED 0.00
	== 171" SUPERLINER TYPE III - 2.000 04/01/16 == MASTER PARTS REVISION DATE (Start 04-06-22 to	1 1	0.00	0.00
00-00-0500	07-12-22) < LIFE LINE WARRANTY Warranties Include: Lifetime Modular Body Warranty Lifetime Electrical Harness Warranty Lifetime Limited Cabinet Warranty 5-Year/60,000 Mile Product Conversion Warranty 10-Year/100,000 Mile Electrical Warranty Elite System 6-Year Pro-Rated Akzo-Nobel Paint Warranty	1	0.00	0.00
00-00-0700	Which is as follows: For 3 Years 100% 4th Year 50% 5th Year 25% 6th Year 10% <>>>SHOP COPY DATE - FACTORY USE ONLY<<< Date Order Placed By Dealer:	1	0.00	0.00
	Draft Work Order Process Date:			
	Sign-Off Date:			
	Parts/Drafting/Paint:			
	Shop Release Date:			
	SFD:			- The state of the
00-00-0800	< Customer Contact Person (Required For Factory Use) Specify Name And Number: Patrick Johnson 216-433-7204	1	0.00	0.00

Page 2 06/22/2022 리시미크미 PART NO QTY DESCRIPTION 0.00 < Sales Rep: Terry Pfund 1-724-339-1600 0.00 00-00-2400 Pfund Superior Sales Company, Inc. 0.00 Fill Unit With Fuel For Delivery (Charge To Dealer Account) 1 0.00 00-00-FL00 0.00 1 0.00 < Specify FORD Fleet Number If Available (FORD Chassis 00-00-FN00 Only) Specify FIN Number: Q0982 City of Brookpark 0.00 < Specify Previous Unit Number: (FACTORY USE ONLY) 1 0.00 00-00-PU00 519722 0.00 0.00 1 ***BODY STYLE*** 0.00 1 0.00 00-01-3100 < 171" x 96" SUPERLINER TYPE III BODY (WIDE AISLE) includes wide alsle width. 0.00 0.00 1 ***CHASSIS*** 0.00 0.00 Chassis VIN Number: (FACTORY USE ONLY) 10-00-0100 0.00 0.00 < 2024 Ford E-450 SD Cutaway Van (Gas V8 Engine) 10-00-1501 With Standard Ford O.E.M. 3-Year/36,000 Mile Warranty. Includes Rubber Floor As Standard. 0.00 1 0.00 < **FACTORY USE ONLY** 10-01-3400 Spare Chassis Keys And Owner's Manual Present. 645.00 645.00 IPD/Roadmaster Front Sway Bar-E450 10-01-4000 0.00 0.00 IPD/Roadmaster Rear Sway Bar 1 10-01-5500 0.00 0.00 1 < Phoenix Stainless Steel Wheel Covers 10-01-7600 Includes Air Max Valve Extenders. 0.00 0.00 1 < E-Series O.E.M. Door Mirrors 10-02-1100 Dual Powered Traller Tow Mirrors. 0.00 0.00 O.E.M. Radio W/Cab Speakers 1 10-02-3500 0.00 0.00 1 Low Voltage Throttle Manager 10-02-5000 0.00 0.00 1 < Hand Held Cab Spot Light 10-02-5700 Install 12v Outlet On Driver's Side Of The Console At Rear Corner. Ship Light Loose, Do Not Mount. 600.00 600,00 1 < Large Custom Floor Console 10-03-0000 Top Flat Area 2": - (2) Air Horn Push Buttons, (1) Driver's Side, (1) Passengel's Side. - (1) Carling Switch, Spaced Between The Air Horn Buttons. To Control Cab Headliner Lights. Angled Area, 20 11/16" long:
- Touch Pad. The Screen Is Centered With The (2) Switch Controls, Side By Side Below The Screen. - Siren Head Below Touch Pad, Installed Toward The Driver's Side. - Remaining Area, 6.75" For Customer Installed Equipment. Rear Flat Area, 14.5" long: -13.5"L x 3.5"W x 7.5"D Slot For Customer Computer. Towards Passenger Side. - (2) Side By Side 4"L x 4.25"W x 7.5"D Cutouts Portable Radio Chargers - Remaining Space Below Radio Charger Cutouts To Be 9"L Map Storage With (2) Evenly Spaced Dividers On The Passenger's Side Wall Of The Console Will Be A Dual

Page 3 06/22/2022 EACH OIN DESCRIPTION **PART NO** USB Port At Knee Height See Previous Unit 519722SD 0.00 1 0.00 < Dual Matched Batteries in Slide Out Compartment 10-03-8500 Standard Group 65 Batteries. 0,00 0.00 10-04-3500 Owner's Manual (1 Included With Unit) 1 225.00 < Ignition Override Theft Protection Device For By Sound Off 225.00 10-05-4010 Signal Switch Under The Steering Column < No OEM Chassis Horn To Blow Between Siren Tones 1 0.00 0.00 10-DL-0100 Specify Custom Option: 145.00 145.00 1 < Cab Ceiling Dome Light 10-DL-0200 Install (1) TecNiq Lights part # E06-MS0R1 Red/White LED 4" Light In Cab Celling, Mounted Centered In The Cab Headliner. Add A On/Off Rocker Switch On The Front Console. SEE **OPTION 40-01-0410** 0.00 0.00 ***MODULAR BODY TYPE III*** 1 175.00 175.00 1 15-01-1600 < Federal K-Spec Package Includes (2)-5# Fire Extinguishers, Ship Loose Oxygen Wrench, Ship Loose Lock on Cab to Module Door, Lockable from Cab Side 0.00 0.00 15-01-5000 Standard 72" Finished Headroom 0.00 0.00 < Bulkhead Wall Recessed Additional 3" 1 15-01-6500 With A Total Of 6" Recessed Area. 0.00 0.00 Cab To Module Sliding Door 15-01-8500 0.00 Standard Perko Body Intake And Exhaust Vents (3-STD) 0.00 15-02-0000 0.00 0.00 < 1 Piece Stainless Steel Wheel Well Trim Rings (Small) 15-02-1600 18,75" radius for Ford E-Series 0.00 0.00 Standard Cast Fuel Fill Housing 15-02-2500 125.00 < Shoreline Cover Plate Painted & Mounted to Module Body 125.00 15-02-3220 Specify Location: Above D2 To be painted black. 1000.00 1 1000.00 E-Series Body Lowered Front Body Skirts 15-DL-9901 0.00 0.00 1 ***MODULE DOORS AND WINDOWS*** 0.00 0.00 1 < 2 Red Reflectors On Each Module Entry Door 20-00-0100 One Mounted At The Top And One Mounted At The Bottom. 0.00 1 0.00 < Combination Extruded/Pan Formed Module Entry Doors 20-00-0500 With Clean Seal #50512 Door Gaskets. Includes Stainless Steel Sill Plates. Non-Slip Tape on Side Entry Sill Plate 0.00 0.00 < Full Height Side Entry Door With Gas Style Hold-Open 1 20-01-0000 Position The Hold-Open At 90 Degrees. 27" Wide Pass-Thru

06/22/2022		ATV.	EAGH	Page 4
20-01-1000	DESCRIPTION Side & Rear Entry Door Thresholds With Black/Yellow Safety	QTY 1	0.00	0.00
20-01-3000	Anti Slip Tape < Sliding Side Entry Door Window (Dark Tint) Sliding Window With Screen And Dark Tint.	1	125.00	125.00
20-01-3500 20-01-5500	Rear Doors With Grabber Style Hold-Opens < Fixed Rear Entry Door Windows (Dark Tint) With Dark Tint Option.	1	0.00 100.00	0.00 100.00
20-01-9000	< Delete Exterior Assist Handle On Side Or Rear Entry Doors (Ea) Specify Deletion Location: Side And Rear Doors	3	-25.00	-75.00
20-02-0000	Tri-Mark 030-18 Free Float Handles with Chrome Exterior and	1	0.00	0.00
20-02-1500	Black Pocket Primary & Secondary Exterior & Interior Rear Door Free Float	1	0.00	0.00
20-02-1600	Handles Standard < Secondary Door Release Latches On All Entry Doors (3) L04025 Label LH Arrow (3) L04026 Label RH Arrow	1	0.00	0.00
20-02-2500	Shielded Cable Activated Module/Compartment Door Latches Cage Nuts On All Door Panels	1	0.00 0.00	0.00 0.00
20-02-3500 20-02-4500	Brushed Stainless Steel Lower Module Entry Door Trim	1	200.00	200.00
20-02-6020	Panels Diamond Plate Side Entry Door (Dual) Stepwell W/Sealed Seam Edges	1	150.00	150.00
	EXTERIOR COMPARTMENTS	1	0.00	0.00
25-00-0100	 SPECIAL NOTE TO DEALER Custom Compartment Options/Designs Not Listed in The Published Options List MAY Result in Additional Charges. 	1	0.00	0.00
25-00-0200	< 2 Red Reflectors On Each Full Height Compartment Door One Mounted At The Top And One Mounted At The Bottom. One Reflector Mounted On Each Standard Height Compartme Door.	1 ant	0.00	0.00
25-00-0500	< Combination Extruded/Pan Formed Compartment Doors With Clean Seal #50512 Door Gaskets And Stainless Steel Plates: Includes Gas Style Hold-Opens Unless Otherwise Noted.	1 Sill	0.00	0.00
	Special Note To Production: Position All Gas Hold-Opens For Maximum Allowable Door Openir Does Not include Doors That May Hit Other Compartment Doors.	9 .		
25-00-0600 25-01-0000 25-01-1000 25-01-2500	Polished Diamond Plate Exterior Compartment Door Panels Magnetic Compartment Door Switches Polyurethane Compartment Lining-Standard Gray < Standard TecNig Model E41 LED Strip Lighting Surface Mounted Compartment Lights One Strip To Be Installed Vertically Inside Door Frame Against Wa Or #3 As The Standard.	1 1 1 - 1	0.00	0.00 0.00
	The Standard Light Lengths Used Are: 18" E22140 31.5" E22141 54" E22145 72" E22149			
25-01-3224	< 31.5" TecNiq Model E41 LED Strip Lighting IATS For Exterior Compartment (Ea) Specify Location(s):		56.00	112.00

Page 5 06/22/2022 EXTENDED EACH DESCRIPTION QTY PART NO D-2 Opposite Vertical Side Of The Standard Lights P-1 STD and added lights to be on opposite sides on wall #1 as you look in from the module interior 86.00 86.00 < 54" TecNiq Model E41 LED Strip Lighting IATS For Exterior 1 25-01-3225 Compartment (Ea) Specify Location: D4 Opposite Vertical Side Of The Standard Light 220.00 2 110.00 < 72" TecNiq Model E41 LED Strip Lighting IATS For Exterior 25-01-3226 Compartment (Ea) Specify Locations: D1 P4 Opposite Vertical Side Of The Standard Lights Black Texture Coated Aluminum Exterior Compartment Vents 0.00 0.00 25-01-3300 -300.00 1 -300.00< Delete Superliner Curbside Front Backboard Compartment 25-04-3000 Specify Alternate Backboard Compartment: P4 0.00 1 0.00 < Move Superliner IS/OS And Side Entry Door Forward 25-04-5100 P-1 Compartment 21" Passthru X 52" H. ID 0.00 0.00 1 < 3 Adjustable IS/OS Compartment PVC Shelves 25-04-6000 ILOS 0.00 0.00 Cabinet Liner Lined Walls In The IS/OS Compartment 25-04-7000 0.00 0.00 < Superliner Curbside Front Battery Compartment 25-04-8000 P-2 Compartment 300,00 300.00 1 < Superliner Curbside Rear Backboard Compartment 25-05-3000 P-4 Compartment 30.5" W. ID X Full Height Includes Fixed Vertical Divider And Horizontal Shelf. Install The Fixed Vertical Divider 12" From Wall #3 Ship The Horizontal Divider Loose Match 519722SD 0.00 1 0,00 < Superliner Full Height Streetside Front Compartment 25-05-3500 Wide D-1 Compartment To Accommodate Stryker Stair Chair Stowed Flat Against Wall #2 And Main Oxygen Bottle Aft Of The Stair chair 37.5"W ID THIS IS TO BE A DOUBLE DOOR ILOS. Match 519722SD 0.00 0.00 < Superliner Streetside Front Single Door Intermediate Comp 1 25-05-4500 D-2 Compartment The compartment is 38"H x 29 .5"W Match 519722SD 575.00 575.00 1 < Streetside Wheel Well Slide Out Drawer Compartment 25-05-6500 D-3 Compartment 8" H. ID X Max Width Match 519722SD

< 3/4 Height Double Door Streetside Rear Compartment

Plate Upper Half Of Wall #2 For SCBA Installation

D-4 Compartment 55" H. ID X 39.5" W ID

Match 519722SD

25-06-3500

0.00

1

0.00

30-01-0000	6/22/2022 PART NO	DESCRIPTION	оту ု	EAGH	Page 6 EXTENDED
Specify Compartment:	25-11-8010	Matting (Ea) Smooth Aluminum With Standard 2" Lips. Specify Compartment: (3) In P4 Between The Vertical Divider And Wall #3 (2) In D1 - (1) On Each Side Of The Vertical Divider Above O2 ORight and Stairchair Storage On Left.		200.00	1200.00
Specify Compartment: (1) In P-4 9" From Wall #1 25-12-8000 Add Is/OS Access To Exterior Compartment (Ea) Specify Compartment: P-4 S0" H X 10" W Is/OS Access Door Located On The Alsie Side With A Right Hinged Aluminum Framed Poly Door	25-12-1000	Specify Compartment:	1	100.00	100.00
25-12-8000 Add is/Os Access Door Located On The Aisle Side	25-12-1100	Specify Compartment:	1	150.00	150.00
Specify Compartment: D1 / D2 / D3 / D4 / P4	25-12-8000	Specify Compartment: P-4 50" H X 10"W IS/OS Access Door Located On The Aisle Signature		300.00	300.00
##REAR STEP AND BUMPER ASSEMBLY*** 1 0.00 0.00 30-01-0000	25-12-9000	Specify Compartment: D1 / D2 / D3 / D4 / P4		60.00	300.00
30-01-0000		Note: In D-3, the Dri-Deck is on the floor of the pull out draw not the compartment floor.	er,	į	
Section Sect		***REAR STEP AND BUMPER ASSEMBLY***	1	0.00	0.00
###IMPACT RAILS, STONE SHIELDS AND RUNNING BOARD*** 35-01-0000	30-01-0000	Includes Standard Reinforced Corner Angle Supports.	-	0.00	0.00
Source State Sta	30-01-3500	Full Width Diamond Plate Rear Kick Plate	1	0.00	0.00
35-01-0000 Cone Piece Budy Side Failes With Administration Lower Impact Rails Only. 35-01-3000 Chiamond Plate Running Boards With Grip Strut 1 150.00 1			1	0.00	00,00
35-01-3000 Stainless Steel Compartment And Entry Door Sill Plates 1 0.00 0.0	35-01-0000	< One Piece Body Side Panels With Aluminum Lower Impact Rails Includes Lower Impact Rails Only.	1	0.00	
35-01-7500 Rear Mud Flaps Vvith Metal Stabilizers 1 0.00 0.00 35-01-9000 Stainless Steel Compartment And Entry Door Sill Plates 1 0.00 0	35-01-3000	< Diamond Plate Running Boards With Grip Strut WELDED IN GRIP STRUT	1	150.00	
35-01-9000 Statilless Steel Compartment And Entry Bool Statilless Steel Compartment And Entry Bool Statilless Steel Compartment 9 0.00 0.00	35-01-7500	Rear Mud Flaps With Metal Stabilizers	4		0.00
35-02-2500 < 36" High Front Stone Guards With Sealed Top Edge. 35-02-4500 < Rear Corner Stone Guards 36" High ILOS 1 75.00 75.00		< Drip Rail Over Doors Specify Compartment:			0.00
35_02_4500 < Rear Corner Stone Guards 30 might LOS 1 1 1 1 1 1 1 1 1	35-02-2500	< 36" High Front Stone Guards With Sealed Top Edge.	1	0.00	0.00
	35-02-4500	< Rear Corner Stone Guards 36" High ILOS With Sealed Top Edge. 36" High	1	75.00	75.00

06/22/2022 GERNEWER EACH DESCRIPTION PART NO 0.00 0.00***FLECTRICAL SYSTEM* -1000.00 -1000.00 1 40-00-0560 < Elite G3 Touch Pad Electrical System ILOS Includes: (1) Front Switch Panel, (1) Rear Switch Panel. (2) Carling Switches (1) Curbside Dome Lights (1) Momentary Disable Switch For Curb Side Scene Lights. Standard Location is The R.F.S. Cabinet Includes Switch Guards LL #E24072. (1) Electric Oxygen with Regulator Regulator Mounted On A Bracket Remote From The Oxygen Includes High Pressure Hose From The Tank To The Regulator. (1) Front Display Screen for Volts & Hour Meter (1) Rear Display Screen For 02, Temp & Fan Speed. (3) Power Point Studs Terminated Inside The Cab Floor Console And Fused AT 20 Amps. Includes A Full-time Hot, Ignition Hot, & Ground, IATS. Streetside Dome Lights On Low With Entry Door. (On High is Not An Option) Inverter Will Come On With Ignition, Along With Button Provided On Switch Panel. 1 195.00 195.00 < Additional Carling Switch (ea) 40-01-0410 Specify Location(s): (1) ON-OFF-ON Switch On Top Flat Area Of The Cab Console, Centered Between The (2) Air Horn Buttons. The Switch is To Control The Red/White Split Color Cab Headliner Light. See 10-DL-0100 48.00 12.00 4 < Stainless Steel Guard For Carling Switch (ea) 40-01-0430 LL# E24072 Specify Location(s): (1) For Carling Switch On Cab Console (1) Door Lock Switch On Rear Entry Door (2) Carling Switches On RFS 0.00 < Reverse Activated Alarm With Momentary Auto Reset Switch 1 0.00 40-01-2000 ECCO #575 Alarm. 284.00 284.00 < Super Auto Eject Shoreline - 20 Amp 40-01-5000 Specify Location: Above D2 Specify Inlet Cover Color: Black Use LL1603 Painted Mounting Plate. See 15-02-3220. **Mounting Plate to Match Black On The Module Paint*** 0.00 0.00 < **FACTORY USE ONLY** 40-01-6900 Shoreline Inlet Adapter Plug Present, 150.00 75.00 2 < Shoreline On Indicator Light (Exterior) 40-01-7500 (2) Mounted Above The Shoreline Inlet. (1) Red LED Indicating Shore Power At The Inlet (1) Green LED Indication Shore Power At The Interior 125V Outlets Whelen "OS" Series Non-Flashing Is The Std. Light

Page 8 QTY EACH EXTENDED DESCRIPTION PART NO < Vanner LSC12-1100 1100W Inverter With Display Includes 55 1385,00 1385.00 1 40-02-3500 Amp Battery Charger Specify Remote Charger Display Location: Action Area Specify Remote Inverter Display Location: Action Area inverter To Be Located in The Electrical Cabinet. 0.00 1 0.00 40-03-0000 < Action Area Dual 2.4 amp USB Charger And 20 amp 12v Outlet Full Time Hot Circuit. Install Between the (2) 125v Outlets In The Action Area. -110.00 -110.00 1 Delete R.F.S. Cabinet Dual 2.4 amp USB Charger And 20Amp 40-03-3500 12v Outlet 0.00 Action Area 125 Volt Standard Style Hospital Grade Outlet 0.0040-03-6000 < R.F.S. Cabinet 125 Volt Standard Style Hospital Grade Outlet 0.00 0.00 40-03-7000 Mounted in The Lower Section On Wall #1. 180.00 3 60.00 < Add 125 Volt Standard Style Hospital Grade Outlet (Ea) 40-03-8500 Specify Location: (1) Action Area. SEE DRAWINGS. (1) On Bulkhead Wall - Cab Side Near Walk Thru Mounted Low On The Driver's Side. (1) Inside The Floor Console 75.00 1 75.00 40-03-8610 < Add Dual USB Charging Port Specify Location: (1) On Passenger Side Of Cab Floor Console. Knee Area 110,00 110.00 1 < Add Dual 2.4 amp USB Charger And 20 amp 12v Outlet 40-03-8611 Specify Location: In Action Area, Below The STD USB/12v Outlet, Between The (2) 125v Outlets. 0.00 0.00 Power Door Locks For Side Entry & Rear Entry Doors 40-04-4000 130.00 780,00 6 < Additional Power Door Lock (Ea) 40-04-4500 Door Locks Are Wired Thru The O.E.M. Door Lock Switches. Door Locks Are Thermally Protected With Pulsed Signals. Specify Compartment Location: D1/D2/ D3/D4/P1/P4 0.00 0.00 Hidden Switch in Rear License Plate Housing (Unlock Only) 40-04-6000 195.00 195.00 < Interior Body Switch For Power Door Locks (Ea) 40-04-7000 Specify Location: On Primary Rear Entry Door. To Have Switch Guard, See 40-01-0430. 50.00 50.00 1 < 12 Volt Power And Ground Circuit For Flashlight (Ea) 40-05-1600 Specify Location: (1) In Cab Behind Driver Seat COIL, ZIP TIE & TAG BOTH. 420.00 2 210.00 < Streamlight Fire Vulcan LED Vehicle Mount System 40-05-2710 Flashlight (Ea) Part # 44451- LED Specify Location: Orange (1) in D-2 Centered On Wall #2 Above Adj. Shelf (1) Aisle Side Of RFS Near Cab Bulkhead - Above The Forward Portable Oxygen Holder 105.00 105.00 < 12 Volt CO Monitor Mounted In The Patient Area 1 40-05-9000 Specify Location: Curbside Wall Towards Rear Match #4959 SURFACE MOUNT LIFE LINE #M09004. Includes Power And Ground Circuit.

06/22/2022 EACH EXTENDED QTY PART NO DESCRIPTION 1048.00 1048.00 40-06-4105 < Rostra Rear View Mirror Mounted 7.3" LCD Mirror/ Monitor/Camera (1) Camera Is Surface Mounted Above The Rear Doors. (Set The Camera Up For Back-Up Mode). MANUFACTURER WARRANTY ONLY APPLIES. 0.00 1 0.00 ***INTERIOR LIGHTING*** 0.00 0.00 Oxygen Compartment Light 45-01-0000 0.00 0.00 < Side Entry Door Stepwell 3" Round LED Light 1 45-01-0500 Whelen 3" Round Super-LED Surface Mounted 1 0.00 0.00 < 8 Ceiling Lights Tecniq 8" LED Neutral White Frosted Dome 45-01-1510 With Chrome Trim 4-Streetside 4-Curbside TecNiq# E08-LC00-1 (31 diode lights) 0.00 0.00 1 < TecNig LED Action Area Light 45-01-3000 E32-L005-1 14" Light 0.00 0.00 ***EXTERIOR LIGHTING*** 0.00 < Whelen 600 Series "LED" Stop/Tail Lights (Pr) 0.00 50-01-0000 Use Whelen #60BTT Lights (Meets SAE Requirements). Mounted Above The Rear Kick Plate. 0.00 0.00 < Whelen 600 Series "LED" Populated Amber Turn Lights (Pr) 1 50-01-6000 Mounted Above The Rear 600 Series LED Stop/Tail Lights. To Flash Sequentially in The Direction Of The Arrow. #60A00TAR 297.00 1 297.00 < Whelen 600 Series "LED" Populated Amber Turn Light IATS 50-02-6000 Specify Location: Below Upper Corner Front Wall Warning Lights. To Flash Sequentially In The Direction Of The Arrow. #60A00TAR 0.00 1 0.00 C.P.I. License Plate Housing 50-02-9000 0.00 < Whelen 600 Series "LED" Minimum-Populated Back-Up 0.00 50-02-9520 Lights (Pr) Mounted Above The Rear Turn Lights. Model # 60C00VCR 764.00 < Two Reverse Activated Whelen 900 "LED" Rear Load Lights 764.00 1 50-03-2100 24 Diode #9SC0ENZR Lights. 1529.00 1 1529.00 < Whelen 900 "LED" Side Scene Lights (Two Each Side) 50-03-5600 24 Diode #9SC0ENZR Lights. 0.00 0.00 Right Side Scene Lights On With Open Side Entry Door 50-03-9000 275.00 825.00 < Recessed Truck-Lite 60 "LED" Door Light (Red)(Ea) 50-04-6100 Includes Individual Door Switch Circuit. Specify Location And Color: Red Side And Rear Entry Doors In Lower Outer Corners The Lights On The Rear Entry Doors Are Both To Flash When The Primary Rear Entry Door Is Opened E23019 60052R "60" LED Trucklite Red with Chrome Trim

Page 10 06/22/2022 ENDED EACH **QTY** DESCRIPTION PART NO 0.00 Federal Commander COM1 "LED" ICC Marker Lights 0.0050-04-7500 0.00 1 0.00 50-04-8000 < Innovative Lighting Slimline Rear DOT/Brake Light Mounted Above The Rear Doors. Mounted Above The Drip Rail. Mid Sections To Be Wired Thru The Brake Light Circuit. 0.00 0.00 < Innovative Lighting Slimline Front DOT Light 1 50-04-8100 Mounted Above The Drip Rail. 0,00 0.00 1 ***RADIO PROVISIONS AND AIR HORNS*** Pricing does not include installation of customer supplied radio equipment unless otherwise stated. All customer supplied radio equipment must be received at Life Line prior to construction start 1550.00 1 1550.00 < 10"/12" Buell Strombos Air Horns Thru Bumper Valance 55-01-3000 E-Series w/Compressor Includes: LL#F15011 Standard Duty Compressor Specify Compartment For Compressor Location: D-2 In Upper Corner Of Wall #1 And Wall #2 Mesh Cover Over Pump One Standard Frame Mounted Air Tank (1) LL# F15001 10" Air Horn (1) LL# F15002 12" Air Horn Push Button Location: Drivers Side Top Flat Portion Of Cab Console 325.00 325.00 < Add Secondary Air Tank To Air Horn System 55-01-6000 Air Tank Contains Manual Drain Valve. 150.00 150.00 < Add Second Push Button Switch To Air Horn System 1 55-01-8000 Specify Location: Top Flat Area Of Cab Console, Toward Passenger's Side. 0.00 0.00 1 < KE-794 Antenna Base With Coax 55-01-8500 Specify Termination Location: (1) Front Module Roof To The Cab Floor Console COIL, ZIP TIE & TAG. 150.00 1 150,00 < Install Customer Supplied Module Roof Antenna(Ea) 55-02-1100 Specify Termination Location: Install Customer Supplied Module Roof Antenna Above D1 With Cover Plate And Terminated In The Electrical Overflow Cabinet Behind The Driver Seat. 75.00 75.00 1 < KE-794 Module Roof Antenna Base/Coax (Ea) 55-02-1500 Specify Termination Location: Mid Module Roof To Action Area Behind The Elite Touch Pad Display. COIL, ZIP TIE & TAG. 150.00 150.00 < Radio Pre-Wire Power And Ground 20 AMP Or Less Circuit 1 55-02-5500 Full Time Power And Ground And Battery On (Ignition On) Circuits. **Butt Splice Termination Points.** Specify Termination Location: Action Area, Behind Switch Panel. 14 Gauge Wire Will Be Used in this Option. If Larger Gauge Wire is Required You Must Use Option 55-02-5700 or 55-02-5800.

06/22/2022 EXTENDED EACH OTY DESCRIPTION PART NO 1 0.00 0.00 ***SIRENS AND EMERGENCY LIGHTING*** 0.00 0.00 1 < Standard Siren Whelen 295HFS2 Siren System 60-01-1000 This is A Single AMP Siren Meets 49 State Requirements Locate Just Below Elite Touch Pad, To The Drivers Side. **NO OEM HORN SOUNDS BETWEEN SIREN TONES** 420.00 420.00 SAD3801 And SAP3801 Thru Bumper Siren Speakers 1 60-01-4010 (E-Series) 0.00 1 0.00 < 4 Whelen 900 Super "LED" Side Module Warning Lights 60-01-9000 Part #90RR5FCR Red LED with Clear Lens Mount The Side Lights Inline. Set Light Head To Steady Burn. Use HED Comet Flash Pattern. -228.00 Delete The 2 Standard Front Module Warning Lights (Credit) -228.00 60-02-5000 -114.00 -114.00 Delete The Standard Center Front Module Warning Light 60-02-8100 (Credit) 0.00 0.00 < 2 Whelen 900 Super "LED" Rear Module Warning Lights 60-02-9500 #90RR5FCR Red LED with Clear Lens Set Light Head To Steady Burn. Use HED Comet Flash Pattern. See 60-DL-0100 For Flasher Legs For Rear Wall Lights. 0.00 0.00 1 < 1 Whelen 900 Super "LED" Center Rear Warning Light 60-03-3000 Part #90AA5FCR Amber LED with Clear Lens Set Light Head To Steady Burn. Use HED Comet Flash Pattern. On in PRI and SEC. See 60-DL-0100 For Flasher Legs For Rear Wall Lights. 0.00 0.00 1 < 2 Whelen 500 Super "LED" Grille Lights 60-04-5300 #50R02ZCR Red LED with Clear Lens Set Light Head To Steady Burn. Use HED Comet Flash Pattern. On in PRI and SEC. 309.00 309.00 < 2 Whelen 700 "LED" Split Color, W/R Intersection Lights 60-05-2700 Part #70RC6FCR Red/White split color LED with clear lens. Set Light Head To Steady Burn. Use HED Comet Flash Pattern. Wire So Red Half Alternates With The White Half. Needs 2 Power Wires Per Light On In PRI and SEC. 160,00 160.00 1 < Angled Light Housings (Pr) 60-06-0500 To Be Used For The Front Fender Intersection Lights. 263,00 263,00 1 < Whelen Wig-Wag Headlight Flasher 60-06-0650 Add Wig Wag Headlights With Whelen #SSFPOS Flasher. Disables OEM DRL headlights. THIS WILL REQUIRE CHASSIS TO BE TAKEN TO DON'S TRUCK IN FAIRBANK IA. On in PRI and Off in Sec And in Park

ne/22/2022 Page 12

6/22/2022 PART NO	DESCRIPTION	QTY	EACH	Page 12 EXTENDED
60-06-6000	< 2 Whelen 700 Super "LED" Rear Wheel Well Lights Part#70R02FCR Red LED with Clear Lens Set Light Head To Steady Burn. Use HED Comet Flash Pattern.	1		396.00
	On in PRI and SEC.		1	
60-07-1510	< 7 Whelen 900 Super "LED" Front Module Warning Lights Clear Lens (6) 90RR5FCR Red With Clear Lens. (1) 90CC5FCR White With Clear Lens. Off In Secondary From Driver Side; R/R/R/W/R/R/R	1	1636.00	1636.00
	Set Light Head To Steady Burn. Use HED Comet Flash Pattern.			
	Lights 1,4,7 on PRI/SEC switch			
	Lights 2,3,5,6 On Front Light Bar Switch, On in PRI and SEC With The Emergency Master. Use Comet Flash Pattern in T Lighthead	On he		
	White Light In Position #4 Is Off In SEC, Lights 1, 7 Are On In and SEC.	PRI		
60-10-0130	< Rear Window Level Whelen 900 Red & Amber Super LED Lights (2) Specify Color: (2) #90RR5FCR Red With Clear Lens Upper Window Area (2) #90AA5FCR Amber With Clear Lens Lower Window Area Set Light Head To Steady Burn. Use HED Comet Flash Pattern.	2	600.00	1200.00
	On in PRI & SEC	-		·
	See 60-DL-0100 For Flasher Legs For Rear Wall Lights.			
60-10-2000	< Whelen 900 Red/Amber/Blue or Clear Super "LED" Light (Ea) 90RR5FCR Red With Clear Lens Rear Wall Between The Rear Load Lights And The Center Am On In PRI & SEC Set Light Head To Steady Burn. Use HED Comet Flash Pattern.		2 315.00	630.00
	See 60-DL-0100 for flasher legs for rear wall lights.			
60-DL-0100	< Rear Wall Warning Light Flasher Legs Specify Custom Option: The rear wall lights will be wired follows to flasher legs 1 and 2.		0.00	0.00
	1 1 2 2 (R) (LL) (R) (A) (R) (LL) (R) Upper rear wall			
	(R) (R) Upper window level			
	(A) 2 (A) Lower window level			
	PATIENT COMPARTMENT		1 0.00	0.00
65-00-9900	< SPECIAL NOTE TO DEALER Custom Cabinet Options/Designs Not Listed in The Published Options List MAY Result in Additional Charges.		1 0.00	0.00

06/22/2022 PART NO	DESCRIPTION	QTY	EACH	Page 13 EXTENDED
65-01-2000	Standard Smooth Headliner	1	0.00	0.00
65-01-3000	< 1/4" Clear Polycarbonate Sliding Doors On Cabinets Includes Brushed Finish Interior Trim.	1	0.00	0.00
65-02-2214	< "LL Standard Package" Stryker Power Load System This is the Stryker Power Load Option. Will Be Center Mount Unless Otherwise Specified Includes: Floor Structure - Tapping Blocks Pre-Wire with 10 Gauge Power and Ground with a 15 Am Circuit Breaker Powered by Shoreline or Battery on Power. T Power And Ground Is Run To Inside The Track. Power & Performance Load Floor Plate Kit #6390-700-001 Needs To Include Track Cover #6390-001-109 Push Rail Floor Mount Only Stryker #6360-30-11 Includes Hardware Kit F09053 Which Is (2) Silver Knobs (Threaded Stryker Plates To Install In The Track If Customer Dealer Needs To Install Antlers. These Are To Be Installed In Track By Life Line Installer.	ne 2) Or	0.00	0.00
65-02-2230	< "Complete Package" Stryker Power Load System Includes: Floor Structure - Tapping Blocks Pre-Wire with 10 Gauge Power and Ground with a 15 Amp Circu Breaker Powered by Shoreline or Battery on Power Complete 6390 Power Load System Installed Be sure to leave main power switch in the off position. Does NOT include cot. Includes Std. Life Line Push Rall Floor Mount Stryker Par 6360-030-11 LL#F09042 Does Not Include Push Rall Will Be Center Mount Unless Otherwise Specified		24568.00	24568 . 00
65-02-8000	< L.R.O. Cabinet With Speed Load Door With Positive Lock Feature. To Include (1) PVC shelf	1	150.00	150.00
65-03-3500	< Cabinet Above The Side Seat With Speed Load Door To be 8.25"H With Positive Lock Feature.	1	250.00	250.00
65-03-7500	< L.F.O. Cabinet With Speed Load Door With Positive Lock Feature. To Include (1) PVC shelf Fixed Vertical Center Divider With (1) Adjustable Shelf On Ea Side	1 ch	150.00	150.00
65-04-2300	Delete Standard Left Rear Base Cabinet (Factory Use) Deleted Due To Custom Compartment Or Cabinet Design ILOS.	1	0.00	0.00
65-04-6600	< Delete Standard Telemetry Area Cabinet NOTE: There Will Be a 12" Wide Telemetry Area Aft Of The CF Seat	R R	-100.00	-100.00
65-04-8100	< Delete Standard Lower Telemetry Area Cabinet (Factory Use) Deleted Due To Custom Compartment Or Cabinet Design ILOS	1	0.00	0.00
65-05-0200	< Delete Standard Action Area Cabinet (Factory Use) Deleted Due To Gustom Cabinet Design ILOS.	1	0.00	0.00
65-05-2100	< Delete Standard Lower Action Area Cabinet (Factory Use) Deleted Due To Custom Compartment Or Cabinet Design ILOS.	1	0.00	0.00

06/22/2022 Page 14

06/22/2022 PART NO	DESCRIPTION	QTY	EACH	Page 14
65-05-3600	Comparison of the Compariso	1	0.00	0.00
65-05-4000	< Side Facing CPR Seat w/Contoured Ergo Backrest & 4-Point Seat Belt Includes Black IMMI 4-Point Seat Belt Gunmetal MV102	1	0.00	0.00
65-05-8000	< Rear Facing EVS Sewn Seat With Child Seat On EVS Pedestal/Swivel Base 18723 EVS Sewn Seat To Match Cushion Vinyl Montana Dark Graphite. Requires EVS Provided Pedestal Base For Compliance. Includes 3-Point Seat Belt. Question: Will there be an O2 Bottle Attached to the Head of the Cot? Yes	1	1017.00	1017.00
65-05-9795 65-06-2000 65-07-5300	Delete Contoured Ergo Backrest/IMMI 4 Point Seatbelt (Ea) Rear Facing Electrical Cabinet And Door < Top R.F.S. Cabinet W/Top Hinged Door ILOS Heat/AC Includes Gas Style Hold-Opens. NOTE: Use Aluminum Lap Style Door ILOS See #495921	1 1 1	-200.00 0.00 50.00	-200.00 0.00 50.00
65-07-5410	< Top R.F.S. Cabinet (Ducted Heat/AC In Ceiling Pkg Discount) Includes Gas Style Hold-Opens. ****Use Aluminum Lap Style Door ILOS***	1	-50,00	-50.00
65-07-5600	< Open R.F.S. Cabinet ILOS (Both Cabinet Doors Deleted) Trim The Open Edges With Stainless Trim.	1	-100.00	-100.00
65-08-0000	< CS Squad Bench w/Contoured Ergo Backrests w/2 Piece Lid & No Divider Includes 2 Sets Of Black IMMI 4-Point Seat Belts Includes 3 Cot Restraints & Retractors. Gunmetal MV102	1	0.00	0.00
65-08-5000	Formed Stainless Removable Sharps And Waste "A" Bar Mounted At The Head Of The Squad Bench ILOS Cushion Area DELETES STANDARD HEAD PAD. DELETES STANDARD ASSIST RAIL. Standard Waste. Life Line #85131 Sharps	1	275.00	275.00
65-08-8500 65-09-2510	Squad Bench Headrest Cushion < Two Section Bandage Cabinet W/Top Hinged Heavy Polycarbonate Doors Specify Cabinet Depth: 10"	1 1	0.00 <i>400.00</i>	0.00 <i>400.00</i>
65-09-6000	< Recessed Glove Box Storage In Cushion Area Above Doors(Ea) Recessed Storage Box With Top Hinged Polycarbonate Door. Specify Location: In Headpad Above Rear Doors Specify Number Of Box Cut-Outs: (2) SPECIAL NOTE: Unless Otherwise Specified, Cabinet Will Fit A 5" High x 10 Wide x 4" Deep Glove Box. REQUIRES SMALL MOLDED HOUSINGS.	2	100.00	200.00
	NOTE: These Will NOT Be CPI Storage. Use Old Standard Boxes.	1		
65-09-6100	< Recessed Glove (Three) Box Storage in Side Door Cushion Area Recessed Storage Box With Top Hinged Polycarbonate Door.	1	300.00	300.00

Page 15 QTY EAGH EXTENDED 06/22/2022

PART NO	DESCRIPTION	QTY	EACH	EXTENDED
	SPECIAL NOTE: Unless Otherwise Specified, Cabinet Will Fit A 5" High x 10 Wide x 4" Deep Glove Box. REQUIRES LARGE MOLDED HOUSING	"		
	NOTE: These Will NOT Be CPI Storage. Use Old Standard Boxes.	1		
65-09-8500 65-09-9505 65-10-1500 65-10-2505	100" Long Formed Streetside Ceiling Grab Rall 70" Long Formed Curbside Ceiling Grab Rail Formed "L" Door Assist Rails Mounted Inverted < Formed Assist Rail Moved To Right Rear Wall 12" Assist Rail Is Std. Size.	1 1 1	0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00
65-10-4000	< Add Formed Assist Rail Specify Length: 20" Specify Location:There Shall Be A 20" Rail Spaced Apart From The Curbside 70" Rail So The Celling Oxygen Outlet Can B Installed Between The 2 Rails	n e	100.00	100,00
65-10-5000	< Two C.P.I. #IV2008 Rubber Recessed IV Brackets Mounted In The Mid/Rear Cot Position.	1	0.00	0.00
65-10-6100	< Add C.P.I. #IV2008 Rubber Recessed IV Bracket (Ea) Specify Location: Head End Of Cot.	2	55,00	110.00
65-10-9000 65-12-4100	Southco M1 Stainless Cabinet Latches < Locking Cabinet Door With Simplex Push Button Lock (Ea) Specify Cabinet Location: Top RFS / ALS Cabinet Door	1	0.00 <i>50.00</i>	0.00 <i>50,00</i>
65-13-8000 65-14-1500 65-14-4500	CPR Seat Height Brushed Scuff Protector On Left Wall Squad Bench Height Brushed Scuff Protector On Right Wall < Adjustable Vertical Shelf Divider (Ea) Specify Cabinet Location: Two In Each Section Of LFO	1 1 8	300.00 300.00 50.00	
65-15-0017 65-17-0001	Interior Laminate: White Nebula 4621-01 High Gloss Seam Sealed Cushions Vinyl: Montana Dark Graphite	1	100.00 0.00	1
65-17-0502	MON-7096 (Dark Gray) EVS Seamless/Medi-Vac Vinyl Color: Gunmetal MV102 (Medium Gray)	1	0.00	
65-18-0001 65-19-0001	Welting Between Cabinets: Dark Gray < Counter Tops (Main): Stormy Gray (Dusk) Standard with 1" Lip	1	0.00	
65-20-0010	< Counter Tops (Accent Stripe): Dove Standard with 1" Lip	1	0.00	0.00
65-21-0034	Lonseal Floor Selection: Lonplate II #424TX Gunpowder Specify: Rolled Up 4" On Both Sides Unless Otherwise Specified.	1	0.00	0.00
65-DL-0100	< RFS Straps Specify Custom Option Install (2) 2" Seat Belt Style Retractable Straps Vertical Mounted Over The Full Height RFS Open Area	y 2	75.00	150.0
	The Retractors Are At The Top Of The Opening.			

06/22/2022 Page 16

06/22/2022 PART NO	DESCRIPTION	ΩТΥ	EACH	Page 16
	PATIENT COMPARTMENT ENVIRONMENTAL SYSTEMS	1	0.00	0.00
70-01-0000 70-01-1000 70-01-2300	Static Module Fresh Air Intake Vent 12 Volt Powered Exhaust Fan < Ducted ProAir Center Mounted Heat/AC Location ILOS Includes Center Evaporator/Heater Core Location. Includes #65-07-5410 Top Hinged Top R.F.S. Cabinet.	1 1 1	0.00 0.00 1400.00	0.00 0.00 1 <i>400.00</i>
70-01-2400	< Inline Booster Coolant Pump 12 Volt Centrifugal Pump To Boost The Flow Capacity Of The Cool System.	1 ant	0.00	0.00
70-01-6000	Yellow Certifoam High Density Insulation Body/Floor/Doors (R-6) GAS CHASSIS' INCLUDE THERMOTECH HEAT BARRIER PAR #F18084. THIS GOES ON THE HEAT SHIELD THAT GOES OVER THE AXI THIS ALSO GETS THE THERMO HEAT INSULATION BLANK ON THE BOTTOM OF THE FLOOR AND GOES FROM TH FRONT OF THE MODULE TO THE FUEL TANK.	E. ET	0.00	0.00
70-01-6600 <i>70-DL-0100</i>	Automotive Grade Undercoating Under Module Body < Cold Air Return Vents Use (2) Narrow Style Cold Air Return Vents, Stacked, To Alle For Portable Oxygen Bottle Storage On Aisle Side Of RFS.	1 1 w	0.00 <i>0.00</i>	0.00 <i>0.00</i>
	OXYGEN SYSTEM	1	0.00	0.00
75-01-0000 75-01-2000	Ohio Style Action Area Oxygen Outlet < Ohio Style Ceiling Mounted Oxygen Outlet To Be Installed Between The 20" And 70" Curbside Ceiling Gr Rails.	1 1 ab	0.00 <i>0.00</i>	0.00 <i>0.00</i>
75-01-4000 75-01-8000	Ohio Style Right Wall Mounted Oxygen Outlet < Interior Oxygen Access/Viewing Door Access Door Will Be Polycarbonate.	1	0.00 <i>0.00</i>	0.00 0.00
75-01-8600	< "M" Oxygen Tank Bracket in Streetside Front Compartment D-1 Compartment, Wall #2, Close To Wall #3.	1	0.00	0.00
75-02-3710	< Drill Mounting Plate For Both "H" or "M" Tank For O2 Bracket Set Up For "M" Tank For Delivery	1	0.00	0.00
75-03-3010	< ZICO Model QR-D-2 Quick Release Strapless Portable Oxygen Tank Bracket Specify Location: Mounted On Aisle Side Of RFS- 3" Above Floor Match 519722SD	2	284.00	568.00
	SUCTION SYSTEM	1	0.00	0.00
80-01-0000 80-01-1500 <i>80-01-7500</i>	12 Volt Gast Suction Pump Controlled By Switch on Switch Panel 1 Ohio Style Action Area Suction Outlet < SSCOR 22000 Suction Unit W/23002 Disposable Trap Set Includes Flush Mounted Action Area Panel And Disposable T Set. Includes Standard Suction Outlet.	1 1 1 rap	0,00 0.00 <i>0.00</i>	0.00 0.00 <i>0.00</i>
	PAINT	1	0.00	0.00

Page 17 PART NO DESCRIPTION QTY EACH EXTENDED. 85-00-0100 < Standard AkzoNobel Paint Process 0.00 Includes 6 Year Pro-Rated DuPont Paint Warranty. 85-01-0000 < Repaint Chassis ILOS O.E.M. White (Type III) 2000.00 2000.00 Specify Color: Red FLNA32544 Touch-Up Paint is included For Colored Chassis. 85-01-1500 < Paint Module Body Other Color ILOS O.E.M. White 1 2400.00 2400.00 Specify Color: FLNA32544 Red Touch-Up Paint is included For Colored Module Body. 85-02-8500 < Custom Two-Tone Paint 900,00 900.00 Specify Location And Color: Upper Half Black FLNA96822 Lower Half Red FLNA32544 ** See Photos Of Current Brook Park Ambulance #519722SD Do Not Paint The Nader Pins/Install After Paint Process 85-02-9500 0.00 0.00 85-02-9710 < Shoreline Cover Plate To Be Painted To Match Module 0.00 0.00 To be Painted Black. See 15-02-3220 85-03-1000 < Non-Standard Color 1/4" Pinstripe 1 0.00 0.00 Specify Color: 680CR-64 Gold Entire Paint Break Between Red And Black Two tone, including The Cab. 85-03-4000 < 2" Scotchlite Striping (Per Foot) 120 4.00 480.00 Specify Color And Location: 2" 680CR-64 Gold to be on the 4" black reflective stripe, 3/4" below the top edge of the black reflective stripe. 2" 680CR-72 Red Reflective Stripe installed flush with the top edge of the 4" black reflective stripe so there is 3/4" of black reflective stripe showing between the red stripe and the LOWER gold stripe. 2" 680CR-64 Gold to be installed 3/4" above the red reflective stripe so 3/4" of black paint shows between the red and UPPER gold stripe. All stripes start at the cab to body seal, extend along the length of the body and across the back of the body. They do not continue onto the cab. Only the gold reflective pin stripe between the two tone colors is on the cab. ** See #519722SD Photos For Placement** 85-03-4500 < 4" Scotchlite Striping (Per Foot) 40 6.00 240.00 Specify Color And Location 680CR-85 Black reflective stripe. To begin butted up against the pinstripe between the two tone colors. This stripe will, be in the black painted area and will have a 2" gold reflective stripe running in it as per 85-03-4000. This stripe also ends at the cab to body seal and does not cross onto the cab. ***EMBLEMS AND DECALS*** 1 0.00 0.00

06/22/2022

Page 18

PART NO	DESCRIPTION	QTY	EACH	Page 18 EXTENDED
<i>90-01-1000</i> 90-01-1100	Delete Federal Star Of Life/Ambulance Decal Package < "NO SMOKING" - "FASTEN SEAT BELT" Decals 1-Installed In The Cab. 1-Installed In The Module.	1 1	<i>-125.00</i> 0.00	-125.00 0.00
90-01-1200 9 <i>0-01-5100</i>	No Other Decals or Lettering Included Unless Specified Below < Install 3/4" White Reflective Tape Around Side And Rear Entry Doors KKK-F Certification Requirement.	1 1	0.00 0.00	0.00 <i>0.00</i>
95-DL-0100	< Stryker - Lucas 3 including charger, bateries, ProCare Service Plan Specify Custom Option:	1	43573,00	43573.00
	END OF QUOTE/PRODUCTION ORDER	1	0.00	0.00
95-SP-0100	< 1 Original & 1 Revision Work Order Before Penalty Pricing 1 Original Draft & 1 Revision Draft Work Order Before Penalt Pricing. The Revision Rate is \$120.00 Per Hour With 1 Hour Minimur Charge.	´	0.00	0.00
95-SP-0200	< 1 Original & 1 Revision Drawing Before Penalty Pricing 1 Original Draft & 1 Revision Draft Drawing Before Penalty Pricing. The Revision Rate is \$120.00 Per Hour With 1 Hour Minimum Charge.	1	0.00	0.00
95-SP-0600 95-SP-0700 95-SP-0800	Change After Sign-Off (Published Price + 50%) Change After Production Start (Published Price + 75%) Change After Production Completion (Published Price + 100%) ***SIGNATURE-LIFE LINE EMERGENCY VEHICLES*** This is A Contract Between Life Line Emergency Vehicles A The Franchised Distributor Entering The Order. No Agreement Verbal Or Written Arrived At Between The Selling Distribute And The Purchasing Agency Not Listed On This Order A Binding Upon Life Line Emergency Vehicles.	ts or	0.00 0.00 0.00 <i>0.00</i>	0.00 0.00 0.00 <i>0.00</i>
	THE VEHICLE IS BUILT TO THIS PRODUCTION ORDER. IT THE DISTRIBUTORS RESPONSIBILITY TO ASSURE THE VEHICL MEETS THE CUSTOMER SPECIFICATIONS.			
	Date Of Order: Franchised Distributor: Pfund Superior Sales Co. INC Quote Number:			
	Ordered By:			
	•		,	