

P/C 8-15-17 SERVICE
CA 8-22-17
1st R 9-5-17
2nd R _____
3rd R _____
B/C _____

CITY OF BROOK PARK, OHIO

ORDINANCE NO: 10095-2017
INTRODUCED BY: MAYOR COYNE

AN ORDINANCE
AUTHORIZING THE MAYOR TO ENTER INTO AN AGREEMENT WITH
AKRON TRACTOR & EQUIPMENT, INC., FOR THE
ACQUISITION OF ONE KUBOTA EXCAVATOR WITH
TRADE-IN OF ONE 2014 NEW HOLLAND TS6.110
TRACTOR WITH CAB,
AND DECLARING AN EMERGENCY

WHEREAS, the Mayor has determined that the Service Department for the City is in need of a mini excavator for sewer dig out jobs; and

WHEREAS, the City of Brook Park is a member of the National Joint Powers Alliance ("NJPA") which is an organization that creates national cooperative contract purchasing solutions for its member agencies; and

WHEREAS, Akron Tractor & Equipment, Inc., is a vendor that has been authorized by the NJPA to provide Kubota Excavators to NJPA members;

NOW, THEREFORE, BE IT ORDAINED, by the Council of the City of Brook Park, State of Ohio, that:

SECTION 1: Pursuant to Section 7.04(h) of the Charter of the City of Brook Park, the Mayor is authorized to enter into an Agreement with Akron Tractor & Equipment, Inc., for the acquisition of one Kubota Excavator with the trade in of one 2014 New Holland TS6.110 Tractor with Cab, said quote is attached hereto and incorporated herein as Exhibit "A."

SECTION 2: There is no money needed for the aforesaid transaction. This would be a trade-in of our 2014 New Holland TS6.110 Tractor with Cab for a trade-in allowance of \$71,652.00. The total cost of a Kubota Model KX057-4R3AP Excavator, serial no. 27791 would be \$71,652.00.

SECTION 3: It is found and determined that all formal actions of this Council concerning and relating to the adoption of this Ordinance were adopted in an open meeting of this Council, and that all deliberations of this Council and of any of its committees that resulted in such formal action were in meetings open to the public in compliance with all legal requirements, including Section 121.22 of the Ohio Revised Code.

SECTION 4: This Ordinance is hereby declared to be an emergency measure immediately necessary for the preservation of the public peace, health, safety and welfare of said City, and for the further reason to allow the City to acquire a Kubota Excavator with the trade-in of one 2014 New Holland TS6.110 Tractor with Cab; provided this ordinance receives the affirmative vote of at least five (5) members elected to Council, it shall take effect and be in force immediately upon its passage and approval by the Mayor; otherwise, from and after the earliest period allowed by law.

PASSED: September 5, 2017 Jim Astorue
 PRESIDENT OF COUNCIL

ATTEST: Michelle Blazak APPROVED: [Signature]
 Clerk of Council MAYOR

9/7/17
 DATE

I HEREBY APPROVE THE WITHIN INSTRUMENT AS TO LEGAL FORM AND CORRECTNESS

[Signature]
 Year _____ May _____
 DIRECTOR OF LAW

- | | | |
|-----------|-------------------------------------|-------|
| Troyer | <input checked="" type="checkbox"/> | _____ |
| Mencini | <input checked="" type="checkbox"/> | _____ |
| Powers | <input checked="" type="checkbox"/> | _____ |
| Scott | <input checked="" type="checkbox"/> | _____ |
| Burgio | <input checked="" type="checkbox"/> | _____ |
| McDonnell | <input checked="" type="checkbox"/> | _____ |
| Salvatore | <input checked="" type="checkbox"/> | _____ |

CERTIFICATE
 Michelle Blazak, Clerk of Council, of the City of Brook Park, Ohio, do hereby certify that the foregoing is a true and accurate copy of Ordinance/Resolution No. 10095-2017 passed on the 5th day of September 2017 by said council.
Michelle Blazak
 Clerk of Council

I, Michelle Blazak, Clerk of Council for the City of Brook Park, State of Ohio, do hereby certify that there is no newspaper of general circulation in the municipality and that publication of the foregoing ordinances/resolutions was made by posting true copies at six of the most public places in said municipality as determined by Ordinance No. 4838-1975; location City Hall 0161 Engle Road, Police Station 17401 Holland Road, #1 Fire Station 5590 Smith Road, #2 Fire Station 22430 Ruble Parkway, #3 Fire Station 17401 Holland Road, Brook Park Library 0165 Engle Road, for a period of fifteen days, commencing September 8, 2017
Michelle Blazak
 MICHELLE BLAZAK
 Clerk of Council

AKRON TRACTOR & EQUIPMENT, INC.
 1309 Collier Rd, Akron, Ohio 44320
 Telephone: 800-821-2785 or 330-836-0237
 Cell: 440-773-5800 Email: craig@akrontractor.com

August 1, 2017

City of Brookpark
 19065 Holland Road
 Brookpark, Ohio 44142

Following is a quote on the Kubota Excavator with a Kubota Factory Governmental Discount. Kubota is on the NJPA Contract which Brookpark is a member.

One Kubota Model KX057-4R3AP Excavator, Serial Number 27791, with the Standard Features listed on the Attached Sheet, Tier 4 Emissions, ROPS/OPG Cab with AC, Rubber Tracks, Angle Dozer Blade, Dipper Arm, Counterweight, and Two Auxiliary Service Port, Kubota Mechanical Quick Coupler, and 24" Quick Attach Trenching Bkt.

Kubota List Price	\$81,471.00
24% Governmental Discount	-\$19,554.00
<hr/>	
Kubota Governmental Price	\$61,917.00
Deduct for 20 hours Use as Demonstrator Unit = 20 X 50.00 per Hour	-\$1,000.00
<hr/>	
Kubota Governmental Price Less Demo Allowance	\$60,917.00

One CAM Superline Model 8CAM824DOSTT Deckover Tilt Tandem Axle Trailer, Mfg. VIN Number 55727, with a Split Deck. GVWR = 18,400 lbs., Empty Weight = 5,130 lbs., Payload = 13,270 lbs., Deck Length is 24' Overall, 4' Stationary Deck and 20' Tilt Deck, Overall Usable Width = 102", 12K Bolt-On Drop Leg Jack, Adjustable Dual Hydraulic Cushion Cylinders, Pintle Eye Hitch, Stake Pockets, Aluminum Tool Box, (8) D-Ring 5/8" Tie-Downs, 36" Deck Height, 215/75R17.5LRH Tires, Electric Brakes Both Axles, Black Color.

CAM List Price	\$11,928.00
10% Governmental Discount	-\$1,193.00
<hr/>	
CAM Governmental Price	\$10,735.00
<hr/>	
TOTAL KUBOTA PRICE AND CAM PRICE	\$71,652.00

Trade-In:

One 2014 New Holland TS6.110 Tractor with Cab, Serial Number and 4WD and Alamo Machete II 22' Boom Mower with 60" Rotary Mower Head -\$71,652.00

TOTAL PRICE LESS TRADE-IN **\$0.00**

**TRACTOR # NH04827M MODEL # 402TSS1C4A30506011

Akron Tractor & Equipment, Inc.

Craig Gorsuch Sales

Craig Gorsuch



KUBOTA

K Series KX057-4

KX057-4
Hydraulic Excavator

FEATURES

Eco Plus System
Auto Idler
Rubber Or Steel Track Models
4-Post ROPS/OPG (Top Guard, Level I) Canopy or Air
Conditioned Cab
Suspension Seat
Kubota 3 Hydraulic Pump Load Sensing System
1 Gear, 2 Variable Displacement Pumps
All Controls Hydraulic Pilot Controls
Two Operating Pattern Selection System
Accumulator
Digital Control Panel
Attachment Flow Presets, Service Alerts
Standard Front Dozer Blade w/ Float
Optional Float Angle Blade w/ Bolt-on Cutting Edge
360 Degree Full Rotation
70 Degree Left, 55 Degree Right Boom Swing
19.8 gpm Adjustable Auxiliary Hydraulics Port 1
Auxiliary Hydraulics Diverter Valve
9.8 gpm Adjustable Auxiliary Hydraulics Port 2 Option
Thumb Bracket And Relief Valves
Five Second Quick Preheat System
Key Switch Stop System
Half Pitch Rubber Tracks
Self Bleed Fuel System
Auto-Downshift Two Speed Travel System
Swivel Negative Brake
Travel Negative Brake
Third Line

BASIC UNITS

KX057-4R1, Rubber Tracks, ROPS/OPG (Top Guard, Level I) Canopy, Dozer Blade, Dipper Arm, Counterweight
KX057-4R1P, Rubber Tracks, ROPS/OPG (Top Guard, Level I) Canopy, Dozer Blade, Dipper Arm, Counterweight, SP2
KX057-4R1A, Rubber Tracks, ROPS/OPG (Top Guard, Level I) Canopy, Angle Dozer Blade, Dipper Arm, Counterweight
KX057-4R1AP, Rubber Tracks, ROPS/OPG (Top Guard, Level I) Canopy, Angle Dozer Blade, Dipper Arm, Counterweight, SP2
KX057-4R3, Rubber Tracks, A/C ROPS/OPG (Top Guard, Level I) Cab, Dozer Blade, Dipper Arm, Counterweight
KX057-4R3P, Rubber Tracks, A/C ROPS/OPG (Top Guard, Level I) Cab, Dozer Blade, Dipper Arm, Counterweight, SP2
KX057-4R3A, Rubber Tracks, A/C ROPS/OPG (Top Guard, Level I) Cab, Angle Dozer Blade, Dipper Arm, Counterweight
KX057-4R3AP, Rubber Tracks, A/C ROPS/OPG (Top Guard, Level I) Cab, Angle Dozer Blade, Dipper Arm, Counterweight, SP2
KX057-4S3A, Steel Tracks, A/C ROPS/OPG (Top Guard, Level I) Cab, Angle Dozer Blade, Dipper Arm, Counterweight
KX057-4S3AP, Steel Tracks, A/C ROPS/OPG (Top Guard, Level I) Cab, Angle Dozer Blade, Dipper Arm, Counterweight, SP2

ENGINE

V2607 Kubota DI CRS Tier 4 Final Diesel Engine
4 Cylinder, 4 Cycle
47.6 Gross HP @ 2200 rpm (SAE J1995)
45.2 Net HP @ 2200 rpm (SAE J1349)

OPERATIONAL DIMENSIONS

Max Digging Depth	12' 8.2"
Max Digging Radius @ Ground Level	20' 0.5"
Max Vertical Digging Depth	5' 7.3"
Max Dumping Height	13' 8.6"

STANDARD DOZER BLADE DIMENSIONS

Width	77.2"
Height	16.1"
Lift Above Ground	17.3"
Drop Below Ground	16.1"

PERFORMANCE

Digging Force @ Bucket (K7919)	11,177 lbs.
Digging Force @ Dipper Arm	5,644 lbs.
Travel Speed (Low / High)	1.8/3.1 mph
Climbing Ability	36% / 20°
Lift Capacity	3,410 lbs.
<ul style="list-style-type: none"> • Over Front • Blade Grounded • 4.0 Ft. Load Point Height • 12.0 Ft. Load Radius 	

DIMENSIONS AND OPERATING WEIGHT



KX057-4R1, Rubber Tracks, ROPS/OPG (Top Guard, Level I) Canopy, Dozer Blade, Dipper Arm, Counterweight	
Overall Length	18' 1.3"
Overall Width	6' 5.2"
Overall Height	8' 4.4"
Operating Weight*	12,200 lbs.
Ground Clearance	12' 0.2"
KX057-4R3AP, Rubber Tracks, ROPS/OPG (Top Guard, A/C Cab, Angle Dozer Blade, Dipper Arm, Counterweight, SP2	
Overall Length	18' 1.3"
Overall Width	6' 5.2"
Overall Height	8' 4"
Operating Weight*	12,820 lbs.
Ground Clearance	12.0.2"

* Includes operator's weight, 175 lbs.

Deckover - Split Tilt

STANDARD FEATURES


- Steel Plated Tongue
- Dexter EZ Lube Axles (Oil Bath on 8 Ton)
- Nev-R-Adjust Brakes (N/A on 8 Ton)
- Slipper Spring Suspension
- Electric Brakes (2) Axles
- Adjustable Dual Hydraulic Cushion Cylinders
- LED Lights - Rubber Mounted
- Stake Pockets and Rub Rail
- Adjustable 2-5/16" Ball Coupler or Pintle
- 12K Bolt-on Drop Leg Jack
- P/T Pine Decking (Oak on 8 Ton)
- Silver Wheels
- Aluminum Tool Box
- Rear Impact Guard
- Knife Edge Approach
- Mud Flaps
- D-Ring Tie Downs (8) - 5/8"
- Solar Charged Breakaway
- Sealed Wiring Harness
- 7-Way RV Plug
- Safety Chains
- Epoxy Primer
- Polyurethane Paint Finish
- Colors (standard): Black, Yellow
- Two Year Warranty




Knife Edge Approach

SPECIFICATIONS

Model#	6CAM824DOSTT	7CAM824DOSTT	8CAM824DOSTT
GVWR:	13,800 lbs.	16,100 lbs.	18,400 lbs.
Empty Weight:	4,480 lbs.	4,580 lbs.	5,130 lbs.
Payload:	9,320 lbs.	11,520 lbs.	13,270 lbs.
Deck Length:	24' (4' Stat., 20' Tilt)	24' (4' Stat., 20' Tilt)	24' (4' Stat., 20' Tilt)
Overall Width:	102"	102"	102"
Deck Height:	35"	35"	36"
Axle Capacity:	6,000 lbs.	7,000 lbs.	8,000 lbs.
Radial Tire Size:	235/80R16LRE	235/80R16LRE	215/75R17.5LRH
Main Frame & Tongue:	8" I-Beam @ 10#	8" I-Beam @ 10#	8" I-Beam @ 13#
Crossmembers:	3" Channel @ 4.1#	3" Channel @ 4.1#	3" Channel @ 4.1#



Adjustable Cushion Cylinders & Locking Mechanism



Tongue Area

OPTIONS AVAILABLE

- Power Up & Power Down (includes 12V Battery)
- Spare Tire & Wheel
- Spare Tire Mount
- Oak Deck
- Torflex Axles
- Forklift Tread Package (Tilt Deck Only)
- Underbody Tool Box (14"x16"x36")
- Gooseneck with Adjustable Coupler and Dual 12K Jacks
- Goodyear Tires
- Winch Mount (on tilting deck)
- 3/16" Diamond Plate Decking
- Aluminum Wheels
- Wireless Remote (Power Option Only)
- Additional D-Ring Tie Downs - 5/8"
- Custom Colors
- Galvanizing
- Galvanized Wheels
- Optional Colors: Red, Gray, Orange, Blue, Green



10-16 Printed in the USA



Specifications subject to change without notice.



Quality. Service. Value. Dependability.

4763 Zane Miller Drive
Waynesboro, PA 17268

Toll Free: 800.378.7623
Fax: 800.279.7578

www.camsuperline.com