

PIC 10-3-17 SERVICE
CA 10-10-17
1st R 10-17-17
2nd R _____
3rd R _____
B/C _____

CITY OF BROOK PARK, OHIO

ORDINANCE NO. 11004-2017

INTRODUCED BY: Mayor Coyne

**AN ORDINANCE
AUTHORIZING FABRIZI TRUCKING AND PAVING, COMPANY TO COMPLETE
STORM SEWER REPAIRS NEAR 14527 FAYETTE BLVD.
AND DECLARING AN EMERGENCY**

WHEREAS, the existing 24" storm sewer in the public right-of-way near 14527 Fayette Blvd. has been compromised and is in need of repair;

WHEREAS, proposals to complete the work were requested from eight contractors and the results are included as Attachment "A";

WHEREAS, Council desires to have the work completed;

NOW THEREFORE, BE IT ORDAINED by the Council of the City of Brook Park, State of Ohio, that:

SECTION 1: Mayor is authorized to pay Fabrizi Trucking and Paving Company, Inc. for the repair work as described in Attachment "B", an estimated fee of \$24,530.00.

SECTION 2: The money needed to complete the aforesaid transaction shall be paid from the Capital Improvement Fund No. 401 theretofore appropriated or to be appropriated for said purpose.

SECTION 3: It is found and determined that all formal actions of this Council concerning and relating to the adoption of this Ordinance were adopted in an open meeting of this Council, and that all deliberations of this Council and of any of its committees that resulted in such formal action were in meetings open to the public in compliance with all legal requirements, including Section 121.22 of the Ohio Revised Code.

SECTION 4: This Ordinance is hereby declared to be an emergency measure immediately necessary for the preservation of the public peace, health, safety of said City, and for the further reason that the City desires to complete this work as soon as possible; therefore provided this Ordinance receives the affirmative vote of at least five (5) members elected to Council, it shall take effect and be in force immediately upon its passage and approval by the Mayor; otherwise, from and after the earliest period allowed by law.

PASSED: October 17, 2017

Jim Astorini
PRESIDENT OF COUNCIL

ATTEST: Michelle Blazak APPROVED:
CLERK OF COUNCIL

[Signature]
MAYOR

11/17/17
DATE

I HEREBY APPROVE THE WITHIN
INSTRUMENT AS TO LEGAL FORM
AND CORRECTNESS

[Signature]
DIRECTOR OF LAW

CERTIFICATE

Michelle Blazak, Clerk of Council, of the City of Brook Park, Ohio, do hereby certify that the foregoing is a true and accurate copy of Ordinance/Resolution

No. 11004-2017
passed on the 17th day of OCTOBER,
2017 by said council.

Michelle Blazak
Clerk of Council

I, Michelle Blazak, Clerk of Council for the City of Brook Park, State of Ohio, do hereby certify that there is no newspaper of general circulation in the municipality and that publication of the foregoing ordinances/resolutions was made by posting true copies at six of the most public places in said municipality as determined by Ordinance No. 4838-1975, location City Hall 6161 Engle Road, Police Station 17401 Holland Road, #1 Fire Station 5590 Smith Road, #2 Fire Station 22530 Ruple Parkway, #3 Fire Station 17401 Holland Road, Brook Park Library 6165 Engle Road, for a period of fifteen days.

commencing on October 18, 2017
Michelle Blazak
MICHELLE BLAZAK
Clerk of Council

	Yea	Nay
Troyer	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Mencini	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Powers	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Scott	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Burgio	<input checked="" type="checkbox"/>	<input type="checkbox"/>
McDonnell	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Salvatore	<input checked="" type="checkbox"/>	<input type="checkbox"/>



MEMO

TO: Mayor Coyne

FROM: Edward R. Piatak, P.E., Consulting City Engineer

DATE: September 21, 2017

SUBJECT: 14527 Fayette Storm Sewer Repair

CC: Service Director Cayet

Mayor Coyne:

As per your request, I've contacted a number of Contractors regarding the repairs needed on the existing storm sewer near 14527 Fayette Blvd. See below for the responses that I have received as of the date of this Memo:

Fabrizi Trucking and Paving	\$24,530.00
H and J Construction	\$24,990.00
Xtreme Excavating	\$25,530.00
Terrace Construction	No Bid
DiGioia-Suburban Excavating	No Bid
Mosko Excavating	No Bid
Strongsville Excavating	No Response
B. + B. F. Construction	No Bid

Please let me know how you like to proceed with having this work completed.

EUTHENICS, INC.

Edward R. Piatak, P.E.
Consulting City Engineer

F:\jobs\187\Coyne Memo 092117.docx

OFFICERS

R. S. WASOSKY, PE, PS, CEO, • A. R. PIATAK, PE, PRESIDENT • D. T. BENDER, PE, SECRETARY • J. L. NEVILLE, PE, TREASURER • E. R. PIATAK, PE, VICE PRESIDENT
ASSOCIATES
R. A. BENDER, PE • M. E. KIMBERLIN, PE, PS • M. M. PILAT, PE • M. R. COSGRIFE, PE • L. A. BAKER, PE • A. J. MALINAK, PE • S. A. HORAN, PS

Attachment "A"

Proposal to replace 24" RCP storm sewer at 14527 Fayette Blvd. in the City of Brook Park.


- Work shall include replacement of the existing storm service connection and installation of a new cleanout at the existing R/W line.
- Pavement restoration shall include replacement of approximately 390 sq. ft. of 8" – ODOT 451 Reinforced Concrete Pavement (and curbing) and any damaged sidewalk.
- Trench backfill shall be ODOT 304 (limestone) and paving shall be in accordance with Cuyahoga County Standard Construction Drawing MD-3C (10/08/15).
- A copy of the Brook Park Service Department sewer video can be provided upon request.
- Be advised that the City expects work to begin immediately upon authorization.

Inclusions:

- Mobilization
- Pavement saw cutting
- Excavation
- Traffic control
- Disposal of materials
- 24" C-76 RCP Cl. IV conduit
- 6" PVC SDR 35 conduit
- 6" PVC Cleanout (at R/W line)
- Fernco couplings
- One Kor-N-Tee connector
- Backfill
- 8" Pavement and 4" Sidewalk repairs
- Edge sealing
- Topsoil, seeding and mulching
- Etc...

Exclusions:

- Bond
- Permits
- Inspection Fees
- Sales Tax
- Video Taping
- Construction Staking



Attachment "B"